

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081924\
 Data File : BN033502.D
 Acq On : 20 Aug 2024 12:47
 Operator : MA/JU
 Sample : P3580-04
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Aug 20 13:12:40 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 19 23:32:18 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.552	152	8241	0.400	ng	0.00
7) Naphthalene-d8	10.314	136	22492	0.400	ng	# 0.00
13) Acenaphthene-d10	14.189	164	11415	0.400	ng	0.00
19) Phenanthrene-d10	16.942	188	24297	0.400	ng	0.00
29) Chrysene-d12	21.148	240	14406	0.400	ng	0.00
35) Perylene-d12	23.317	264	14184	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.183	112	2789	0.106	ng	0.00
5) Phenol-d6	6.736	99	3395	0.109	ng	0.00
8) Nitrobenzene-d5	8.681	82	2174	0.117	ng	-0.01
11) 2-Methylnaphthalene-d10	11.911	152	2905	0.090	ng	0.00
14) 2,4,6-Tribromophenol	15.688	330	399	0.065	ng	0.00
15) 2-Fluorobiphenyl	12.809	172	3913	0.084	ng	0.00
27) Fluoranthene-d10	18.979	212	3334	0.057	ng	0.00
31) Terphenyl-d14	19.593	244	1992	0.061	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.190	88	199	0.021	ng	# 1
3) n-Nitrosodimethylamine	3.407	42	2548	0.231	ng	# 1
25) Phenanthrene	16.979	178	2433	0.036	ng	98
28) Fluoranthene	19.007	202	4758	0.064	ng	98
30) Pyrene	19.370	202	4700	0.073	ng	96
32) Benzo(a)anthracene	21.130	228	1639	0.031	ng	# 81
33) Chrysene	21.184	228	2195	0.042	ng	# 90
34) Bis(2-ethylhexyl)phtha...	21.094	149	2490	0.076	ng	98
36) Indeno(1,2,3-cd)pyrene	25.475	276	1337	0.023	ng	# 84
37) Benzo(b)fluoranthene	22.677	252	2797	0.053	ng	# 21
38) Benzo(k)fluoranthene	22.677	252	2797	0.054	ng	# 23
39) Benzo(a)pyrene	23.224	252	1725	0.039	ng	# 10
41) Benzo(g,h,i)perylene	26.127	276	1381	0.027	ng	# 62

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081924\
Data File : BN033502.D
Acq On : 20 Aug 2024 12:47
Operator : MA/JU
Sample : P3580-04
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :


Quant Time: Aug 20 13:12:40 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 19 23:32:18 2024
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.552 min Scan# 61
 Delta R.T. -0.007 min
 Lab File: BN033502.D
 Acq: 20 Aug 2024 12:47


Instrument :
 BNA_N
 ClientSampleId :





Tgt Ion:152 Resp: 8241
 Ion Ratio Lower Upper
 152 100
 150 155.7 122.2 183.2
 115 61.2 47.2 70.8




#2
 1,4-Dioxane
 Concen: 0.021 ng
 RT: 3.190 min Scan# 29
 Delta R.T. -0.000 min
 Lab File: BN033502.D
 Acq: 20 Aug 2024 12:47



Tgt Ion: 88 Resp: 199
 Ion Ratio Lower Upper
 88 100
 43 0.0 25.0 37.4#
 58 243.7 62.5 93.7#





#3

n-Nitrosodimethylamine

Concen: 0.231 ng

RT: 3.407 min Scan# 51

Delta R.T. -0.072 min


Lab File: BN033502.D

Acq: 20 Aug 2024 12:47

Instrument :

BNA_N

ClientSampleId :






Tgt Ion: 42 Resp: 2548

Ion Ratio Lower Upper

42 100

74 1.2 100.2 150.2#

44 162.7 5.3 7.9#



#4

2-Fluorophenol

Concen: 0.106 ng

RT: 5.183 min Scan# 305

Delta R.T. -0.007 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47




Tgt Ion: 112 Resp: 2789


Ion Ratio Lower Upper

112 100

64 59.4 47.1 70.7


63 31.7 24.9 37.3








#5
Phenol-d6
Concen: 0.109 ng
RT: 6.736 min Scan# 51
Delta R.T. -0.007 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47

Instrument :
BNA_N
ClientSampleId :







Tgt Ion: 99 Resp: 3395
Ion Ratio Lower Upper
99 100
42 24.7 16.6 24.8
71 34.4 26.2 39.4



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.314 min Scan# 926
Delta R.T. -0.000 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47


Tgt Ion: 136 Resp: 22492
Ion Ratio Lower Upper
136 100
137 11.4 9.0 13.6
54 8.1 8.3 12.5#
68 6.1 5.9 8.9








#8
Nitrobenzene-d5
Concen: 0.117 ng
RT: 8.681 min Scan# 71
Delta R.T. -0.011 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47

Instrument :
BNA_N
ClientSampleId :







Tgt Ion: 82 Resp: 2174
Ion Ratio Lower Upper
82 100
128 39.9 36.0 54.0
54 63.3 42.0 63.0#



#11
2-Methylnaphthalene-d10
Concen: 0.090 ng
RT: 11.911 min Scan# 1144
Delta R.T. -0.004 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47


Tgt Ion: 152 Resp: 2905
Ion Ratio Lower Upper
152 100
151 21.1 16.6 25.0








#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.189 min Scan# 1476
Delta R.T. -0.000 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47


Instrument :
BNA_N
ClientSampleId :





Tgt Ion:164 Resp: 11415
Ion Ratio Lower Upper
164 100
162 103.9 83.5 125.3
160 49.6 40.2 60.4




#14
2,4,6-Tribromophenol
Concen: 0.065 ng
RT: 15.688 min Scan# 1614
Delta R.T. -0.000 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47



Tgt Ion:330 Resp: 399
Ion Ratio Lower Upper
330 100
332 100.8 77.5 116.3
141 54.4 33.9 50.9#





#15

2-Fluorobiphenyl

Concen: 0.084 ng

RT: 12.809 min Scan# 1347

Delta R.T. -0.000 min


Lab File: BN033502.D

Acq: 20 Aug 2024 12:47

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:172 Resp: 3913

Ion Ratio Lower Upper

172 100

171 34.9 27.7 41.5

170 23.5 18.3 27.5



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.942 min Scan# 1715

Delta R.T. -0.000 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47




Tgt Ion:188 Resp: 24297


Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 8.0 7.8 11.8









#25
Phenanthrene
Concen: 0.036 ng
RT: 16.979 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:178 Resp: 2433
Ion Ratio Lower Upper
178 100
176 18.5 15.3 22.9
179 14.1 12.3 18.5



#27
Fluoranthene-d10
Concen: 0.057 ng
RT: 18.979 min Scan# 1943
Delta R.T. -0.005 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47

Tgt Ion:212 Resp: 3334
Ion Ratio Lower Upper
212 100
106 16.6 12.3 18.5
104 9.2 7.0 10.4





#28

Fluoranthene

Concen: 0.064 ng

RT: 19.007 min Scan# 1949

Delta R.T. -0.005 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:202 Resp: 4758

Ion Ratio Lower Upper

202 100

101 10.9 9.5 14.3

203 17.6 13.8 20.6



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.148 min Scan# 2395

Delta R.T. -0.000 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47




Tgt Ion:240 Resp: 14406


Ion Ratio Lower Upper

240 100

120 13.9 12.4 18.6

236 29.0 23.0 34.6





#30

Pyrene

Concen: 0.073 ng

RT: 19.370 min Scan# 2028

Delta R.T. -0.005 min

Lab File: BN033502.D





Acq: 20 Aug 2024 12:47

Instrument :

BNA_N

ClientSampleId :

Tgt Ion:	202	Resp:	4700
Ion Ratio	Lower	Upper	
202	100		
200	21.6	16.6	24.8
203	21.0	14.2	21.4



#31

Terphenyl-d14

Concen: 0.061 ng




RT: 19.593 min Scan# 2075


Delta R.T. -0.005 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47

Tgt Ion:	244	Resp:	1992
Ion Ratio	Lower	Upper	
244	100		
212	14.4	7.8	11.6#
122	23.4	13.3	19.9#





#32

Benzo(a)anthracene

Concen: 0.031 ng

RT: 21.130 min Scan# 24

Delta R.T. -0.000 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:228 Resp: 1639

Ion Ratio Lower Upper

228 100

226 37.9 21.8 32.6#

229 26.8 15.8 23.6#



#33

Chrysene

Concen: 0.042 ng

RT: 21.184 min Scan# 2399

Delta R.T. -0.000 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47




Tgt Ion:228 Resp: 2195


Ion Ratio Lower Upper

228 100

226 33.9 23.8 35.8

229 25.3 15.6 23.4#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.076 ng
 RT: 21.094 min Scan# 2109
 Delta R.T. -0.000 min
 Lab File: BN033502.D
 Acq: 20 Aug 2024 12:47




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion:149 Resp: 2490
 Ion Ratio Lower Upper
 149 100
 167 25.6 21.5 32.3
 279 2.4 2.2 3.2



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.317 min Scan# 2846
 Delta R.T. -0.003 min
 Lab File: BN033502.D
 Acq: 20 Aug 2024 12:47


Tgt Ion:264 Resp: 14184
 Ion Ratio Lower Upper
 264 100
 260 26.9 20.8 31.2
 265 68.4 52.2 78.2








#36
Indeno(1,2,3-cd)pyrene
Concen: 0.023 ng
RT: 25.475 min Scan# 3587
Delta R.T. -0.009 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47


Instrument :
BNA_N
ClientSampleId :





Tgt Ion:276 Resp: 1337
Ion Ratio Lower Upper
276 100
138 15.8 24.4 36.6#
277 23.3 19.8 29.6




#37
Benzo(b)fluoranthene
Concen: 0.053 ng
RT: 22.677 min Scan# 2627
Delta R.T. -0.000 min
Lab File: BN033502.D
Acq: 20 Aug 2024 12:47



Tgt Ion:252 Resp: 2797
Ion Ratio Lower Upper
252 100
253 50.4 19.8 29.8#
125 69.5 13.9 20.9#





#38

Benzo(k)fluoranthene

Concen: 0.054 ng

RT: 22.677 min Scan# 2

Delta R.T. -0.044 min


Lab File: BN033502.D

Acq: 20 Aug 2024 12:47

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:252 Resp: 2797

Ion Ratio Lower Upper

252 100

253 50.4 19.8 29.8#

125 69.5 15.8 23.8#



#39

Benzo(a)pyrene

Concen: 0.039 ng

RT: 23.224 min Scan# 2814

Delta R.T. -0.003 min

Lab File: BN033502.D

Acq: 20 Aug 2024 12:47




Tgt Ion:252 Resp: 1725


Ion Ratio Lower Upper

252 100

253 58.8 21.5 32.3#

125 80.5 17.0 25.4#





#41
 Benzo(g,h,i)perylene
 Concen: 0.027 ng
 RT: 26.127 min Scan# 30
 Delta R.T. -0.012 min
 Lab File: BN033502.D
 Acq: 20 Aug 2024 12:47

Instrument :
 BNA_N
 ClientSampleId :

Tgt Ion:	276	Resp:	1381
Ion Ratio	Lower	Upper	
276	100		
277	41.4	19.7	29.5#
138	49.2	21.8	32.6#

