

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN082520\
 Data File : BN011635.D
 Acq On : 26 Aug 2020 03:27
 Operator : CG/JU
 Sample : L3738-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB181-GW-368-370

Quant Time: Aug 26 04:11:11 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN082420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 25 03:31:11 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	2184	0.40	ng	0.00
7) Naphthalene-d8	10.54	136	8759	0.40	ng	0.00
13) Acenaphthene-d10	14.39	164	5585	0.40	ng	0.00
19) Phenanthrene-d10	17.14	188	12335	0.40	ng	0.00
29) Chrysene-d12	21.32	240	11924	0.40	ng	-0.01
36) Perylene-d12	23.58	264	13072	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.35	112	1029	0.15	ng	0.00
5) Phenol-d6	6.91	99	832	0.08	ng	0.00
8) Nitrobenzene-d5	8.89	82	3874	0.51	ng	-0.01
11) 2-Methylnaphthalene-d10	12.13	152	4429	0.27	ng	0.00
14) 2,4,6-Tribromophenol	15.88	330	1073	0.35	ng	0.00
15) 2-Fluorobiphenyl	13.01	172	11203	0.52	ng	-0.01
27) Fluoranthene-d10	19.17	212	11565	0.29	ng	0.00
31) Terphenyl-d14	19.77	244	20680	0.68	ng	0.00
Target Compounds						Qvalue
34) Bis(2-ethylhexyl)phthalate	21.26	149	275355	11.821	ng	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN082520\
Data File : BN011635.D
Acq On : 26 Aug 2020 03:27
Operator : CG/JU
Sample : L3738-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-VPB181-GW-368-370

Quant Time: Aug 26 04:11:11 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN082420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 25 03:31:11 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.76 min Scan# 593
Delta R.T. -0.01 min
Lab File: BN011635.D
Acq: 26 Aug 2020 03:27

Instrument :
BNA_N
ClientSampleId :
BP-VPB181-GW-368-370

Tot Ion:152 Resp: 2184
Ion Ratio Lower Upper
152 100
150 153.4 112.4 168.6
115 67.3 56.9 85.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.147 ng
RT: 5.35 min Scan# 294
Delta R.T. -0.00 min
Lab File: BN011635.D
Acq: 26 Aug 2020 03:27

Tgt Ion:112 Resp: 1029
Ion Ratio Lower Upper
112 100
64 59.7 49.6 74.4
63 33.5 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.084 ng

RT: 6.91 min Scan# 488

Delta R.T. -0.01 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27

Instrument :

BNA_N

ClientSampleId :

BP-VPB181-GW-368-370





Tot Ion: 99 Resp: 832

Ion Ratio Lower Upper

99 100

42 27.9 0.0 0.0#

71 43.4 0.0 0.0#



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.54 min Scan# 838

Delta R.T. -0.00 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27

Tgt Ion: 136 Resp: 8759




Ion Ratio Lower Upper


136 100

137 11.8 11.5 17.3

54 6.1 11.9 17.9#

68 4.7 12.3 18.5#





#8

Nitrobenzene-d5

Concen: 0.511 ng

RT: 8.89 min Scan# 708

Delta R.T. -0.01 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27

Instrument :

BNA_N

ClientSampleId :

BP-VPB181-GW-368-370


Tot Ion: 82 Resp: 3874

Ion Ratio Lower Upper

82 100

128 37.5 31.1 46.7




54 55.1 37.1 55.7



Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): BNC

Ion 54.00 (53.70 to 54.70): BNC



#11

2-Methylnaphthalene-d10

Concen: 0.267 ng

RT: 12.13 min Scan# 1053

Delta R.T. -0.01 min

Lab File: BN011635.D


Acq: 26 Aug 2020 03:27

Tgt Ion: 152 Resp: 4429

Ion Ratio Lower Upper



152 100


151 19.6 16.4 24.6



Abundance Ion 152.00 (151.70 to 152.70): BNC

Ion 151.00 (150.70 to 151.70): BNC





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.39 min Scan# 1286

Delta R.T. -0.00 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27

Instrument :

BNA_N

ClientSampleId :

BP-VPB181-GW-368-370


Tot Ion:164 Resp: 5585

Ion Ratio Lower Upper

164 100

162 98.7 80.8 121.2




160 44.9 35.6 53.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.350 ng

RT: 15.88 min Scan# 1403

Delta R.T. -0.00 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27


Tgt Ion:330 Resp: 1073

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 41.1 29.4 44.2




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.515 ng
RT: 13.01 min Scan# 1177
Delta R.T. -0.01 min
Lab File: BN011635.D
Acq: 26 Aug 2020 03:27




Instrument :
BNA_N
ClientSampleId :
BP-VPB181-GW-368-370


Tot Ion:172 Resp: 11203
Ion Ratio Lower Upper
172 100
171 35.5 28.6 42.8
170 23.2 18.2 27.2



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.14 min Scan# 1506
Delta R.T. -0.00 min
Lab File: BN011635.D
Acq: 26 Aug 2020 03:27

Tgt Ion:188 Resp: 12335
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.2 9.2 13.8





#27

Fluoranthene-d10

Concen: 0.288 ng

RT: 19.17 min Scan# 1810

Delta R.T. -0.01 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27

Instrument :

BNA_N

ClientSampleId :

BP-VPB181-GW-368-370





Tot Ion:212 Resp: 11565

Ion Ratio Lower Upper

212 100

106 9.8 8.9 13.3

104 5.9 5.3 7.9



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.32 min Scan# 2103

Delta R.T. -0.01 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27




Tgt Ion:240 Resp: 11924


Ion Ratio Lower Upper

240 100

120 9.5 6.0 9.0#

236 27.3 20.8 31.2





#31

Terphenyl-d14

Concen: 0.679 ng

RT: 19.77 min Scan# 1932

Delta R.T. -0.00 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27

Instrument :

BNA_N

ClientSampleId :

BP-VPB181-GW-368-370


Tot Ion:244 Resp: 20680

Ion Ratio Lower Upper




244 100

212 8.3 6.5 9.7

122 9.5 9.5 14.3#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#34

Bis(2-ethylhexyl)phthalate

Concen: 11.821 ng

RT: 21.26 min Scan# 2097

Delta R.T. -0.01 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27


Tgt Ion:149 Resp: 275355

Ion Ratio Lower Upper



149 100




167 28.8 20.6 31.0

279 4.7 3.8 5.8



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E





#36

Pervlene-d12

Concen: 0.400 ng

RT: 23.58 min Scan# 2549

Delta R.T. -0.01 min

Lab File: BN011635.D

Acq: 26 Aug 2020 03:27

Instrument :

BNA_N

ClientSampleId :

BP-VPB181-GW-368-370

Tot Ion: 264 Resp: 13072

Ion Ratio Lower Upper

264 100

260 24.7 19.6 29.4

265 51.8 40.7 61.1

