

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090122\
 Data File : BN021529.D
 Acq On : 01 Sep 2022 17:24
 Operator : CG/JU
 Sample : PB147332BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB147332BL

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 09/02/2022
 Supervised By : Jagrut Upadhyay 09/02/2022

Quant Time: Sep 02 00:59:00 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 02 00:53:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.069	152	4333	0.400	ng	0.00
7) Naphthalene-d8	10.898	136	13312	0.400	ng	0.00
13) Acenaphthene-d10	14.729	164	6883	0.400	ng	0.01
19) Phenanthrene-d10	17.480	188	14077	0.400	ng	0.01
29) Chrysene-d12	21.664	240	8693	0.400	ng	# 0.00
35) Perylene-d12	24.191	264	6905	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.599	112	3533	0.417	ng	0.00
5) Phenol-d6	7.224	99	4228	0.391	ng	0.00
8) Nitrobenzene-d5	9.243	82	3012m	0.335	ng	0.00
11) 2-Methylnaphthalene-d10	12.490	152	12578	0.419	ng	0.00
14) 2,4,6-Tribromophenol	16.219	330	432	0.191	ng	0.00
15) 2-Fluorobiphenyl	13.349	172	10682	0.355	ng	0.00
27) Fluoranthene-d10	19.506	212	13364	0.369	ng	0.00
31) Terphenyl-d14	20.097	244	8583	0.439	ng	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090122\
Data File : BN021529.D
Acq On : 01 Sep 2022 17:24
Operator : CG/JU
Sample : PB147332BL
Misc :
ALS Vial : 3 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
PB147332BL

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 09/02/2022
Supervised By :Jagrut Upadhyay 09/02/2022


Quant Time: Sep 02 00:59:00 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 02 00:53:31 2022
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.069 min Scan# 665
Delta R.T. -0.000 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Instrument :
BNA_N
ClientSampleId :
PB147332BL



Tgt Ion:152 Resp: 4333
Ion Ratio Lower Upper
152 100
150 156.0 121.4 182.0
115 62.4 48.6 72.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 09/02/2022
Supervised By :Jagrut Upadhyay 09/02/2022



#4
2-Fluorophenol
Concen: 0.417 ng
RT: 5.599 min Scan# 321
Delta R.T. 0.007 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24


Tgt Ion:112 Resp: 3533
Ion Ratio Lower Upper
112 100
64 57.2 43.5 65.3
63 29.8 22.6 34.0





#5
Phenol-d6
Concen: 0.391 ng
RT: 7.224 min Scan# 546
Delta R.T. 0.007 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Instrument :
BNA_N
ClientSampleId :
PB147332BL




Tgt Ion: 99 Resp: 4228
Ion Ratio Lower Upper
99 100
42 18.2 15.5 23.3
71 31.5 24.2 36.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 09/02/2022
Supervised By :Jagrut Upadhyay 09/02/2022




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.898 min Scan# 939
Delta R.T. 0.000 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Tgt Ion:136 Resp: 13312
Ion Ratio Lower Upper
136 100
137 11.6 9.3 13.9
54 9.8 6.9 10.3
68 8.4 6.1 9.1





#8
Nitrobenzene-d5
Concen: 0.335 ng m
RT: 9.243 min Scan# 785
Delta R.T. 0.000 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Instrument :
BNA_N
ClientSampleId :
PB147332BL



Tgt Ion: 82 Resp: 3012
Ion Ratio Lower Upper
82 100
128 38.9 30.9 46.3
54 51.5 42.7 64.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 09/02/2022
Supervised By :Jagrut Upadhyay 09/02/2022



#11
2-Methylnaphthalene-d10
Concen: 0.419 ng
RT: 12.490 min Scan# 1256
Delta R.T. 0.004 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24

Tgt Ion:152 Resp: 12578
Ion Ratio Lower Upper
152 100
151 19.4 14.5 21.7





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.729 min Scan# 1468

Delta R.T. 0.011 min

Lab File: BN021529.D

Acq: 01 Sep 2022 17:24

Instrument :

BNA_N

ClientSampleId :

PB147332BL





Tgt Ion:	164	Resp:	688
Ion Ratio	Lower	Upper	
164	100		
162	102.7	82.2	123.4
160	48.9	39.5	59.3

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 09/02/2022

Supervised By :Jagrut Upadhyay 09/02/2022



#14

2,4,6-Tribromophenol

Concen: 0.191 ng




RT: 16.219 min Scan# 1609


Delta R.T. 0.000 min

Lab File: BN021529.D

Acq: 01 Sep 2022 17:24


Tgt Ion:	330	Resp:	432
Ion Ratio	Lower	Upper	
330	100		
332	97.9	79.3	118.9
141	44.2	37.1	55.7





#15
2-Fluorobiphenyl
Concen: 0.355 ng
RT: 13.349 min Scan# 1339
Delta R.T. 0.000 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Instrument :
BNA_N
ClientSampleId :
PB147332BL




Tgt Ion:172 Resp: 10682
Ion Ratio Lower Upper
172 100
171 36.2 27.8 41.6
170 24.9 18.6 28.0

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 09/02/2022
Supervised By :Jagrut Upadhyay 09/02/2022




#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.480 min Scan# 1732
Delta R.T. 0.010 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Tgt Ion:188 Resp: 14077
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.9 9.5 14.3





#27
Fluoranthene-d10
Concen: 0.369 ng
RT: 19.506 min Scan# 2138
Delta R.T. 0.004 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Instrument :
BNA_N
ClientSampleId :
PB147332BL




Tgt Ion:212 Resp: 13364
Ion Ratio Lower Upper
212 100
106 18.1 14.2 21.2
104 10.3 7.8 11.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 09/02/2022
Supervised By :Jagrut Upadhyay 09/02/2022




#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.664 min Scan# 2442
Delta R.T. 0.000 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Tgt Ion:240 Resp: 8693
Ion Ratio Lower Upper
240 100
120 21.1 10.2 15.4#
236 29.2 22.1 33.1





#31
Terphenyl-d14
Concen: 0.439 ng
RT: 20.097 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24




Instrument :
BNA_N
ClientSampleId :
PB147332BL




Tgt Ion:244 Resp: 8583
Ion Ratio Lower Upper
244 100
212 8.4 6.5 9.7
122 12.9 9.1 13.7

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 09/02/2022
Supervised By :Jagrut Upadhyay 09/02/2022



#35
Perylene-d12
Concen: 0.400 ng
RT: 24.191 min Scan# 3135
Delta R.T. 0.006 min
Lab File: BN021529.D
Acq: 01 Sep 2022 17:24



Tgt Ion:264 Resp: 6905
Ion Ratio Lower Upper
264 100
260 26.7 21.0 31.6
265 41.4 32.2 48.2

