

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090421\
 Data File : BN016203.D
 Acq On : 04 Sep 2021 21:06
 Operator : CG/JU
 Sample : M3561-20
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 FB-082621

Quant Time: Sep 06 06:20:32 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN090421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 06 02:08:58 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.873	152	13057	0.400	ng	0.00
7) Naphthalene-d8	10.660	136	69362	0.400	ng	0.00
13) Acenaphthene-d10	14.497	164	39503	0.400	ng	0.00
19) Phenanthrene-d10	17.236	188	77863	0.400	ng	#-0.01
29) Chrysene-d12	21.429	240	79089	0.400	ng	# 0.00
35) Perylene-d12	23.820	264	78747	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.457	112	5126	0.139	ng	0.00
5) Phenol-d6	7.043	99	3765	0.080	ng	0.00
8) Nitrobenzene-d5	9.025	82	18292	0.329	ng	0.00
11) 2-Methylnaphthalene-d10	12.252	152	35410	0.321	ng	0.00
14) 2,4,6-Tribromophenol	15.981	330	3775	0.214	ng	-0.01
15) 2-Fluorobiphenyl	13.127	172	50874	0.342	ng	0.00
27) Fluoranthene-d10	19.276	212	85088	0.364	ng	0.00
31) Terphenyl-d14	19.872	244	87204	0.436	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.344	149	42068	0.235	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090421\
Data File : BN016203.D
Acq On : 04 Sep 2021 21:06
Operator : CG/JU
Sample : M3561-20
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
FB-082621

Quant Time: Sep 06 06:20:32 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN090421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 06 02:08:58 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.873 min Scan# 520
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06




Instrument :
BNA_N
ClientSampleId :
FB-082621


Tgt Ion:152 Resp: 13057
Ion Ratio Lower Upper
152 100
150 154.5 125.3 187.9
115 60.4 48.4 72.6



#4
2-Fluorophenol
Concen: 0.139 ng
RT: 5.457 min Scan# 258
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06

Tgt Ion:112 Resp: 5126
Ion Ratio Lower Upper
112 100
64 59.2 46.8 70.2
63 28.3 22.7 34.1









#5
Phenol-d6
Concen: 0.080 ng
RT: 7.043 min Scan# 430
Delta R.T. 0.009 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06

Instrument :
BNA_N
ClientSampled :
FB-082621

Tgt Ion: 99 Resp: 3765




Ion	Ratio	Lower	Upper
99	100		
42	17.9	13.8	20.6
71	33.4	24.3	36.5




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.660 min Scan# 753
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06

Tgt Ion: 136 Resp: 69362

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	8.0	7.2	10.8
68	5.9	5.2	7.8









#8
Nitrobenzene-d5
Concen: 0.329 ng
RT: 9.025 min Scan# 624
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06




Instrument :
BNA_N
ClientSampleId :
FB-082621


Tgt Ion: 82 Resp: 18292
Ion Ratio Lower Upper
82 100
128 52.4 39.3 58.9
54 48.0 40.2 60.4



#11
2-Methylnaphthalene-d10
Concen: 0.321 ng
RT: 12.252 min Scan# 987
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06

Tgt Ion: 152 Resp: 35410
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.497 min Scan# 1201
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06




Instrument :
BNA_N
ClientSampleId :
FB-082621


Tgt Ion:164 Resp: 39503
Ion Ratio Lower Upper
164 100
162 99.0 79.8 119.6
160 42.2 34.2 51.4



#14
2,4,6-Tribromophenol
Concen: 0.214 ng
RT: 15.981 min Scan# 1318
Delta R.T. -0.013 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06

Tgt Ion:330 Resp: 3775
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 32.2 25.4 38.2









#15
2-Fluorobiphenyl
Concen: 0.342 ng
RT: 13.127 min Scan# 1093
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06




Instrument :
BNA_N
ClientSampleId :
FB-082621


Tgt Ion:	172	Resp:	50874
Ion	Ratio	Lower	Upper
172	100		
171	33.7	26.9	40.3
170	21.2	17.1	25.7



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.236 min Scan# 1421
Delta R.T. -0.012 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06

Tgt Ion:	188	Resp:	77863
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	10.8	5.0	7.6#









#27
Fluoranthene-d10
Concen: 0.364 ng
RT: 19.276 min Scan# 1739
Delta R.T. -0.005 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06




Instrument :
BNA_N
ClientSampleId :
FB-082621


Tgt Ion:212 Resp: 85088
Ion Ratio Lower Upper
212 100
106 12.1 9.7 14.5
104 7.3 5.4 8.0



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.429 min Scan# 2020
Delta R.T. -0.000 min
Lab File: BN016203.D
Acq: 04 Sep 2021 21:06

Tgt Ion:240 Resp: 79089
Ion Ratio Lower Upper
240 100
120 9.1 10.0 15.0#
236 25.6 20.9 31.3









#31
 Terphenyl-d14
 Concen: 0.436 ng
 RT: 19.872 min Scan# 1859
 Delta R.T. -0.000 min
 Lab File: BN016203.D
 Acq: 04 Sep 2021 21:06




Instrument :
 BNA_N
 ClientSampleId :
 FB-082621


Tgt Ion:244 Resp: 87204
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.5 8.3
 122 10.1 9.0 13.4



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.235 ng
 RT: 21.344 min Scan# 2012
 Delta R.T. -0.000 min
 Lab File: BN016203.D
 Acq: 04 Sep 2021 21:06

Tgt Ion:149 Resp: 42068
 Ion Ratio Lower Upper
 149 100
 167 29.5 24.2 36.4
 279 4.9 4.0 6.0





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.820 min Scan# 2525
 Delta R.T. -0.007 min
 Lab File: BN016203.D
 Acq: 04 Sep 2021 21:06

Instrument :
 BNA_N
 ClientSampleId :
 FB-082621

Tgt Ion:	264	Resp:	78747
Ion Ratio	Lower	Upper	
264	100		
260	23.9	19.5	29.3
265	24.3	20.2	30.2

