

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090424\
 Data File : BN033757.D
 Acq On : 04 Sep 2024 18:56
 Operator : MA/JU
 Sample : SSTDICV0.4
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 ICVBN090424

Quant Time: Sep 05 05:44:54 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN090424.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 04 18:36:01 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	0.400	0.400	0.0	93	0.00
2	1,4-Dioxane	0.400	0.397	0.8	96	0.00
3	n-Nitrosodimethylamine	0.400	0.394	1.5	95	0.00
4 S	2-Fluorophenol	0.400	0.370	7.5	90	0.00
5 S	Phenol-d6	0.400	0.367	8.3	91	0.00
6	bis(2-Chloroethyl)ether	0.400	0.386	3.5	92	0.00
7 I	Naphthalene-d8	0.400	0.400	0.0	93	0.00
8 S	Nitrobenzene-d5	0.400	0.373	6.8	92	0.00
9	Naphthalene	0.400	0.383	4.3	93	0.00
10	Hexachlorobutadiene	0.400	0.392	2.0	93	0.00
11 SURR	2-Methylnaphthalene-d10	0.400	0.378	5.5	92	0.00
12	2-Methylnaphthalene	0.400	0.376	6.0	92	0.00
13 I	Acenaphthene-d10	0.400	0.400	0.0	93	0.00
14 S	2,4,6-Tribromophenol	0.400	0.353	11.8	89	0.00
15 S	2-Fluorobiphenyl	0.400	0.391	2.3	93	0.00
16	Acenaphthylene	0.400	0.368	8.0	92	0.00
17	Acenaphthene	0.400	0.384	4.0	93	0.00
18	Fluorene	0.400	0.384	4.0	94	0.00
19 I	Phenanthrene-d10	0.400	0.400	0.0	96	0.00
20	4,6-Dinitro-2-methylphenol	0.400	0.320	20.0	95	0.01
21	4-Bromophenyl-phenylether	0.400	0.388	3.0	96	0.00
22	Hexachlorobenzene	0.400	0.394	1.5	95	0.00
23	Atrazine	0.400	0.366	8.5	91	0.00
24	Pentachlorophenol	0.400	0.331	17.3	88	0.00
25	Phenanthrene	0.400	0.385	3.8	95	0.00
26	Anthracene	0.400	0.375	6.3	94	0.00
27 SURR	Fluoranthene-d10	0.400	0.385	3.8	96	0.00
28	Fluoranthene	0.400	0.384	4.0	97	0.00
29 I	Chrysene-d12	0.400	0.400	0.0	102	0.00
30	Pyrene	0.400	0.390	2.5	98	0.00
31 S	Terphenyl-d14	0.400	0.388	3.0	98	0.00
32	Benzo(a)anthracene	0.400	0.386	3.5	100	0.00
33	Chrysene	0.400	0.405	-1.3	104	0.00
34	Bis(2-ethylhexyl)phthalate	0.400	0.363	9.3	93	0.00
35 I	Perylene-d12	0.400	0.400	0.0	105	0.00
36	Indeno(1,2,3-cd)pyrene	0.400	0.403	-0.8	107	0.00
37	Benzo(b)fluoranthene	0.400	0.394	1.5	103	0.00
38	Benzo(k)fluoranthene	0.400	0.395	1.3	105	0.00
39 C	Benzo(a)pyrene	0.400	0.387	3.3	104	0.00
40	Dibenzo(a,h)anthracene	0.400	0.405	-1.3	107	0.00
41	Benzo(g,h,i)perylene	0.400	0.405	-1.3	105	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

Instrument :

BNA_N

ClientSampleId :

ICVBN090424