

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091620\
 Data File : BN011813.D
 Acq On : 16 Sep 2020 12:08
 Operator : CG/JU
 Sample : PB131586BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB131586BL

Quant Time: Sep 16 12:43:14 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 16 12:37:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	1865	0.40	ng	0.00
7) Naphthalene-d8	10.50	136	6728	0.40	ng	0.00
13) Acenaphthene-d10	14.36	164	3937	0.40	ng	0.00
19) Phenanthrene-d10	17.10	188	8765	0.40	ng	0.00
29) Chrysene-d12	21.31	240	9443	0.40	ng	0.00
36) Perylene-d12	23.56	264	9763	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.32	112	1944	0.38	ng	0.00
5) Phenol-d6	6.89	99	2449	0.37	ng	0.00
8) Nitrobenzene-d5	8.87	82	2141	0.29	ng	0.01
11) 2-Methylnaphthalene-d10	12.10	152	3506	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.85	330	840	0.39	ng	0.00
15) 2-Fluorobiphenyl	12.97	172	5701	0.32	ng	0.00
27) Fluoranthene-d10	19.15	212	8476	0.30	ng	0.00
31) Terphenyl-d14	19.75	244	9870	0.34	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091620\
Data File : BN011813.D
Acq On : 16 Sep 2020 12:08
Operator : CG/JU
Sample : PB131586BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB131586BL

Quant Time: Sep 16 12:43:14 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 16 12:37:34 2020
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.72 min Scan# 589

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08

Instrument :

BNA_N

ClientSampleId :

PB131586BL


Tot Ion:152 Resp: 1865

Ion Ratio Lower Upper

152 100

150 150.5 118.3 177.5




115 63.9 51.3 76.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.377 ng

RT: 5.32 min Scan# 290

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08


Tgt Ion:112 Resp: 1944

Ion Ratio Lower Upper

112 100

64 61.8 49.0 73.6



63 37.8 31.8 47.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.369 ng

RT: 6.89 min Scan# 485

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08

Instrument :

BNA_N

ClientSampleId :

PB131586BL


Tot Ion: 99 Resp: 2449

Ion Ratio Lower Upper

99 100

42 23.6 23.4 35.0




71 44.3 38.1 57.1



Abundance Ion 99.00 (98.70 to 99.70): BN011813.D (-473) (-)

Ion 42.00 (41.70 to 42.70): BN011813.D (-473) (-)

Ion 71.00 (70.70 to 71.70): BN011813.D (-473) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.50 min Scan# 835

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08

Tgt Ion: 136 Resp: 6728


Ion Ratio Lower Upper

136 100

137 12.1 9.5 14.3

54 6.6 5.6 8.4

68 4.5 3.2 4.8






Abundance Ion 136.00 (135.70 to 136.70): BN011813.D (-819) (-)

Ion 137.00 (136.70 to 137.70): BN011813.D (-819) (-)

Ion 54.00 (53.70 to 54.70): BN011813.D (-819) (-)

Ion 68.00 (67.70 to 68.70): BN011813.D (-819) (-)





#8

Nitrobenzene-d5

Concen: 0.289 ng

RT: 8.87 min Scan# 706

Delta R.T. 0.01 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08

Instrument :

BNA_N

ClientSampleId :

PB131586BL


Tot Ion: 82 Resp: 2141

Ion Ratio Lower Upper

82 100

128 45.3 34.2 51.2




54 50.4 43.1 64.7



Abundance Ion 82.00 (81.70 to 82.70): BN011813.D (-697) (-)

Ion 128.00 (127.70 to 128.70): BN011813.D (-697) (-)

Ion 54.00 (53.70 to 54.70): BN011813.D (-697) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.277 ng

RT: 12.10 min Scan# 1045

Delta R.T. -0.00 min

Lab File: BN011813.D


Acq: 16 Sep 2020 12:08

Tgt Ion: 152 Resp: 3506

Ion Ratio Lower Upper



152 100


151 20.8 16.7 25.1



Abundance Ion 152.00 (151.70 to 152.70): BN011813.D (-1000) (-)

Ion 151.00 (150.70 to 151.70): BN011813.D (-1000) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.36 min Scan# 1283

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08

Instrument :

BNA_N

ClientSampleId :

PB131586BL


Tot Ion:164 Resp: 3937

Ion Ratio Lower Upper

164 100

162 102.7 83.6 125.4




160 50.6 41.2 61.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.390 ng

RT: 15.85 min Scan# 1401

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08


Tgt Ion:330 Resp: 840

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 41.5 33.7 50.5




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.323 ng
RT: 12.97 min Scan# 1174
Delta R.T. -0.00 min
Lab File: BN011813.D
Acq: 16 Sep 2020 12:08




Instrument :
BNA_N
ClientSampleId :
PB131586BL


Tot Ion:172 Resp: 5701
Ion Ratio Lower Upper
172 100
171 37.0 27.4 41.2
170 25.2 17.8 26.6



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.10 min Scan# 1503
Delta R.T. -0.00 min
Lab File: BN011813.D
Acq: 16 Sep 2020 12:08

Tgt Ion:188 Resp: 8765
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.3 7.7 11.5





#27

Fluoranthene-d10

Concen: 0.297 ng

RT: 19.15 min Scan# 1806

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08

Instrument :

BNA_N

ClientSampleId :

PB131586BL


Tot Ion:212 Resp: 8476

Ion Ratio Lower Upper

212 100

106 9.2 6.4 9.6




104 5.7 3.9 5.9



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.31 min Scan# 2102

Delta R.T. -0.00 min

Lab File: BN011813.D

Acq: 16 Sep 2020 12:08


Tgt Ion:240 Resp: 9443

Ion Ratio Lower Upper

240 100

120 6.8 3.5 5.3#



236 26.6 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#31
 Terphenyl-d14
 Concen: 0.337 ng
 RT: 19.75 min Scan# 1928
 Delta R.T. -0.00 min
 Lab File: BN011813.D
 Acq: 16 Sep 2020 12:08

Instrument :
 BNA_N
 ClientSampleId :
 PB131586BL

Tot Ion:244 Resp: 9870
 Ion Ratio Lower Upper
 244 100
 212 8.6 7.3 10.9
 122 8.9 7.8 11.6



#36
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.56 min Scan# 2542
 Delta R.T. -0.00 min
 Lab File: BN011813.D
 Acq: 16 Sep 2020 12:08

Tgt Ion:264 Resp: 9763
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.6 29.4
 265 69.4 38.6 58.0#

