

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091622\
 Data File : BN021793.D
 Acq On : 16 Sep 2022 17:46
 Operator : CG/JU
 Sample : N4601-03MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A5741MSD

Quant Time: Sep 17 00:23:40 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN081922.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Sep 17 00:17:38 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.052	152	171341	20.000	ng/u1	0.00
20) Naphthalene-d8	10.881	136	756325	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.710	164	446093	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.457	188	888732	20.000	ng/u1	0.00
79) Chrysene-d12	21.651	240	562612	20.000	ng/u1	# 0.00
88) Perylene-d12	24.157	264	528550	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.358	96	16479	3.611	ng/uL	0.00
4) Pyridine-d5	3.793	84	117984	9.486	ng/u1	0.00
7) Phenol-d5	7.205	99	355962	22.906	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.369	67	216676	23.034	ng/u1	0.00
11) 2-Chlorophenol-d4	7.575	132	285510	25.253	ng/u1	0.00
15) 4-Methylphenol-d8	8.769	113	292808	24.014	ng/u1	0.00
21) Nitrobenzene-d5	9.228	128	146965	28.521	ng/u1	0.00
24) 2-Nitrophenol-d4	9.957	143	160361	34.842	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.499	165	288663	28.319	ng/u1	0.00
31) 4-Chloroaniline-d4	11.022	131	339011	19.584	ng/u1	0.00
46) Dimethylphthalate-d6	14.116	166	825617	27.078	ng/u1	0.00
49) Acenaphthylene-d8	14.404	160	993290	27.944	ng/u1	0.00
54) 4-Nitrophenol-d4	14.910	143	155561	25.639	ng/u1	0.00
60) Fluorene-d10	15.698	176	694470	26.176	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.822	200	133065	37.433	ng/u1	0.01
73) Anthracene-d10	17.557	188	994977	25.405	ng/u1	0.00
81) Pyrene-d10	19.851	212	1032593	38.593	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.004	264	701418	27.998	ng/u1	0.01
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.393	88	52448	11.159	ng/uL	97
5) Pyridine	3.817	79	173384	13.854	ng/u1	85
6) Benzaldehyde	7.175	77	132171	19.575	ng/u1	95
8) Phenol	7.234	94	542920	33.809	ng/u1	94
10) Bis(2-Chloroethyl)ether	7.463	93	420087	32.808	ng/u1	97
12) 2-Chlorophenol	7.610	128	419210	34.561	ng/u1	95
13) 2-Methylphenol	8.499	108	410195	33.619	ng/u1	100
14) 2,2'-oxybis(1-Chloropr...	8.581	45	537438	33.277	ng/u1	96
16) Acetophenone	8.887	105	644658	33.428	ng/u1	96
17) N-Nitroso-di-n-propyla...	8.869	70	334269	34.811	ng/u1	93
18) 4-Methylphenol	8.834	108	450036	33.577	ng/u1	97
19) Hexachloroethane	9.140	117	170789	35.327	ng/u1	87
22) Nitrobenzene	9.269	77	483418	38.070	ng/u1	97
23) Isophorone	9.799	82	973559	37.233	ng/u1	100
25) 2-Nitrophenol	9.987	139	247139	45.839	ng/u1	94
26) 2,4-Dimethylphenol	10.046	107	480767	36.011	ng/u1	95
27) Bis(2-Chloroethoxy)met...	10.287	93	588442	35.936	ng/u1	97
29) 2,4-Dichlorophenol	10.528	162	400314	37.483	ng/u1	97
30) Naphthalene	10.934	128	1347835	34.225	ng/u1	99
32) 4-Chloroaniline	11.046	127	274454	15.299	ng/u1	98
33) Hexachlorobutadiene	11.210	225	225545	36.658	ng/u1	97
34) Caprolactam	11.834	113	109037	26.691	ng/u1	80
35) 4-Chloro-3-methylphenol	12.169	107	468357	38.911	ng/u1	99
36) 2-Methylnaphthalene	12.540	142	912868	34.266	ng/u1	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091622\
 Data File : BN021793.D
 Acq On : 16 Sep 2022 17:46
 Operator : CG/JU
 Sample : N4601-03MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1


Instrument :
 BNA_N
 ClientSampleId :
 A5741MSD


Quant Time: Sep 17 00:23:40 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN081922.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Sep 17 00:17:38 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.757	142	924902	34.545	ng/ul	97
39) 1,2,4,5-Tetrachloroben...	12.904	216	423725	37.042	ng/ul	99
40) Hexachlorocyclopentadiene	12.881	237	204019	29.957	ng/ul	98
41) 2,4,6-Trichlorophenol	13.145	196	302197	42.577	ng/ul	99
42) 2,4,5-Trichlorophenol	13.216	196	339399	43.582	ng/ul	99
43) 1,1'-Biphenyl	13.545	154	1201183	36.846	ng/ul	99
44) 2-Chloronaphthalene	13.587	162	908290	36.393	ng/ul	97
45) 2-Nitroaniline	13.798	65	302818	48.375	ng/ul	89
47) Dimethylphthalate	14.163	163	1181399	37.880	ng/ul	100
48) 2,6-Dinitrotoluene	14.287	165	257996	48.218	ng/ul	97
50) Acenaphthylene	14.434	152	1518289	37.000	ng/ul	99
51) 3-Nitroaniline	14.622	138	257443	43.190	ng/ul	98
52) Acenaphthene	14.775	153	969455	36.563	ng/ul	95
53) 2,4-Dinitrophenol	14.822	184	134329	51.283	ng/ul	98
55) 4-Nitrophenol	14.928	109	181834	37.386	ng/ul	95
56) Dibenzofuran	15.110	168	1360172	35.705	ng/ul	100
57) 2,4-Dinitrotoluene	15.075	165	363098	46.726	ng/ul	96
58) 2,3,4,6-Tetrachlorophenol	15.334	232	255498	42.744	ng/ul	98
59) Diethylphthalate	15.522	149	1238604	39.381	ng/ul	99
61) Fluorene	15.757	166	1059731	35.272	ng/ul	100
62) 4-Chlorophenyl-phenyle...	15.745	204	494693	35.718	ng/ul	96
63) 4-Nitroaniline	15.786	138	275356	46.032	ng/ul	96
66) 4,6-Dinitro-2-methylph...	15.834	198	185336	49.214	ng/ul	93
67) N-Nitrosodiphenylamine	15.963	169	956546	38.402	ng/ul	99
68) 4-Bromophenyl-phenylether	16.645	248	309105	39.107	ng/ul	99
69) Hexachlorobenzene	16.763	284	361017	38.370	ng/ul	94
70) Atrazine	16.910	200	11385	1.292	ng/ul	97
71) Pentachlorophenol	17.104	266	205766	39.281	ng/ul	98
72) Phenanthrene	17.504	178	2154855	45.903	ng/ul	98
74) Anthracene	17.592	178	1732395	37.062	ng/ul	98
75) 1,2,3,4-Tetrachloroben...	13.510	216	433322	38.308	ng/ul	97
76) Pentachlorobenzene	15.022	250	424944	39.437	ng/ul	91
77) Carbazole	17.869	167	1604123	36.314	ng/ul	97
78) Di-n-butylphthalate	18.422	149	2225009	44.677	ng/ul	100
80) Fluoranthene	19.522	202	2739783	84.895	ng/ul	97
82) Pyrene	19.886	202	2538391	75.466	ng/ul	95
83) Butylbenzylphthalate	20.774	149	895633	70.350	ng/ul	99
84) 3,3'-Dichlorobenzidine	21.563	252	280652	26.162	ng/ul#	97
85) Benzo(a)anthracene	21.633	228	1701961	50.242	ng/ul	98
86) Bis(2-ethylhexyl)phtha...	21.545	149	1365062	70.030	ng/ul	99
87) Chrysene	21.692	228	1637138	49.916	ng/ul	99
89) Di-n-octyl phthalate	22.504	149	2112190	68.222	ng/ul	100
90) Benzo(b)fluoranthene	23.398	252	1677633	52.171	ng/ul#	97
91) Benzo(k)fluoranthene	23.398	252	1677633	58.322	ng/ul	96
93) Benzo(a)pyrene	24.051	252	1480952	48.135	ng/ul	98
94) Indeno(1,2,3-cd)pyrene	26.809	276	1575337	41.708	ng/ul	95
95) Dibenzo(a,h)anthracene	26.833	278	1182863	37.109	ng/ul	98
96) Benzo(g,h,i)perylene	27.627	276	1252998	38.016	ng/ul#	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Sep 17 00:23:40 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN081922.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Sep 17 00:17:38 2022
Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 11.159 ng/uL
RT: 3.393 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion: 88 Resp: 52448
Ion Ratio Lower Upper
88 100
43 27.3 22.4 33.6
58 73.7 61.0 91.4



#5
Pyridine
Concen: 13.854 ng/uL
RT: 3.817 min Scan# 90
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion: 79 Resp: 173384
Ion Ratio Lower Upper
79 100
52 67.0 65.0 97.4
51 32.2 31.6 47.4









#6
Benzaldehyde
Concen: 19.575 ng/ul
RT: 7.175 min Scan# 661
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion: 77 Resp: 132171
Ion Ratio Lower Upper
77 100
105 98.2 74.7 112.1
106 92.2 70.2 105.4



#8
Phenol
Concen: 33.809 ng/ul
RT: 7.234 min Scan# 671
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion: 94 Resp: 542920
Ion Ratio Lower Upper
94 100
65 26.3 23.6 35.4
66 35.3 31.2 46.8









#10
Bis(2-Chloroethyl)ether
Concen: 32.808 ng/ul
RT: 7.463 min Scan# 710
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion: 93 Resp: 420087
Ion Ratio Lower Upper
93 100
63 75.1 63.4 95.0
95 32.6 26.2 39.2



#12
2-Chlorophenol
Concen: 34.561 ng/ul
RT: 7.610 min Scan# 735
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:128 Resp: 419210
Ion Ratio Lower Upper
128 100
64 44.1 38.6 57.8
130 32.6 25.0 37.4





#13

2-Methylphenol

Concen: 33.619 ng/ul

RT: 8.499 min Scan# 885

Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :





A5741MSD

Tgt Ion:108 Resp: 410195

Ion Ratio Lower Upper

108 100

107 89.8 71.5 107.3



#14

2,2'-oxybis(1-Chloropropane)

Concen: 33.277 ng/ul

RT: 8.581 min Scan# 900

Delta R.T. -0.000 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46




Tgt Ion: 45 Resp: 537438


Ion Ratio Lower Upper

45 100

77 15.3 10.9 16.3

79 12.0 8.6 13.0









#16
Acetophenone
Concen: 33.428 ng/ul
RT: 8.887 min Scan# 91
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:105 Resp: 644658
Ion Ratio Lower Upper
105 100
77 77.2 63.5 95.3
51 25.1 23.5 35.3



#17
N-Nitroso-di-n-propylamine
Concen: 34.811 ng/ul
RT: 8.869 min Scan# 949
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion: 70 Resp: 334269
Ion Ratio Lower Upper
70 100
42 52.4 47.8 71.6
101 9.9 7.8 11.6
130 21.5 15.8 23.8









#18
4-Methylphenol
Concen: 33.577 ng/ul
RT: 8.834 min Scan# 942
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:108 Resp: 450036
Ion Ratio Lower Upper
108 100
107 113.2 88.0 132.0



#19
Hexachloroethane
Concen: 35.327 ng/ul
RT: 9.140 min Scan# 995
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:117 Resp: 170789
Ion Ratio Lower Upper
117 100
201 88.7 83.2 124.8
199 54.9 50.2 75.4









#22
Nitrobenzene
Concen: 38.070 ng/ul
RT: 9.269 min Scan# 1017
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion: 77 Resp: 483418
Ion Ratio Lower Upper
77 100
123 45.1 34.5 51.7
65 12.9 11.1 16.7



#23
Isophorone
Concen: 37.233 ng/ul
RT: 9.799 min Scan# 1107
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion: 82 Resp: 973559
Ion Ratio Lower Upper
82 100
95 7.1 5.8 8.8
138 17.3 13.8 20.8





#25

2-Nitrophenol

Concen: 45.839 ng/ul

RT: 9.987 min Scan# 1139

Delta R.T. -0.000 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :

A5741MSD





Tgt Ion:139 Resp: 247139

Ion Ratio Lower Upper

139 100

65 49.0 43.7 65.5

109 30.3 25.8 38.6



#26

2,4-Dimethylphenol

Concen: 36.011 ng/ul

RT: 10.046 min Scan# 1149

Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46




Tgt Ion:107 Resp: 480767


Ion Ratio Lower Upper

107 100

121 50.4 38.3 57.5

122 87.5 66.3 99.5









#27
 Bis(2-Chloroethoxy)methane
 Concen: 35.936 ng/ul
 RT: 10.287 min Scan# 1189
 Delta R.T. 0.006 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46




Instrument :
 BNA_N
 ClientSampleId :
 A5741MSD


Tgt Ion: 93 Resp: 588442
 Ion Ratio Lower Upper
 93 100
 95 33.4 25.4 38.0
 123 11.1 8.3 12.5



#29
 2,4-Dichlorophenol
 Concen: 37.483 ng/ul
 RT: 10.528 min Scan# 1231
 Delta R.T. 0.006 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46

Tgt Ion: 162 Resp: 400314
 Ion Ratio Lower Upper
 162 100
 164 62.5 52.9 79.3
 98 37.2 29.8 44.8





#30

Naphthalene

Concen: 34.225 ng/ul

RT: 10.934 min Scan# 11

Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :

A5741MSD





Tgt Ion:128 Resp: 1347835

Ion Ratio Lower Upper

128 100

129 11.0 8.7 13.1

127 12.6 10.6 16.0



#32

4-Chloroaniline

Concen: 15.299 ng/ul

RT: 11.046 min Scan# 1319

Delta R.T. 0.006 min

Lab File: BN021793.D




Acq: 16 Sep 2022 17:46


Tgt Ion:127 Resp: 274454

Ion Ratio Lower Upper

127 100

129 31.3 26.1 39.1









#33
Hexachlorobutadiene
Concen: 36.658 ng/ul
RT: 11.210 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:225 Resp: 225545
Ion Ratio Lower Upper
225 100
223 60.4 51.8 77.6
227 64.0 50.6 76.0



#34
Caprolactam
Concen: 26.691 ng/ul
RT: 11.834 min Scan# 1453
Delta R.T. 0.018 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:113 Resp: 109037
Ion Ratio Lower Upper
113 100
55 151.7 145.5 218.3
56 111.9 106.5 159.7









#35
4-Chloro-3-methylphenol
Concen: 38.911 ng/ul
RT: 12.169 min Scan# 11
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:107 Resp: 468357
Ion Ratio Lower Upper
107 100
144 26.2 20.6 31.0
142 78.6 62.2 93.4



#36
2-Methylnaphthalene
Concen: 34.266 ng/ul
RT: 12.540 min Scan# 1573
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:142 Resp: 912868
Ion Ratio Lower Upper
142 100
141 88.3 70.6 105.8









#37
1-Methylnaphthalene
Concen: 34.545 ng/ul
RT: 12.757 min Scan# 1610
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:142 Resp: 924902
Ion Ratio Lower Upper
142 100
141 91.1 70.9 106.3
116 3.8 3.1 4.7



#39
1,2,4,5-Tetrachlorobenzene
Concen: 37.042 ng/ul
RT: 12.904 min Scan# 1635
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:216 Resp: 423725
Ion Ratio Lower Upper
216 100
214 80.3 63.4 95.0
179 23.6 17.8 26.8
108 19.5 15.1 22.7









#40
Hexachlorocyclopentadiene
Concen: 29.957 ng/ul
RT: 12.881 min Scan# 1631
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:237 Resp: 204019
Ion Ratio Lower Upper
237 100
235 59.8 48.8 73.2
272 12.3 9.3 13.9



#41
2,4,6-Trichlorophenol
Concen: 42.577 ng/ul
RT: 13.145 min Scan# 1676
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:196 Resp: 302197
Ion Ratio Lower Upper
196 100
198 98.8 79.8 119.8
200 30.7 25.0 37.6









#42
2,4,5-Trichlorophenol
Concen: 43.582 ng/ul
RT: 13.216 min Scan# 1688
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:196 Resp: 339399
Ion Ratio Lower Upper
196 100
198 95.7 77.6 116.4
200 29.6 24.4 36.6



#43
1,1'-Biphenyl
Concen: 36.846 ng/ul
RT: 13.545 min Scan# 1744
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:154 Resp: 1201183
Ion Ratio Lower Upper
154 100
153 39.9 31.5 47.3
76 13.7 10.5 15.7









#44
2-Chloronaphthalene
Concen: 36.393 ng/ul
RT: 13.587 min Scan# 1751
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:162 Resp: 908290
Ion Ratio Lower Upper
162 100
164 32.9 25.8 38.6
127 42.1 31.4 47.2



#45
2-Nitroaniline
Concen: 48.375 ng/ul
RT: 13.798 min Scan# 1787
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion: 65 Resp: 302818
Ion Ratio Lower Upper
65 100
92 69.9 54.1 81.1
138 112.2 77.0 115.4









#47
Dimethylphthalate
Concen: 37.880 ng/ul
RT: 14.163 min Scan# 1849
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:163 Resp: 1181399
Ion Ratio Lower Upper
163 100
194 4.0 3.4 5.0
164 9.6 7.7 11.5



#48
2,6-Dinitrotoluene
Concen: 48.218 ng/ul
RT: 14.287 min Scan# 1870
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:165 Resp: 257996
Ion Ratio Lower Upper
165 100
89 60.4 50.6 75.8
121 21.9 17.9 26.9









#50
Acenaphthylene
Concen: 37.000 ng/ul
RT: 14.434 min Scan# 1895
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:152 Resp: 1518289
Ion Ratio Lower Upper
152 100
151 20.3 16.0 24.0
153 12.8 10.7 16.1



#51
3-Nitroaniline
Concen: 43.190 ng/ul
RT: 14.622 min Scan# 1927
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:138 Resp: 257443
Ion Ratio Lower Upper
138 100
108 11.0 8.6 12.8
92 113.8 92.9 139.3









#52
Acenaphthene
Concen: 36.563 ng/ul
RT: 14.775 min Scan# 1953
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:153 Resp: 969455
Ion Ratio Lower Upper
153 100
152 49.2 38.4 57.6
154 93.5 69.7 104.5



#53
2,4-Dinitrophenol
Concen: 51.283 ng/ul
RT: 14.822 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:184 Resp: 134329
Ion Ratio Lower Upper
184 100
63 68.4 55.9 83.9
154 64.9 53.1 79.7









#55
4-Nitrophenol
Concen: 37.386 ng/ul
RT: 14.928 min Scan# 1979
Delta R.T. 0.012 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:109 Resp: 181834
Ion Ratio Lower Upper
109 100
139 132.3 100.1 150.1
65 126.4 104.6 157.0



#56
Dibenzofuran
Concen: 35.705 ng/ul
RT: 15.110 min Scan# 2010
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:168 Resp: 1360172
Ion Ratio Lower Upper
168 100
139 39.0 31.1 46.7









#57
2,4-Dinitrotoluene
Concen: 46.726 ng/ul
RT: 15.075 min Scan# 2004
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:165 Resp: 363098
Ion Ratio Lower Upper
165 100
63 42.3 36.3 54.5
182 2.6 2.3 3.5



#58
2,3,4,6-Tetrachlorophenol
Concen: 42.744 ng/ul
RT: 15.334 min Scan# 2048
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:232 Resp: 255498
Ion Ratio Lower Upper
232 100
131 48.7 38.5 57.7
130 2.6 2.2 3.2
166 33.8 25.8 38.8









#59
Diethylphthalate
Concen: 39.381 ng/ul
RT: 15.522 min Scan# 2079
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:149 Resp: 1238604
Ion Ratio Lower Upper
149 100
177 21.7 17.8 26.8
150 12.3 10.5 15.7



#61
Fluorene
Concen: 35.272 ng/ul
RT: 15.757 min Scan# 2120
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:166 Resp: 1059731
Ion Ratio Lower Upper
166 100
165 96.9 77.7 116.5
167 13.9 11.1 16.7









#62
4-Chlorophenyl-phenylether
Concen: 35.718 ng/ul
RT: 15.745 min Scan# 2118
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:204 Resp: 494693
Ion Ratio Lower Upper
204 100
206 31.9 26.7 40.1
141 66.3 50.2 75.2



#63
4-Nitroaniline
Concen: 46.032 ng/ul
RT: 15.786 min Scan# 2125
Delta R.T. 0.012 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:138 Resp: 275356
Ion Ratio Lower Upper
138 100
92 48.5 41.0 61.6
108 78.6 65.3 97.9









#66
 4,6-Dinitro-2-methylphenol
 Concen: 49.214 ng/ul
 RT: 15.834 min Scan# 2133
 Delta R.T. 0.006 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46




Instrument :
 BNA_N
 ClientSampleId :
 A5741MSD


Tgt Ion:198 Resp: 185336
 Ion Ratio Lower Upper
 198 100
 182 4.0 3.0 4.4
 77 28.9 20.1 30.1



#67
 N-Nitrosodiphenylamine
 Concen: 38.402 ng/ul
 RT: 15.963 min Scan# 2155
 Delta R.T. 0.006 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46

Tgt Ion:169 Resp: 956546
 Ion Ratio Lower Upper
 169 100
 168 64.8 52.4 78.6
 167 35.7 27.5 41.3









#68
4-Bromophenyl-phenylether
Concen: 39.107 ng/ul
RT: 16.645 min Scan# 2271
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:248 Resp: 309105
Ion Ratio Lower Upper
248 100
250 95.4 77.8 116.8
141 78.9 62.6 93.8



#69
Hexachlorobenzene
Concen: 38.370 ng/ul
RT: 16.763 min Scan# 2291
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:284 Resp: 361017
Ion Ratio Lower Upper
284 100
142 37.6 27.8 41.8
249 27.9 25.7 38.5









#70
 Atrazine
 Concen: 1.292 ng/ul
 RT: 16.910 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46




Instrument :
 BNA_N
 ClientSampleId :
 A5741MSD


Tgt Ion:200 Resp: 11385
 Ion Ratio Lower Upper
 200 100
 173 29.2 20.5 30.7
 215 48.0 38.9 58.3



#71
 Pentachlorophenol
 Concen: 39.281 ng/ul
 RT: 17.104 min Scan# 2349
 Delta R.T. 0.006 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46

Tgt Ion:266 Resp: 205766
 Ion Ratio Lower Upper
 266 100
 264 63.0 50.2 75.2
 268 63.7 49.3 73.9









#72
Phenanthrene
Concen: 45.903 ng/u1
RT: 17.504 min Scan# 2416
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:178 Resp: 2154855
Ion Ratio Lower Upper
178 100
179 15.6 12.2 18.4
176 20.0 15.2 22.8



#74
Anthracene
Concen: 37.062 ng/u1
RT: 17.592 min Scan# 2432
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:178 Resp: 1732395
Ion Ratio Lower Upper
178 100
179 15.5 13.0 19.4
176 18.5 15.5 23.3









#75
1,2,3,4-Tetrachlorobenzene
Concen: 38.308 ng/uL
RT: 13.510 min Scan# 1738
Delta R.T. 0.006 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:216 Resp: 433322
Ion Ratio Lower Upper
216 100
214 77.0 63.2 94.8
218 44.9 37.9 56.9



#76
Pentachlorobenzene
Concen: 39.437 ng/uL
RT: 15.022 min Scan# 1995
Delta R.T. -0.000 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:250 Resp: 424944
Ion Ratio Lower Upper
250 100
248 60.3 53.0 79.4
252 58.1 53.4 80.2









#77
 Carbazole
 Concen: 36.314 ng/ul
 RT: 17.869 min Scan# 2478
 Delta R.T. 0.006 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46




Instrument :
 BNA_N
 ClientSampleId :
 A5741MSD


Tgt Ion:167 Resp: 1604123
 Ion Ratio Lower Upper
 167 100
 166 21.6 16.1 24.1
 139 13.7 10.2 15.2



#78
 Di-n-butylphthalate
 Concen: 44.677 ng/ul
 RT: 18.422 min Scan# 2573
 Delta R.T. 0.006 min
 Lab File: BN021793.D
 Acq: 16 Sep 2022 17:46

Tgt Ion:149 Resp: 2225009
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.1 10.7
 104 5.2 4.1 6.1









#80
Fluoranthene
Concen: 84.895 ng/u1
RT: 19.522 min Scan# 21
Delta R.T. 0.012 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46




Instrument :
BNA_N
ClientSampleId :
A5741MSD


Tgt Ion:202 Resp: 2739783
Ion Ratio Lower Upper
202 100
101 12.5 8.9 13.3
100 9.2 6.7 10.1



#82
Pyrene
Concen: 75.466 ng/u1
RT: 19.886 min Scan# 2822
Delta R.T. 0.012 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:202 Resp: 2538391
Ion Ratio Lower Upper
202 100
101 14.2 9.7 14.5
100 11.4 8.0 12.0





#83

Butylbenzylphthalate

Concen: 70.350 ng/ul

RT: 20.774 min Scan# 2973

Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :

A5741MSD





Tgt Ion:149 Resp: 895633

Ion Ratio Lower Upper

149 100

91 73.6 58.8 88.2

206 20.4 18.1 27.1



#84

3,3'-Dichlorobenzidine

Concen: 26.162 ng/ul

RT: 21.563 min Scan# 3107

Delta R.T. -0.000 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46




Tgt Ion:252 Resp: 280652


Ion Ratio Lower Upper

252 100

254 65.3 50.8 76.2

126 13.9 8.2 12.4#





#85

Benzo(a)anthracene

Concen: 50.242 ng/ul

RT: 21.633 min Scan# 3119

Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :

A5741MSD





Tgt Ion:228 Resp: 1701961

Ion Ratio Lower Upper

228 100

229 19.8 16.3 24.5

226 27.5 23.2 34.8



#86

Bis(2-ethylhexyl)phthalate

Concen: 70.030 ng/ul

RT: 21.545 min Scan# 3104

Delta R.T. -0.000 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46




Tgt Ion:149 Resp: 1365062


Ion Ratio Lower Upper

149 100

167 27.8 22.5 33.7

279 3.9 3.5 5.3





#87

Chrysene

Concen: 49.916 ng/ul

RT: 21.692 min Scan# 3128

Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :

A5741MSD





Tgt Ion:228 Resp: 1637138

Ion Ratio Lower Upper

228 100

226 31.4 24.2 36.2

229 20.3 16.2 24.2



#89

Di-n-octyl phthalate

Concen: 68.222 ng/ul




RT: 22.504 min Scan# 3267


Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Tgt Ion:149 Resp: 2112190





#90

Benzo(b)fluoranthene

Concen: 52.171 ng/u1

RT: 23.398 min Scan# 3419

Delta R.T. 0.012 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :

A5741MSD





Tgt Ion:252 Resp: 1677633

Ion Ratio Lower Upper

252 100

253 21.3 16.5 24.7

125 12.2 7.8 11.8#



#91

Benzo(k)fluoranthene

Concen: 58.322 ng/u1

RT: 23.398 min Scan# 3419

Delta R.T. -0.035 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46




Tgt Ion:252 Resp: 1677633


Ion Ratio Lower Upper

252 100

253 21.3 18.2 27.4

125 12.2 8.2 12.4





#93

Benzo(a)pyrene

Concen: 48.135 ng/ul

RT: 24.051 min Scan# 3529

Delta R.T. 0.006 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46

Instrument :

BNA_N

ClientSampleId :

A5741MSD





Tgt Ion:252 Resp: 1480952

Ion Ratio Lower Upper

252 100

253 22.8 18.7 28.1

125 13.1 9.2 13.8



#94

Indeno(1,2,3-cd)pyrene

Concen: 41.708 ng/ul

RT: 26.809 min Scan# 3999

Delta R.T. 0.012 min

Lab File: BN021793.D

Acq: 16 Sep 2022 17:46




Tgt Ion:276 Resp: 1575337


Ion Ratio Lower Upper

276 100

138 28.6 19.5 29.3

277 25.3 21.4 32.0









#95
Dibenzo(a,h)anthracene
Concen: 37.109 ng/ul
RT: 26.833 min Scan# 4003
Delta R.T. 0.024 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Instrument :
BNA_N
ClientSampleId :
A5741MSD

Tgt Ion:278 Resp: 1182863
Ion Ratio Lower Upper
278 100
139 18.6 13.8 20.8
279 23.5 18.3 27.5



#96
Benzo(g,h,i)perylene
Concen: 38.016 ng/ul
RT: 27.627 min Scan# 4138
Delta R.T. 0.012 min
Lab File: BN021793.D
Acq: 16 Sep 2022 17:46

Tgt Ion:276 Resp: 1252998
Ion Ratio Lower Upper
276 100
138 26.4 17.0 25.6#
277 27.2 17.8 26.6#

