

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091721\
 Data File : BN016319.D
 Acq On : 18 Sep 2021 05:32
 Operator : CG/JU
 Sample : PB139136BL
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB139136BL

Quant Time: Sep 18 06:07:32 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN091721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 17 23:59:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.688	152	24038	0.400	ng	0.00
7) Naphthalene-d8	10.457	136	110656	0.400	ng	0.00
13) Acenaphthene-d10	14.306	164	60498	0.400	ng	0.00
19) Phenanthrene-d10	17.054	188	116371	0.400	ng	#-0.01
29) Chrysene-d12	21.259	240	116098	0.400	ng	0.00
35) Perylene-d12	23.522	264	116541	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.328	112	22947	0.380	ng	0.03
5) Phenol-d6	6.877	99	26294	0.360	ng	0.00
8) Nitrobenzene-d5	8.822	82	24821	0.378	ng	-0.01
11) 2-Methylnaphthalene-d10	12.047	152	67360	0.386	ng	0.00
14) 2,4,6-Tribromophenol	15.804	330	5389	0.303	ng	0.00
15) 2-Fluorobiphenyl	12.936	172	91546	0.387	ng	0.00
27) Fluoranthene-d10	19.097	212	127905	0.380	ng	0.00
31) Terphenyl-d14	19.708	244	109922	0.409	ng	0.00
Target Compounds						
20) 4,6-Dinitro-2-methylph...	15.448	198	15	0.148	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091721\
Data File : BN016319.D
Acq On : 18 Sep 2021 05:32
Operator : CG/JU
Sample : PB139136BL
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB139136BL

Quant Time: Sep 18 06:07:32 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN091721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 17 23:59:14 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.688 min Scan# 500
 Delta R.T. 0.000 min
 Lab File: BN016319.D
 Acq: 18 Sep 2021 05:32




Instrument :
 BNA_N
 ClientSampleId :
 PB139136BL


Tgt Ion:152 Resp: 24038
 Ion Ratio Lower Upper
 152 100
 150 154.0 125.6 188.4
 115 57.8 50.2 75.2



#4
 2-Fluorophenol
 Concen: 0.380 ng
 RT: 5.328 min Scan# 244
 Delta R.T. 0.027 min
 Lab File: BN016319.D
 Acq: 18 Sep 2021 05:32

Tgt Ion:112 Resp: 22947
 Ion Ratio Lower Upper
 112 100
 64 62.3 47.3 70.9
 63 32.6 23.4 35.0









#5
Phenol-d6
Concen: 0.360 ng
RT: 6.877 min Scan# 412
Delta R.T. 0.009 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32




Instrument :
BNA_N
ClientSampleId :
PB139136BL


Tgt Ion: 99 Resp: 26294
Ion Ratio Lower Upper
99 100
42 22.5 14.0 21.0#
71 31.5 23.8 35.6



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.457 min Scan# 737
Delta R.T. -0.000 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32

Tgt Ion:136 Resp: 110656
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 7.2 5.3 7.9
68 4.7 3.9 5.9









#8
Nitrobenzene-d5
Concen: 0.378 ng
RT: 8.822 min Scan# 608
Delta R.T. -0.013 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32




Instrument :
BNA_N
ClientSampleId :
PB139136BL


Tgt Ion: 82 Resp: 24821
Ion Ratio Lower Upper
82 100
128 34.8 31.7 47.5
54 70.8 46.4 69.6#



#11
2-Methylnaphthalene-d10
Concen: 0.386 ng
RT: 12.047 min Scan# 941
Delta R.T. -0.005 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32

Tgt Ion: 152 Resp: 67360
Ion Ratio Lower Upper
152 100
151 20.2 16.1 24.1









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.306 min Scan# 1186
Delta R.T. -0.000 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32




Instrument :
BNA_N
ClientSampleId :
PB139136BL


Tgt Ion:164 Resp: 60498
Ion Ratio Lower Upper
164 100
162 102.3 79.0 118.4
160 46.4 34.1 51.1



#14
2,4,6-Tribromophenol
Concen: 0.303 ng
RT: 15.804 min Scan# 1304
Delta R.T. -0.000 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32

Tgt Ion:330 Resp: 5389
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 40.9 25.0 37.4#









#15
2-Fluorobiphenyl
Concen: 0.387 ng
RT: 12.936 min Scan# 1078
Delta R.T. -0.000 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32




Instrument :
BNA_N
ClientSampleId :
PB139136BL


Tgt Ion:172	Resp:	91546
Ion Ratio	Lower	Upper
172	100	
171	34.3	27.8 41.6
170	22.3	18.2 27.2



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.054 min Scan# 1406
Delta R.T. -0.012 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32

Tgt Ion:188	Resp:	116371
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0 0.0
80	11.1	7.0 10.6









#20
4,6-Dinitro-2-methylphenol
Concen: 0.148 ng
RT: 15.448 min Scan# 1276
Delta R.T. -0.001 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32




Instrument :
BNA_N
ClientSampleId :
PB139136BL


Tgt Ion:198 Resp: 15
Ion Ratio Lower Upper
198 100
182 115.5 26.6 39.8#
77 0.0 0.0 0.0



#27
Fluoranthene-d10
Concen: 0.380 ng
RT: 19.097 min Scan# 1703
Delta R.T. -0.005 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32

Tgt Ion:212 Resp: 127905
Ion Ratio Lower Upper
212 100
106 11.2 9.8 14.6
104 6.2 5.4 8.2









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.259 min Scan# 2004
Delta R.T. -0.000 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32




Instrument :
BNA_N
ClientSampleId :
PB139136BL


Tgt Ion:240 Resp: 116098
Ion Ratio Lower Upper
240 100
120 7.2 5.3 7.9
236 25.9 19.8 29.8



#31
Terphenyl-d14
Concen: 0.409 ng
RT: 19.708 min Scan# 1826
Delta R.T. -0.005 min
Lab File: BN016319.D
Acq: 18 Sep 2021 05:32

Tgt Ion:244 Resp: 109922
Ion Ratio Lower Upper
244 100
212 7.2 5.5 8.3
122 10.9 9.0 13.4





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.522 min Scan# 2438
 Delta R.T. -0.004 min
 Lab File: BN016319.D
 Acq: 18 Sep 2021 05:32

Instrument :
 BNA_N
 ClientSampleId :
 PB139136BL

Tgt Ion:264	Resp:	116541
Ion Ratio	Lower	Upper
264	100	
260	24.7	18.9 28.3
265	30.4	23.7 35.5

