

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091725\
 Data File : BN037751.D
 Acq On : 17 Sep 2025 18:13
 Operator : RC/JU
 Sample : Q3095-08
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Sep 17 18:37:44 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 14:20:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.840	152	6737	0.400	ng	0.00
7) Naphthalene-d8	10.637	136	18255	0.400	ng	-0.01
13) Acenaphthene-d10	14.495	164	8162	0.400	ng	0.00
19) Phenanthrene-d10	17.235	188	14474	0.400	ng	# 0.00
29) Chrysene-d12	21.411	240	12341	0.400	ng	# 0.00
35) Perylene-d12	23.747	264	12297	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	1900	0.123	ng	0.00
5) Phenol-d6	6.988	99	1423	0.071	ng	0.00
8) Nitrobenzene-d5	8.982	82	4307	0.323	ng	-0.01
11) 2-Methylnaphthalene-d10	12.238	152	7260	0.300	ng	0.00
14) 2,4,6-Tribromophenol	15.982	330	850	0.399	ng	0.00
15) 2-Fluorobiphenyl	13.115	172	11534	0.338	ng	0.00
27) Fluoranthene-d10	19.267	212	13393	0.369	ng	0.00
31) Terphenyl-d14	19.866	244	11743	0.469	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.304	88	6666	0.950	ng	96
34) Bis(2-ethylhexyl)phtha...	21.340	149	2537	0.199	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091725\
Data File : BN037751.D
Acq On : 17 Sep 2025 18:13
Operator : RC/JU
Sample : Q3095-08
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :


Quant Time: Sep 17 18:37:44 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 14:20:01 2025
Response via : Initial Calibration







#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.840 min Scan# 61
Delta R.T. -0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:152 Resp: 6737
Ion Ratio Lower Upper
152 100
150 150.3 124.5 186.7
115 57.9 49.2 73.8



#2
1,4-Dioxane
Concen: 0.950 ng
RT: 3.304 min Scan# 31
Delta R.T. -0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Tgt Ion: 88 Resp: 6666
Ion Ratio Lower Upper
88 100
43 35.2 26.8 40.2
58 73.5 61.9 92.9








#4
2-Fluorophenol
Concen: 0.123 ng
RT: 5.399 min Scan# 31
Delta R.T. -0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:112 Resp: 1900
Ion Ratio Lower Upper
112 100
64 54.9 44.9 67.3
63 29.7 24.7 37.1



#5
Phenol-d6
Concen: 0.071 ng
RT: 6.988 min Scan# 541
Delta R.T. 0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13


Tgt Ion: 99 Resp: 1423
Ion Ratio Lower Upper
99 100
42 19.7 16.6 24.8
71 37.2 26.7 40.1







#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.637 min Scan# 94
Delta R.T. -0.011 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:136 Resp: 18255
Ion Ratio Lower Upper
136 100
137 11.3 9.1 13.7
54 9.1 6.3 9.5
68 7.1 5.0 7.4



#8
Nitrobenzene-d5
Concen: 0.323 ng
RT: 8.982 min Scan# 787
Delta R.T. -0.011 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Tgt Ion: 82 Resp: 4307
Ion Ratio Lower Upper
82 100
128 41.1 38.3 57.5
54 53.7 41.4 62.2









#11
2-Methylnaphthalene-d10
Concen: 0.300 ng
RT: 12.238 min Scan# 1167
Delta R.T. -0.005 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:152 Resp: 7260
Ion Ratio Lower Upper
152 100
151 21.2 17.0 25.6



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.495 min Scan# 1458
Delta R.T. -0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13


Tgt Ion:164 Resp: 8162
Ion Ratio Lower Upper
164 100
162 103.0 83.1 124.7
160 53.0 44.3 66.5








#14
2,4,6-Tribromophenol
Concen: 0.399 ng
RT: 15.982 min Scan# 1591
Delta R.T. -0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:330 Resp: 850
Ion Ratio Lower Upper
330 100
332 98.2 75.3 112.9
141 41.2 35.0 52.4



#15
2-Fluorobiphenyl
Concen: 0.338 ng
RT: 13.115 min Scan# 1329
Delta R.T. -0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13


Tgt Ion:172 Resp: 11534
Ion Ratio Lower Upper
172 100
171 35.0 28.6 43.0
170 23.3 19.8 29.8








#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.235 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:188 Resp: 14474
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.6 10.6 15.8#



#27
Fluoranthene-d10
Concen: 0.369 ng
RT: 19.267 min Scan# 1957
Delta R.T. -0.005 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13


Tgt Ion:212 Resp: 13393
Ion Ratio Lower Upper
212 100
106 15.6 12.2 18.2
104 8.5 6.9 10.3







#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.411 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:240 Resp: 12341
Ion Ratio Lower Upper
240 100
120 16.4 9.2 13.8#
236 28.8 22.6 33.8



#31
Terphenyl-d14
Concen: 0.469 ng
RT: 19.866 min Scan# 2086
Delta R.T. -0.005 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Tgt Ion:244 Resp: 11743
Ion Ratio Lower Upper
244 100
212 9.1 7.5 11.3
122 16.5 13.2 19.8









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.199 ng
RT: 21.340 min Scan# 2137
Delta R.T. -0.009 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Instrument :
BNA_N
ClientSampleId :

Tgt Ion:149 Resp: 2537
Ion Ratio Lower Upper
149 100
167 27.1 20.8 31.2
279 4.3 3.3 4.9



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.747 min Scan# 2843
Delta R.T. -0.006 min
Lab File: BN037751.D
Acq: 17 Sep 2025 18:13

Tgt Ion:264 Resp: 12297
Ion Ratio Lower Upper
264 100
260 27.2 21.8 32.8
265 59.6 39.4 59.2#

