

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091725\
 Data File : BN037767.D
 Acq On : 18 Sep 2025 07:35
 Operator : RC/JU
 Sample : Q3095-19
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE126D3-20250909

Quant Time: Sep 18 07:59:45 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 14:20:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.833	152	8360	0.400	ng	0.00
7) Naphthalene-d8	10.637	136	22865	0.400	ng	-0.01
13) Acenaphthene-d10	14.484	164	10200	0.400	ng	-0.01
19) Phenanthrene-d10	17.236	188	17532	0.400	ng	# 0.00
29) Chrysene-d12	21.411	240	14129	0.400	ng	# 0.00
35) Perylene-d12	23.745	264	14395	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	2560	0.133	ng	0.00
5) Phenol-d6	6.988	99	1878	0.075	ng	0.00
8) Nitrobenzene-d5	8.982	82	6211	0.371	ng	-0.01
11) 2-Methylnaphthalene-d10	12.233	152	10276	0.339	ng	-0.01
14) 2,4,6-Tribromophenol	15.982	330	987	0.371	ng	0.00
15) 2-Fluorobiphenyl	13.116	172	16260	0.381	ng	0.00
27) Fluoranthene-d10	19.262	212	18084	0.411	ng	0.00
31) Terphenyl-d14	19.861	244	13760	0.480	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.297	88	3731	0.428	ng	# 93
34) Bis(2-ethylhexyl)phtha...	21.340	149	1409	0.096	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091725\
Data File : BN037767.D
Acq On : 18 Sep 2025 07:35
Operator : RC/JU
Sample : Q3095-19
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE126D3-20250909

Quant Time: Sep 18 07:59:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 14:20:01 2025
Response via : Initial Calibration

