

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091825\
 Data File : BN037776.D
 Acq On : 18 Sep 2025 14:32
 Operator : RC/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Sep 18 15:01:11 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 14:20:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.833	152	7127	0.400	ng	0.00
7) Naphthalene-d8	10.637	136	18984	0.400	ng	-0.01
13) Acenaphthene-d10	14.484	164	8698	0.400	ng	-0.01
19) Phenanthrene-d10	17.235	188	14526	0.400	ng	# 0.00
29) Chrysene-d12	21.411	240	10438	0.400	ng	# 0.00
35) Perylene-d12	23.744	264	10600	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	6346	0.388	ng	0.00
5) Phenol-d6	6.980	99	8055	0.380	ng	0.00
8) Nitrobenzene-d5	8.982	82	5651	0.407	ng	-0.01
11) 2-Methylnaphthalene-d10	12.232	152	9430	0.375	ng	-0.01
14) 2,4,6-Tribromophenol	15.982	330	988	0.436	ng	0.00
15) 2-Fluorobiphenyl	13.115	172	14602	0.401	ng	0.00
27) Fluoranthene-d10	19.262	212	12188	0.334	ng	0.00
31) Terphenyl-d14	19.861	244	8356	0.394	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.297	88	3048	0.411	ng	94
3) n-Nitrosodimethylamine	3.608	42	3658	0.377	ng	# 90
6) bis(2-Chloroethyl)ether	7.248	93	7546	0.398	ng	100
9) Naphthalene	10.690	128	20305	0.391	ng	99
10) Hexachlorobutadiene	10.989	225	3759	0.400	ng	# 100
12) 2-Methylnaphthalene	12.303	142	12427	0.387	ng	99
16) Acenaphthylene	14.206	152	15171	0.380	ng	100
17) Acenaphthene	14.548	154	10490	0.389	ng	97
18) Fluorene	15.535	166	12152	0.372	ng	100
20) 4,6-Dinitro-2-methylph...	15.609	198	454	0.337	ng	96
21) 4-Bromophenyl-phenylether	16.429	248	3832	0.405	ng	# 86
22) Hexachlorobenzene	16.540	284	4737	0.435	ng	99
23) Atrazine	16.689	200	2300	0.382	ng	# 90
24) Pentachlorophenol	16.888	266	1384	0.438	ng	95
25) Phenanthrene	17.273	178	17751	0.388	ng	99
26) Anthracene	17.359	178	15208	0.375	ng	99
28) Fluoranthene	19.294	202	17450	0.348	ng	100
30) Pyrene	19.657	202	17087	0.418	ng	100
32) Benzo(a)anthracene	21.393	228	13864	0.381	ng	99
33) Chrysene	21.447	228	15945	0.408	ng	99
34) Bis(2-ethylhexyl)phtha...	21.339	149	4553	0.422	ng	100
36) Indeno(1,2,3-cd)pyrene	26.127	276	19472	0.437	ng	100
37) Benzo(b)fluoranthene	23.037	252	16161	0.387	ng	# 97
38) Benzo(k)fluoranthene	23.086	252	17089	0.402	ng	97
39) Benzo(a)pyrene	23.642	252	13152	0.394	ng	# 95
40) Dibenzo(a,h)anthracene	26.145	278	15512	0.436	ng	99
41) Benzo(g,h,i)perylene	26.855	276	16486	0.413	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091825\
Data File : BN037776.D
Acq On : 18 Sep 2025 14:32
Operator : RC/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :


Quant Time: Sep 18 15:01:11 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 14:20:01 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.833 min Scan# 61
 Delta R.T. -0.007 min
 Lab File: BN037776.D
 Acq: 18 Sep 2025 14:32

Instrument :
 BNA_N
 ClientSampleId :



Tgt Ion:152 Resp: 7127




Ion	Ratio	Lower	Upper
152	100		
150	157.1	124.5	186.7
115	60.0	49.2	73.8




#2
 1,4-Dioxane
 Concen: 0.411 ng
 RT: 3.297 min Scan# 30
 Delta R.T. -0.007 min
 Lab File: BN037776.D
 Acq: 18 Sep 2025 14:32

Tgt Ion: 88 Resp: 3048

Ion	Ratio	Lower	Upper
88	100		
43	29.1	26.8	40.2
58	73.0	61.9	92.9









#3
 n-Nitrosodimethylamine
 Concen: 0.377 ng
 RT: 3.608 min Scan# 71
 Delta R.T. -0.000 min
 Lab File: BN037776.D
 Acq: 18 Sep 2025 14:32




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion: 42 Resp: 3658
 Ion Ratio Lower Upper
 42 100
 74 118.6 86.0 129.0
 44 8.4 8.4 12.6#



#4
 2-Fluorophenol
 Concen: 0.388 ng
 RT: 5.399 min Scan# 321
 Delta R.T. -0.000 min
 Lab File: BN037776.D
 Acq: 18 Sep 2025 14:32

Tgt Ion: 112 Resp: 6346
 Ion Ratio Lower Upper
 112 100
 64 54.2 44.9 67.3
 63 29.2 24.7 37.1









#5
Phenol-d6
Concen: 0.380 ng
RT: 6.980 min Scan# 541
Delta R.T. -0.007 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32




Instrument :
BNA_N
ClientSampleId :


Tgt Ion: 99 Resp: 8055
Ion Ratio Lower Upper
99 100
42 20.9 16.6 24.8
71 32.2 26.7 40.1



#6
bis(2-Chloroethyl)ether
Concen: 0.398 ng
RT: 7.248 min Scan# 577
Delta R.T. -0.007 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Tgt Ion: 93 Resp: 7546
Ion Ratio Lower Upper
93 100
63 75.4 60.6 90.8
95 32.5 26.0 39.0









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.637 min Scan# 94
Delta R.T. -0.011 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:	136	Resp:	18984
Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.1	13.7
54	7.7	6.3	9.5
68	6.2	5.0	7.4



#8
Nitrobenzene-d5
Concen: 0.407 ng
RT: 8.982 min Scan# 787
Delta R.T. -0.011 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:	82	Resp:	5651
Ion	Ratio	Lower	Upper
82	100		
128	42.0	38.3	57.5
54	51.8	41.4	62.2







#9
Naphthalene
Concen: 0.391 ng
RT: 10.690 min Scan# 947
Delta R.T. -0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:128 Resp: 20305
Ion Ratio Lower Upper
128 100
129 11.1 9.1 13.7
127 13.3 10.9 16.3



#10
Hexachlorobutadiene
Concen: 0.400 ng
RT: 10.989 min Scan# 975
Delta R.T. -0.011 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Tgt Ion:225 Resp: 3759
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.4 50.9 76.3









#11
2-Methylnaphthalene-d10
Concen: 0.375 ng
RT: 12.232 min Scan# 1166
Delta R.T. -0.010 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:152 Resp: 9430
Ion Ratio Lower Upper
152 100
151 21.3 17.0 25.6



#12
2-Methylnaphthalene
Concen: 0.387 ng
RT: 12.303 min Scan# 1180
Delta R.T. -0.010 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:142 Resp: 12427
Ion Ratio Lower Upper
142 100
141 90.2 71.6 107.4
115 36.1 28.6 43.0








#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1458
Delta R.T. -0.011 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:164 Resp: 8698
Ion Ratio Lower Upper
164 100
162 103.8 83.1 124.7
160 56.9 44.3 66.5



#14
2,4,6-Tribromophenol
Concen: 0.436 ng
RT: 15.982 min Scan# 1591
Delta R.T. -0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Tgt Ion:330 Resp: 988
Ion Ratio Lower Upper
330 100
332 96.3 75.3 112.9
141 42.6 35.0 52.4









#15
2-Fluorobiphenyl
Concen: 0.401 ng
RT: 13.115 min Scan# 1329
Delta R.T. -0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:172 Resp: 14602
Ion Ratio Lower Upper
172 100
171 34.6 28.6 43.0
170 23.3 19.8 29.8



#16
Acenaphthylene
Concen: 0.380 ng
RT: 14.206 min Scan# 1431
Delta R.T. -0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:152 Resp: 15171
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.1 10.4 15.6








#17
Acenaphthene
Concen: 0.389 ng
RT: 14.548 min Scan# 1463
Delta R.T. -0.011 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:154 Resp: 10490
Ion Ratio Lower Upper
154 100
153 115.3 89.8 134.8
152 65.9 50.2 75.2



#18
Fluorene
Concen: 0.372 ng
RT: 15.535 min Scan# 1555
Delta R.T. -0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:166 Resp: 12152
Ion Ratio Lower Upper
166 100
165 99.6 79.6 119.4
167 13.5 10.6 16.0








#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.235 min Scan# 1692
Delta R.T. -0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:188 Resp: 14526
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.4 10.6 15.8#



#20
4,6-Dinitro-2-methylphenol
Concen: 0.337 ng
RT: 15.609 min Scan# 1561
Delta R.T. 0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:198 Resp: 454
Ion Ratio Lower Upper
198 100
51 125.0 95.1 142.7
105 67.0 53.8 80.6








#21
4-Bromophenyl-phenylether
Concen: 0.405 ng
RT: 16.429 min Scan# 1635
Delta R.T. -0.013 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:248 Resp: 3832
Ion Ratio Lower Upper
248 100
250 96.7 81.5 122.3
141 61.6 30.8 46.2#



#22
Hexachlorobenzene
Concen: 0.435 ng
RT: 16.540 min Scan# 1636
Delta R.T. -0.013 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:284 Resp: 4737
Ion Ratio Lower Upper
284 100
142 37.4 30.9 46.3
249 31.0 24.8 37.2








#23
Atrazine
Concen: 0.382 ng
RT: 16.689 min Scan# 1648
Delta R.T. -0.013 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:200 Resp: 2300
Ion Ratio Lower Upper
200 100
173 35.6 21.4 32.2#
215 44.4 39.2 58.8



#24
Pentachlorophenol
Concen: 0.438 ng
RT: 16.888 min Scan# 1664
Delta R.T. -0.000 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:266 Resp: 1384
Ion Ratio Lower Upper
266 100
264 60.4 51.6 77.4
268 63.2 53.2 79.8








#25
Phenanthrene
Concen: 0.388 ng
RT: 17.273 min Scan# 1702
Delta R.T. -0.013 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:178 Resp: 17751
Ion Ratio Lower Upper
178 100
176 19.3 15.3 22.9
179 15.5 12.2 18.2



#26
Anthracene
Concen: 0.375 ng
RT: 17.359 min Scan# 1702
Delta R.T. -0.013 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:178 Resp: 15208
Ion Ratio Lower Upper
178 100
176 18.7 14.6 22.0
179 15.4 12.2 18.4








#27
Fluoranthene-d10
Concen: 0.334 ng
RT: 19.262 min Scan# 1956
Delta R.T. -0.009 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:212 Resp: 12188
Ion Ratio Lower Upper
212 100
106 15.9 12.2 18.2
104 9.7 6.9 10.3



#28
Fluoranthene
Concen: 0.348 ng
RT: 19.294 min Scan# 1963
Delta R.T. -0.005 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:202 Resp: 17450
Ion Ratio Lower Upper
202 100
101 11.7 9.3 13.9
203 17.1 13.7 20.5







#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.411 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:240 Resp: 10438
Ion Ratio Lower Upper
240 100
120 15.6 9.2 13.8#
236 28.9 22.6 33.8



#30
Pyrene
Concen: 0.418 ng
RT: 19.657 min Scan# 2041
Delta R.T. -0.005 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:202 Resp: 17087
Ion Ratio Lower Upper
202 100
200 21.1 16.8 25.2
203 17.9 14.3 21.5








#31
 Terphenyl-d14
 Concen: 0.394 ng
 RT: 19.861 min Scan# 2085
 Delta R.T. -0.009 min
 Lab File: BN037776.D
 Acq: 18 Sep 2025 14:32

Instrument :
 BNA_N
 ClientSampleId :







Tgt Ion:244 Resp: 8356
 Ion Ratio Lower Upper
 244 100
 212 9.5 7.5 11.3
 122 17.8 13.2 19.8



#32
 Benzo(a)anthracene
 Concen: 0.381 ng
 RT: 21.393 min Scan# 2271
 Delta R.T. -0.009 min
 Lab File: BN037776.D
 Acq: 18 Sep 2025 14:32

Tgt Ion:228 Resp: 13864
 Ion Ratio Lower Upper
 228 100
 226 28.5 22.2 33.2
 229 19.4 15.8 23.6









#33
Chrysene
Concen: 0.408 ng
RT: 21.447 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:228 Resp: 15945
Ion Ratio Lower Upper
228 100
226 30.1 23.5 35.3
229 19.6 15.9 23.9



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.422 ng
RT: 21.339 min Scan# 2265
Delta R.T. -0.009 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:149 Resp: 4553
Ion Ratio Lower Upper
149 100
167 26.0 20.8 31.2
279 3.6 3.3 4.9








#35
Perylene-d12
Concen: 0.400 ng
RT: 23.744 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:264 Resp: 10600
Ion Ratio Lower Upper
264 100
260 27.4 21.8 32.8
265 72.4 39.4 59.2#



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.437 ng
RT: 26.127 min Scan# 3657
Delta R.T. -0.015 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32


Tgt Ion:276 Resp: 19472
Ion Ratio Lower Upper
276 100
138 27.6 21.9 32.9
277 25.3 20.1 30.1







#37
Benzo(b)fluoranthene
Concen: 0.387 ng
RT: 23.037 min Scan# 2600
Delta R.T. -0.009 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:252 Resp: 16161
Ion Ratio Lower Upper
252 100
253 24.3 19.4 29.2
125 17.1 11.2 16.8#



#38
Benzo(k)fluoranthene
Concen: 0.402 ng
RT: 23.086 min Scan# 2617
Delta R.T. -0.006 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Tgt Ion:252 Resp: 17089
Ion Ratio Lower Upper
252 100
253 24.9 19.4 29.0
125 17.3 11.6 17.4





#39

Benzo(a)pyrene

Concen: 0.394 ng

RT: 23.642 min Scan# 21

Delta R.T. -0.006 min


Lab File: BN037776.D

Acq: 18 Sep 2025 14:32



Instrument :

BNA_N

ClientSampleId :



Tgt Ion:	252	Resp:	13152
Ion	Ratio	Lower	Upper
252	100		
253	26.9	20.8	31.2
125	21.6	13.9	20.9



#40

Dibenzo(a,h)anthracene

Concen: 0.436 ng




RT: 26.145 min Scan# 3663


Delta R.T. -0.018 min

Lab File: BN037776.D

Acq: 18 Sep 2025 14:32


Tgt Ion:	278	Resp:	15512
Ion	Ratio	Lower	Upper
278	100		
139	22.6	17.8	26.6
279	28.2	22.0	33.0





#41
Benzo(g,h,i)perylene
Concen: 0.413 ng
RT: 26.855 min Scan# 3906
Delta R.T. -0.012 min
Lab File: BN037776.D
Acq: 18 Sep 2025 14:32

Instrument :
BNA_N
ClientSampleId :



Tgt Ion:	276	Resp:	16486
Ion	Ratio	Lower	Upper
276	100		
277	25.1	20.6	31.0
138	24.5	20.2	30.2

