

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091925\
 Data File : BN037829.D
 Acq On : 20 Sep 2025 00:03
 Operator : RC/JU
 Sample : PB169743BS
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Sep 20 00:39:02 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 14:20:01 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.833	152	4918	0.400	ng	0.00
7) Naphthalene-d8	10.637	136	12547	0.400	ng	#-0.01
13) Acenaphthene-d10	14.484	164	5131	0.400	ng	-0.01
19) Phenanthrene-d10	17.223	188	8052	0.400	ng	-0.01
29) Chrysene-d12	21.402	240	7504	0.400	ng	#-0.02
35) Perylene-d12	23.736	264	7479	0.400	ng	#-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.392	112	3848	0.341	ng	0.00
5) Phenol-d6	6.981	99	4516	0.308	ng	0.00
8) Nitrobenzene-d5	8.982	82	3403	0.371	ng	-0.01
11) 2-Methylnaphthalene-d10	12.228	152	5621	0.338	ng	-0.02
14) 2,4,6-Tribromophenol	15.969	330	480	0.359	ng	-0.01
15) 2-Fluorobiphenyl	13.105	172	8172	0.381	ng	-0.01
27) Fluoranthene-d10	19.257	212	6609	0.327	ng	-0.01
31) Terphenyl-d14	19.856	244	4714	0.310	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.297	88	1613	0.315	ng	# 71
3) n-Nitrosodimethylamine	3.601	42	2293	0.343	ng	# 94
6) bis(2-Chloroethyl)ether	7.248	93	4720	0.361	ng	100
9) Naphthalene	10.680	128	11986	0.349	ng	100
10) Hexachlorobutadiene	10.979	225	2301	0.371	ng	# 100
12) 2-Methylnaphthalene	12.299	142	6427	0.303	ng	97
16) Acenaphthylene	14.195	152	8775	0.373	ng	100
17) Acenaphthene	14.548	154	5527	0.347	ng	98
18) Fluorene	15.523	166	6179	0.321	ng	99
20) 4,6-Dinitro-2-methylph...	15.597	198	213	0.286	ng	# 59
21) 4-Bromophenyl-phenylether	16.429	248	1819	0.346	ng	96
22) Hexachlorobenzene	16.540	284	2364	0.391	ng	98
23) Atrazine	16.689	200	1128	0.338	ng	# 95
24) Pentachlorophenol	16.875	266	1133	0.646	ng	93
25) Phenanthrene	17.273	178	9016	0.356	ng	99
26) Anthracene	17.360	178	8056	0.359	ng	100
28) Fluoranthene	19.290	202	9102	0.327	ng	100
30) Pyrene	19.652	202	9186	0.313	ng	100
32) Benzo(a)anthracene	21.393	228	9473	0.362	ng	99
33) Chrysene	21.438	228	10174	0.363	ng	98
34) Bis(2-ethylhexyl)phtha...	21.331	149	2804	0.361	ng	97
36) Indeno(1,2,3-cd)pyrene	26.116	276	12452	0.396	ng	99
37) Benzo(b)fluoranthene	23.028	252	11310	0.384	ng	# 93
38) Benzo(k)fluoranthene	23.078	252	11050	0.368	ng	# 93
39) Benzo(a)pyrene	23.633	252	9415	0.399	ng	# 92
40) Dibenzo(a,h)anthracene	26.136	278	9477	0.378	ng	98
41) Benzo(g,h,i)perylene	26.841	276	10900	0.387	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed





#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.833 min Scan# 61
 Delta R.T. -0.007 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03

Instrument :
 BNA_N
 ClientSampleId :







Tgt Ion:152 Resp: 4918
 Ion Ratio Lower Upper
 152 100
 150 150.4 124.5 186.7
 115 59.6 49.2 73.8



#2
 1,4-Dioxane
 Concen: 0.315 ng
 RT: 3.297 min Scan# 30
 Delta R.T. -0.007 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03

Tgt Ion: 88 Resp: 1613
 Ion Ratio Lower Upper
 88 100
 43 78.2 26.8 40.2#
 58 84.2 61.9 92.9





#3

n-Nitrosodimethylamine

Concen: 0.343 ng

RT: 3.601 min Scan# 71

Delta R.T. -0.007 min


Lab File: BN037829.D

Acq: 20 Sep 2025 00:03

Instrument :

BNA_N

ClientSampleId :






Tgt Ion: 42 Resp: 2293

Ion Ratio Lower Upper

42 100

74 112.9 86.0 129.0

44 3.0 8.4 12.6#



#4

2-Fluorophenol

Concen: 0.341 ng

RT: 5.392 min Scan# 320

Delta R.T. -0.007 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03




Tgt Ion: 112 Resp: 3848

Ion Ratio Lower Upper

112 100

64 55.2 44.9 67.3

63 29.9 24.7 37.1









#5
Phenol-d6
Concen: 0.308 ng
RT: 6.981 min Scan# 541
Delta R.T. -0.007 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03




Instrument :
BNA_N
ClientSampleId :


Tgt Ion: 99 Resp: 4516
Ion Ratio Lower Upper
99 100
42 22.5 16.6 24.8
71 33.9 26.7 40.1



#6
bis(2-Chloroethyl)ether
Concen: 0.361 ng
RT: 7.248 min Scan# 577
Delta R.T. -0.007 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Tgt Ion: 93 Resp: 4720
Ion Ratio Lower Upper
93 100
63 75.5 60.6 90.8
95 32.3 26.0 39.0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.637 min Scan# 94

Delta R.T. -0.011 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03

Instrument :

BNA_N

ClientSampleId :

Tgt Ion:136 Resp: 12547





Ion Ratio Lower Upper

136 100

137 11.5 9.1 13.7

54 6.5 6.3 9.5

68 5.0 5.0 7.4#



#8

Nitrobenzene-d5

Concen: 0.371 ng

RT: 8.982 min Scan# 787

Delta R.T. -0.011 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03




Tgt Ion: 82 Resp: 3403

Ion Ratio Lower Upper

82 100

128 50.4 38.3 57.5

54 50.4 41.4 62.2









#9
Naphthalene
Concen: 0.349 ng
RT: 10.680 min Scan# 947
Delta R.T. -0.011 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:128 Resp: 11986
Ion Ratio Lower Upper
128 100
129 11.6 9.1 13.7
127 13.6 10.9 16.3



#10
Hexachlorobutadiene
Concen: 0.371 ng
RT: 10.979 min Scan# 974
Delta R.T. -0.021 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Tgt Ion:225 Resp: 2301
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.8 50.9 76.3








#11
2-Methylnaphthalene-d10
Concen: 0.338 ng
RT: 12.228 min Scan# 1165
Delta R.T. -0.015 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:152 Resp: 5621
Ion Ratio Lower Upper
152 100
151 22.0 17.0 25.6



#12
2-Methylnaphthalene
Concen: 0.303 ng
RT: 12.299 min Scan# 1179
Delta R.T. -0.015 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03


Tgt Ion:142 Resp: 6427
Ion Ratio Lower Upper
142 100
141 91.3 71.6 107.4
115 38.4 28.6 43.0








#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.484 min Scan# 1457
 Delta R.T. -0.011 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03

Instrument :
 BNA_N
 ClientSampleId :







Tgt Ion:164 Resp: 5131
 Ion Ratio Lower Upper
 164 100
 162 105.6 83.1 124.7
 160 56.5 44.3 66.5



#14
 2,4,6-Tribromophenol
 Concen: 0.359 ng
 RT: 15.969 min Scan# 1590
 Delta R.T. -0.013 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03

Tgt Ion:330 Resp: 480
 Ion Ratio Lower Upper
 330 100
 332 99.8 75.3 112.9
 141 54.4 35.0 52.4#








#15
2-Fluorobiphenyl
Concen: 0.381 ng
RT: 13.105 min Scan# 11
Delta R.T. -0.011 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:172 Resp: 8172
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 24.5 19.8 29.8



#16
Acenaphthylene
Concen: 0.373 ng
RT: 14.195 min Scan# 1430
Delta R.T. -0.011 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Tgt Ion:152 Resp: 8775
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.1 10.4 15.6









#17
Acenaphthene
Concen: 0.347 ng
RT: 14.548 min Scan# 1463
Delta R.T. -0.011 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:154 Resp: 5527
Ion Ratio Lower Upper
154 100
153 114.3 89.8 134.8
152 64.4 50.2 75.2



#18
Fluorene
Concen: 0.321 ng
RT: 15.523 min Scan# 1554
Delta R.T. -0.012 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Tgt Ion:166 Resp: 6179
Ion Ratio Lower Upper
166 100
165 98.6 79.6 119.4
167 13.6 10.6 16.0





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.223 min Scan# 1

Delta R.T. -0.012 min


Lab File: BN037829.D

Acq: 20 Sep 2025 00:03

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:188 Resp: 8052

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 15.5 10.6 15.8



#20

4,6-Dinitro-2-methylphenol

Concen: 0.286 ng

RT: 15.597 min Scan# 1560

Delta R.T. -0.012 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03




Tgt Ion:198 Resp: 213

Ion Ratio Lower Upper

198 100

51 159.0 95.1 142.7#

105 106.5 53.8 80.6#








#21
4-Bromophenyl-phenylether
Concen: 0.346 ng
RT: 16.429 min Scan# 1627
Delta R.T. -0.012 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:248 Resp: 1819
Ion Ratio Lower Upper
248 100
250 104.4 81.5 122.3
141 43.8 30.8 46.2



#22
Hexachlorobenzene
Concen: 0.391 ng
RT: 16.540 min Scan# 1636
Delta R.T. -0.012 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Tgt Ion:284 Resp: 2364
Ion Ratio Lower Upper
284 100
142 41.0 30.9 46.3
249 31.2 24.8 37.2





#23

Atrazine

Concen: 0.338 ng

RT: 16.689 min Scan# 1

Delta R.T. -0.012 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:200 Resp: 1128

Ion Ratio Lower Upper

200 100

173 33.6 21.4 32.2#

215 48.4 39.2 58.8



#24

Pentachlorophenol

Concen: 0.646 ng

RT: 16.875 min Scan# 1663

Delta R.T. -0.012 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03




Tgt Ion:266 Resp: 1133

Ion Ratio Lower Upper

266 100

264 59.0 51.6 77.4

268 61.0 53.2 79.8








#25
 Phenanthrene
 Concen: 0.356 ng
 RT: 17.273 min Scan# 1
 Delta R.T. -0.012 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion:178 Resp: 9016
 Ion Ratio Lower Upper
 178 100
 176 19.7 15.3 22.9
 179 15.4 12.2 18.2



#26
 Anthracene
 Concen: 0.359 ng
 RT: 17.360 min Scan# 1702
 Delta R.T. -0.012 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03

Tgt Ion:178 Resp: 8056
 Ion Ratio Lower Upper
 178 100
 176 18.4 14.6 22.0
 179 15.7 12.2 18.4









#27
Fluoranthene-d10
Concen: 0.327 ng
RT: 19.257 min Scan# 1955
Delta R.T. -0.014 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:212 Resp: 6609
Ion Ratio Lower Upper
212 100
106 15.7 12.2 18.2
104 9.3 6.9 10.3



#28
Fluoranthene
Concen: 0.327 ng
RT: 19.290 min Scan# 1962
Delta R.T. -0.009 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Tgt Ion:202 Resp: 9102
Ion Ratio Lower Upper
202 100
101 11.8 9.3 13.9
203 17.1 13.7 20.5





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.402 min Scan# 21

Delta R.T. -0.018 min

Lab File: BN037829.D





Acq: 20 Sep 2025 00:03

Instrument :

BNA_N

ClientSampleId :

Tgt Ion:240	Resp:	7504
Ion Ratio	Lower	Upper
240	100	
120	20.5	9.2 13.8#
236	30.4	22.6 33.8



#30

Pyrene

Concen: 0.313 ng




RT: 19.652 min Scan# 2040


Delta R.T. -0.009 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03


Tgt Ion:202	Resp:	9186
Ion Ratio	Lower	Upper
202	100	
200	21.2	16.8 25.2
203	17.9	14.3 21.5







#31
 Terphenyl-d14
 Concen: 0.310 ng
 RT: 19.856 min Scan# 2084
 Delta R.T. -0.014 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03

Instrument :
 BNA_N
 ClientSampleId :






Tgt Ion:244 Resp: 4714
 Ion Ratio Lower Upper
 244 100
 212 10.3 7.5 11.3
 122 18.8 13.2 19.8



#32
 Benzo(a)anthracene
 Concen: 0.362 ng
 RT: 21.393 min Scan# 2271
 Delta R.T. -0.009 min
 Lab File: BN037829.D
 Acq: 20 Sep 2025 00:03


Tgt Ion:228 Resp: 9473
 Ion Ratio Lower Upper
 228 100
 226 28.0 22.2 33.2
 229 20.4 15.8 23.6







#33
Chrysene
Concen: 0.363 ng
RT: 21.438 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:228 Resp: 10174
Ion Ratio Lower Upper
228 100
226 31.3 23.5 35.3
229 19.9 15.9 23.9



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.361 ng
RT: 21.331 min Scan# 2264
Delta R.T. -0.018 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03


Tgt Ion:149 Resp: 2804
Ion Ratio Lower Upper
149 100
167 24.2 20.8 31.2
279 3.5 3.3 4.9







#35
Perylene-d12
Concen: 0.400 ng
RT: 23.736 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:264 Resp: 7479
Ion Ratio Lower Upper
264 100
260 28.5 21.8 32.8
265 95.4 39.4 59.2#



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.396 ng
RT: 26.116 min Scan# 3653
Delta R.T. -0.026 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03


Tgt Ion:276 Resp: 12452
Ion Ratio Lower Upper
276 100
138 26.9 21.9 32.9
277 24.5 20.1 30.1







#37
Benzo(b)fluoranthene
Concen: 0.384 ng
RT: 23.028 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:252 Resp: 11310
Ion Ratio Lower Upper
252 100
253 25.8 19.4 29.2
125 19.9 11.2 16.8#



#38
Benzo(k)fluoranthene
Concen: 0.368 ng
RT: 23.078 min Scan# 2614
Delta R.T. -0.015 min
Lab File: BN037829.D
Acq: 20 Sep 2025 00:03

Tgt Ion:252 Resp: 11050
Ion Ratio Lower Upper
252 100
253 26.0 19.4 29.0
125 19.4 11.6 17.4#





#39

Benzo(a)pyrene

Concen: 0.399 ng

RT: 23.633 min Scan# 21

Delta R.T. -0.015 min


Lab File: BN037829.D

Acq: 20 Sep 2025 00:03

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:252 Resp: 9415

Ion Ratio Lower Upper

252 100

253 28.0 20.8 31.2

125 24.0 13.9 20.9#



#40

Dibenzo(a,h)anthracene

Concen: 0.378 ng

RT: 26.136 min Scan# 3660

Delta R.T. -0.026 min

Lab File: BN037829.D

Acq: 20 Sep 2025 00:03




Tgt Ion:278 Resp: 9477


Ion Ratio Lower Upper

278 100

139 21.3 17.8 26.6

279 28.8 22.0 33.0





#41

Benzo(g,h,i)perylene

Concen: 0.387 ng

RT: 26.841 min Scan# 3910

Delta R.T. -0.026 min


Lab File: BN037829.D

Acq: 20 Sep 2025 00:03

Instrument :

BNA_N

ClientSampleId :



Tgt Ion:276 Resp: 10900

Ion Ratio Lower Upper

276 100

277 25.6 20.6 31.0

138 25.4 20.2 30.2

