

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
 Data File : BN007776.D
 Acq On : 20 Sep 2019 22:19
 Operator : HP/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Quant Time: Sep 20 23:08:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	5977	0.40	ng	0.00
7) Naphthalene-d8	10.46	136	24320	0.40	ng	-0.01
13) Acenaphthene-d10	14.31	164	15331	0.40	ng	-0.01
19) Phenanthrene-d10	17.06	188	34981	0.40	ng	-0.01
27) Chrysene-d12	21.25	240	40260	0.40	ng	-0.02
34) Perylene-d12	23.46	264	43624	0.40	ng	-0.03

System Monitoring Compounds						
4) 2-Fluorophenol	5.31	112	6605	0.32	ng	0.00
5) Phenol-d6	6.86	99	8330	0.32	ng	0.00
8) Nitrobenzene-d5	8.83	82	7404	0.35	ng	0.00
11) 2-Methylnaphthalene-d10	12.05	152	16478	0.40	ng	0.00
14) 2,4,6-Tribromophenol	15.81	330	2432	0.29	ng	-0.01
15) 2-Fluorobiphenyl	12.93	172	23682	0.38	ng	-0.01
25) Fluoranthene-d10	19.09	212	47200	0.40	ng	-0.01
29) Terphenyl-d14	19.70	244	40069	0.41	ng	-0.01


Target Compounds				Qvalue		
2) 1,4-Dioxane	3.30	88	2390	0.359	ng	# 80
3) n-Nitrosodimethylamine	3.00	42	1735	0.569	ng	# 94
6) bis(2-Chloroethyl)ether	7.14	93	6131	0.362	ng	98
9) Naphthalene	10.51	128	27167	0.398	ng	99
10) Hexachlorobutadiene	10.81	225	5773	0.402	ng	# 100
12) 2-Methylnaphthalene	12.13	142	18762	0.407	ng	99
16) Acenaphthylene	14.04	152	28074	0.345	ng	100
17) Acenaphthene	14.38	154	18903	0.361	ng	97
18) Fluorene	15.36	166	24505	0.365	ng	100
20) 4-Bromophenyl-phenylether	16.26	248	8371	0.394	ng	99
21) Hexachlorobenzene	16.38	284	9469	0.408	ng	99
22) Pentachlorophenol	16.72	266	2652	0.310	ng	98
23) Phenanthrene	17.10	178	43781	0.402	ng	100
24) Anthracene	17.19	178	37688	0.383	ng	100
26) Fluoranthene	19.12	202	54414	0.402	ng	100
28) Pyrene	19.49	202	56039	0.408	ng	100
30) Benzo(a)anthracene	21.24	228	56946	0.384	ng	98
31) Chrysene	21.29	228	58241	0.403	ng	98
32) Bis(2-ethylhexyl)phthalate	21.19	149	27746	0.364	ng	97
33) Indeno(1,2,3-cd)pyrene	25.67	276	68876	0.381	ng	98
35) Benzo(b)fluoranthene	22.80	252	57377	0.379	ng	100
36) Benzo(k)fluoranthene	22.85	252	62594	0.418	ng	99
37) Benzo(a)pyrene	23.37	252	54809	0.385	ng	99
38) Dibenzo(a,h)anthracene	25.68	278	55441	0.381	ng	100
39) Benzo(g,h,i)perylene	26.34	276	53372	0.370	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
Data File : BN007776.D
Acq On : 20 Sep 2019 22:19
Operator : HP/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
Client Sample ID :
SSTDCCC0.4EC

Quant Time: Sep 20 23:08:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.69 min Scan# 604

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:152 Resp: 5977

Ion Ratio Lower Upper

152 100

150 155.4 125.6 188.4




115 64.5 53.3 79.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.359 ng

RT: 3.30 min Scan# 58

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion: 88 Resp: 2390

Ion Ratio Lower Upper

88 100

58 72.1 44.6 66.8#



43 23.1 14.4 21.6#




Abundance Ion 88.00 (87.70 to 88.70): BNC

Ion 58.00 (57.70 to 58.70): BNC

Ion 43.00 (42.70 to 43.70): BNC









#3

n-Nitrosodimethylamine
Concen: 0.569 ng
RT: 3.00 min Scan# 21
Delta R.T. -0.01 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC




Tot Ion: 42 Resp: 1735
Ion Ratio Lower Upper
42 100
74 108.8 87.9 131.9
44 49.0 29.4 44.0#




#4

2-Fluorophenol
Concen: 0.321 ng
RT: 5.31 min Scan# 308
Delta R.T. -0.01 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19

Tgt Ion: 112 Resp: 6605
Ion Ratio Lower Upper
112 100
64 58.5 46.6 70.0
63 29.3 23.1 34.7





#5

Phenol-d6

Concen: 0.324 ng

RT: 6.86 min Scan# 501

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion: 99 Resp: 8330

Ion Ratio Lower Upper

99 100

42 15.3 12.8 19.2




71 34.5 27.6 41.4



Abundance Ion 99.00 (98.70 to 99.70): BN007776.D (-501) (-)

Ion 42.00 (41.70 to 42.70): BN007776.D (-501) (-)

Ion 71.00 (70.70 to 71.70): BN007776.D (-501) (-)



#6

bis(2-Chloroethyl)ether

Concen: 0.362 ng

RT: 7.14 min Scan# 535

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion: 93 Resp: 6131

Ion Ratio Lower Upper

93 100

63 76.3 59.3 88.9



95 39.1 31.4 47.0




Abundance Ion 93.00 (92.70 to 93.70): BN007776.D (-535) (-)

Ion 63.00 (62.70 to 63.70): BN007776.D (-535) (-)

Ion 95.00 (94.70 to 95.70): BN007776.D (-535) (-)





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.46 min Scan# 850

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC

Tot Ion:136 Resp: 24320


Ion Ratio Lower Upper

136 100

137 11.4 9.2 13.8

54 8.2 5.8 8.8

68 8.8 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.348 ng

RT: 8.83 min Scan# 722

Delta R.T. 0.00 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion: 82 Resp: 7404

Ion Ratio Lower Upper

82 100

128 39.3 24.5 36.7#



54 36.5 35.2 52.8




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC





#9

Naphthalene

Concen: 0.398 ng

RT: 10.51 min Scan# 854

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:128 Resp: 27167

Ion Ratio Lower Upper

128 100

129 11.4 9.1 13.7




127 13.6 10.6 15.8



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#10

Hexachlorobutadiene

Concen: 0.402 ng

RT: 10.81 min Scan# 878

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:225 Resp: 5773

Ion Ratio Lower Upper

225 100

223 0.0 0.0 0.0



227 63.9 51.2 76.8




Abundance Ion 225.00 (224.70 to 225.70): E

Ion 223.00 (222.70 to 223.70): E

Ion 227.00 (226.70 to 227.70): E









#11
2-Methylnaphthalene-d10
Concen: 0.402 ng
RT: 12.05 min Scan# 1056
Delta R.T. -0.01 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tot Ion:152 Resp: 16478
Ion Ratio Lower Upper
152 100
151 19.1 15.4 23.2



#12
2-Methylnaphthalene
Concen: 0.407 ng
RT: 12.13 min Scan# 1072
Delta R.T. -0.01 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19

Tgt Ion:142 Resp: 18762
Ion Ratio Lower Upper
142 100
141 88.9 70.6 106.0
115 35.6 28.3 42.5





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.31 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:164 Resp: 15331

Ion Ratio Lower Upper

164 100

162 102.9 81.7 122.5




160 47.3 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.291 ng

RT: 15.81 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:330 Resp: 2432

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 33.1 28.7 43.1




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.375 ng
RT: 12.93 min Scan# 1196
Delta R.T. -0.01 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tot Ion:172 Resp: 23682
Ion Ratio Lower Upper
172 100
171 35.8 28.8 43.2
170 24.3 19.5 29.3



#16
Acenaphthylene
Concen: 0.345 ng
RT: 14.04 min Scan# 1295
Delta R.T. -0.01 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19

Tgt Ion:152 Resp: 28074
Ion Ratio Lower Upper
152 100
151 19.4 15.5 23.3
153 13.0 10.4 15.6





#17

Acenaphthene

Concen: 0.361 ng

RT: 14.38 min Scan# 1326

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:154 Resp: 18903

Ion Ratio Lower Upper

154 100

153 111.7 87.0 130.4




152 54.8 42.7 64.1



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#18

Fluorene

Concen: 0.365 ng

RT: 15.36 min Scan# 1414

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:166 Resp: 24505

Ion Ratio Lower Upper

166 100

165 97.6 78.0 117.0



167 13.7 10.9 16.3




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.06 min Scan# 1571

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:188 Resp: 34981

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.1 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#20

4-Bromophenyl-phenylether

Concen: 0.394 ng

RT: 16.26 min Scan# 1496

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:248 Resp: 8371

Ion Ratio Lower Upper

248 100

250 103.1 82.2 123.4



141 44.3 36.3 54.5




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#21

Hexachlorobenzene

Concen: 0.408 ng

RT: 16.38 min Scan# 1507

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:284 Resp: 9469

Ion Ratio Lower Upper

284 100

142 33.1 25.8 38.6




249 31.7 25.9 38.9



Abundance Ion 283.80 (283.50 to 284.50): E

Ion 142.00 (141.70 to 142.70): E

Ion 249.00 (248.70 to 249.70): E



#22

Pentachlorophenol

Concen: 0.310 ng

RT: 16.72 min Scan# 1539

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:266 Resp: 2652

Ion Ratio Lower Upper

266 100

264 59.3 50.0 75.0



268 67.6 54.2 81.4




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#23

Phenanthrene

Concen: 0.402 ng

RT: 17.10 min Scan# 1575

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:178 Resp: 43781

Ion Ratio Lower Upper

178 100

176 18.6 14.9 22.3




179 15.4 12.5 18.7



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#24

Anthracene

Concen: 0.383 ng

RT: 17.19 min Scan# 1583

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:178 Resp: 37688

Ion Ratio Lower Upper

178 100

176 17.9 14.6 21.8



179 15.3 12.2 18.4




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#25

Fluoranthene-d10

Concen: 0.400 ng

RT: 19.09 min Scan# 1879

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:212 Resp: 47200

Ion Ratio Lower Upper

212 100

106 11.7 9.4 14.0




104 6.7 5.3 7.9



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.402 ng

RT: 19.12 min Scan# 1885

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:202 Resp: 54414

Ion Ratio Lower Upper

202 100

101 10.6 8.4 12.6



203 17.3 13.8 20.8




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.25 min Scan# 2180

Delta R.T. -0.02 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:240 Resp: 40260

Ion Ratio Lower Upper

240 100

120 10.7 5.4 8.2#




236 26.9 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#28

Pyrene

Concen: 0.408 ng

RT: 19.49 min Scan# 1958

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:202 Resp: 56039

Ion Ratio Lower Upper

202 100

200 20.4 16.4 24.6



203 17.6 14.1 21.1




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E









#29
 Terphenyl-d14
 Concen: 0.405 ng
 RT: 19.70 min Scan# 2001
 Delta R.T. -0.01 min
 Lab File: BN007776.D
 Acq: 20 Sep 2019 22:19

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Tot Ion:244 Resp: 40069
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.9 8.9
 122 9.4 7.4 11.2




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E






#30
 Benzo(a)anthracene
 Concen: 0.384 ng
 RT: 21.24 min Scan# 2179
 Delta R.T. -0.01 min
 Lab File: BN007776.D
 Acq: 20 Sep 2019 22:19

Tgt Ion:228 Resp: 56946
 Ion Ratio Lower Upper
 228 100
 226 26.1 22.1 33.1
 229 20.2 15.8 23.6



Abundance Ion 228.00 (227.70 to 228.70): E
 Ion 226.00 (225.70 to 226.70): E
 Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.403 ng

RT: 21.29 min Scan# 2184

Delta R.T. -0.01 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :


BNA_N

ClientSampleId :

SSTDCCC0.4EC

Tot Ion:228 Resp: 58241

Ion	Ratio	Lower	Upper
228	100		
226	28.6	23.9	35.9
229	20.2	15.8	23.6






Abundance

Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.364 ng

RT: 21.19 min Scan# 2174


Delta R.T. -0.02 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Tgt Ion:149 Resp: 27746

Ion	Ratio	Lower	Upper
149	100		
167	28.0	23.7	35.5
279	4.8	4.2	6.2






Abundance

Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#33

Indeno(1,2,3-cd)pyrene

Concen: 0.381 ng

RT: 25.67 min Scan# 3243

Delta R.T. -0.03 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:276 Resp: 68876

Ion Ratio Lower Upper




276 100

138 23.2 17.1 25.7

277 24.9 20.0 30.0



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.46 min Scan# 2598

Delta R.T. -0.03 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:264 Resp: 43624

Ion Ratio Lower Upper



264 100


260 24.2 19.3 28.9

265 31.1 26.9 40.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E





#35

Benzo(b)fluoranthene

Concen: 0.379 ng

RT: 22.80 min Scan# 2405

Delta R.T. -0.02 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:252 Resp: 57377

Ion Ratio Lower Upper

252 100

253 22.8 18.3 27.5




125 10.2 8.2 12.4



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#36

Benzo(k)fluoranthene

Concen: 0.418 ng

RT: 22.85 min Scan# 2418

Delta R.T. -0.02 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19


Tgt Ion:252 Resp: 62594

Ion Ratio Lower Upper

252 100

253 23.3 18.5 27.7



125 11.8 8.4 12.6




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E









#37
Benzo(a)pyrene
Concen: 0.385 ng
RT: 23.37 min Scan# 2570
Delta R.T. -0.02 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tot Ion:252 Resp: 54809
Ion Ratio Lower Upper
252 100
253 23.3 18.6 27.8
125 12.7 9.4 14.0




Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E






#38
Dibenzo(a,h)anthracene
Concen: 0.381 ng
RT: 25.68 min Scan# 3246
Delta R.T. -0.04 min
Lab File: BN007776.D
Acq: 20 Sep 2019 22:19

Tgt Ion:278 Resp: 55441
Ion Ratio Lower Upper
278 100
139 15.0 11.8 17.6
279 24.2 19.4 29.2



Abundance Ion 278.00 (277.70 to 278.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 279.00 (278.70 to 279.70): E





#39

Benzo(a,h,i)perylene

Concen: 0.370 ng

RT: 26.34 min Scan# 3438

Delta R.T. -0.04 min

Lab File: BN007776.D

Acq: 20 Sep 2019 22:19

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC


Tot Ion:276 Resp: 53372

Ion Ratio Lower Upper

276 100

277 24.5 19.8 29.8

138 19.2 15.1 22.7



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

