

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
 Data File : BN007774.D
 Acq On : 20 Sep 2019 21:07
 Operator : HP/JU
 Sample : K4975-13
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE139D1-20190918

Quant Time: Sep 21 04:17:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	6379	0.40	ng	0.00
7) Naphthalene-d8	10.46	136	24770	0.40	ng	-0.01
13) Acenaphthene-d10	14.31	164	14751	0.40	ng	-0.01
19) Phenanthrene-d10	17.06	188	33141	0.40	ng	-0.01
27) Chrysene-d12	21.25	240	36749	0.40	ng	-0.02
34) Perylene-d12	23.46	264	38489	0.40	ng	-0.03
System Monitoring Compounds						
4) 2-Fluorophenol	5.31	112	1842	0.08	ng	0.00
5) Phenol-d6	6.87	99	1406	0.05	ng	0.00
8) Nitrobenzene-d5	8.83	82	5731	0.26	ng	0.00
11) 2-Methylnaphthalene-d10	12.05	152	13238	0.32	ng	0.00
14) 2,4,6-Tribromophenol	15.81	330	1296	0.16	ng	-0.01
15) 2-Fluorobiphenyl	12.94	172	19409	0.32	ng	0.00
25) Fluoranthene-d10	19.09	212	35857	0.32	ng	-0.01
29) Terphenyl-d14	19.70	244	31673	0.35	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.29	88	6903	0.971	ng	# 85
32) Bis(2-ethylhexyl)phthalate	21.19	149	5594	0.080	ng	# 83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
Data File : BN007774.D
Acq On : 20 Sep 2019 21:07
Operator : HP/JU
Sample : K4975-13
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE139D1-20190918

Quant Time: Sep 21 04:17:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.69 min Scan# 604
Delta R.T. -0.01 min
Lab File: BN007774.D
Acq: 20 Sep 2019 21:07

Instrument :
BNA_N
ClientSampleId :
RE139D1-20190918

Tot Ion:152 Resp: 6379
Ion Ratio Lower Upper
152 100
150 156.7 125.6 188.4
115 64.9 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.971 ng
RT: 3.29 min Scan# 57
Delta R.T. -0.02 min
Lab File: BN007774.D
Acq: 20 Sep 2019 21:07

Tgt Ion: 88 Resp: 6903
Ion Ratio Lower Upper
88 100
58 60.0 44.6 66.8
43 36.3 14.4 21.6#



Abundance Ion 88.00 (87.70 to 88.70): BNC
Ion 58.00 (57.70 to 58.70): BNC
Ion 43.00 (42.70 to 43.70): BNC





#4

2-Fluorophenol

Concen: 0.084 ng

RT: 5.31 min Scan# 308

Delta R.T. -0.01 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07

Instrument :

BNA_N

ClientSampleId :

RE139D1-20190918


Tot Ion: 112 Resp: 1842

Ion Ratio Lower Upper

112 100

64 58.0 46.6 70.0




63 29.5 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC



#5

Phenol-d6

Concen: 0.046 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07


Tgt Ion: 99 Resp: 1406

Ion Ratio Lower Upper

99 100

42 33.8 12.8 19.2#



71 45.4 27.6 41.4#




Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.46 min Scan# 850

Delta R.T. -0.01 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07

Instrument :

BNA_N

ClientSampleId :

RE139D1-20190918

Tot Ion:136 Resp: 24770



Ion Ratio Lower Upper

136 100

137 11.3 9.2 13.8

54 9.0 5.8 8.8#

68 9.4 6.5 9.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.265 ng

RT: 8.83 min Scan# 722

Delta R.T. 0.00 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07



Tgt Ion: 82 Resp: 5731

Ion Ratio Lower Upper

82 100

128 37.9 24.5 36.7#


54 39.6 35.2 52.8




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
2-Methylnaphthalene-d10
Concen: 0.317 ng
RT: 12.05 min Scan# 1056
Delta R.T. -0.01 min
Lab File: BN007774.D
Acq: 20 Sep 2019 21:07




Instrument :
BNA_N
ClientSampleId :
RE139D1-20190918


Tot Ion:152 Resp: 13238
Ion Ratio Lower Upper
152 100
151 19.4 15.4 23.2



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.31 min Scan# 1320
Delta R.T. -0.01 min
Lab File: BN007774.D
Acq: 20 Sep 2019 21:07

Tgt Ion:164 Resp: 14751
Ion Ratio Lower Upper
164 100
162 102.2 81.7 122.5
160 47.7 37.0 55.4









#14
 2,4,6-Tribromophenol
 Concen: 0.161 ng
 RT: 15.81 min Scan# 1454
 Delta R.T. -0.01 min
 Lab File: BN007774.D
 Acq: 20 Sep 2019 21:07




Instrument :
 BNA_N
 ClientSampleId :
 RE139D1-20190918


Tot Ion:330 Resp: 1296
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 34.8 28.7 43.1



#15
 2-Fluorobiphenyl
 Concen: 0.319 ng
 RT: 12.94 min Scan# 1197
 Delta R.T. 0.00 min
 Lab File: BN007774.D
 Acq: 20 Sep 2019 21:07

Tgt Ion:172 Resp: 19409
 Ion Ratio Lower Upper
 172 100
 171 34.3 28.8 43.2
 170 21.7 19.5 29.3





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.06 min Scan# 1571

Delta R.T. -0.01 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07

Instrument :

BNA_N

ClientSampleId :

RE139D1-20190918


Tot Ion:188 Resp: 33141

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.0 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.321 ng

RT: 19.09 min Scan# 1879

Delta R.T. -0.01 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07


Tgt Ion:212 Resp: 35857

Ion Ratio Lower Upper

212 100

106 11.7 9.4 14.0



104 6.6 5.3 7.9




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.25 min Scan# 2180

Delta R.T. -0.02 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07

Instrument :

BNA_N

ClientSampleId :

RE139D1-20190918


Tot Ion:240 Resp: 36749

Ion Ratio Lower Upper

240 100

120 11.4 5.4 8.2#




236 26.9 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.351 ng

RT: 19.70 min Scan# 2001

Delta R.T. -0.01 min

Lab File: BN007774.D

Acq: 20 Sep 2019 21:07


Tgt Ion:244 Resp: 31673

Ion Ratio Lower Upper

244 100

212 7.4 5.9 8.9



122 10.1 7.4 11.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.080 ng
 RT: 21.19 min Scan# 2174
 Delta R.T. -0.02 min
 Lab File: BN007774.D
 Acq: 20 Sep 2019 21:07

Instrument :
 BNA_N
 ClientSampleId :
 RE139D1-20190918

Tot Ion:149 Resp: 5594
 Ion Ratio Lower Upper
 149 100
 167 19.3 23.7 35.5#
 279 3.9 4.2 6.2#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.46 min Scan# 2598
 Delta R.T. -0.03 min
 Lab File: BN007774.D
 Acq: 20 Sep 2019 21:07

Tgt Ion:264 Resp: 38489
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.3 28.9
 265 31.6 26.9 40.3

