

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
 Data File : BN007783.D
 Acq On : 21 Sep 2019 03:42
 Operator : HP/JU
 Sample : K4975-19
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 FB02-20190918

Quant Time: Sep 21 04:45:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	6464	0.40	ng	0.00
7) Naphthalene-d8	10.46	136	24458	0.40	ng	-0.01
13) Acenaphthene-d10	14.31	164	14047	0.40	ng	-0.01
19) Phenanthrene-d10	17.06	188	31823	0.40	ng	-0.01
27) Chrysene-d12	21.25	240	36286	0.40	ng	-0.02
34) Perylene-d12	23.46	264	38521	0.40	ng	-0.03
System Monitoring Compounds						
4) 2-Fluorophenol	5.31	112	1866	0.08	ng	0.00
5) Phenol-d6	6.87	99	1263	0.04	ng	0.00
8) Nitrobenzene-d5	8.83	82	5350	0.25	ng	0.00
11) 2-Methylnaphthalene-d10	12.05	152	12603	0.31	ng	-0.01
14) 2,4,6-Tribromophenol	15.81	330	1329	0.17	ng	-0.01
15) 2-Fluorobiphenyl	12.94	172	19205	0.33	ng	0.00
25) Fluoranthene-d10	19.09	212	34571	0.32	ng	-0.01
29) Terphenyl-d14	19.70	244	29971	0.34	ng	-0.01
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.19	149	2150	0.031	ng	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
Data File : BN007783.D
Acq On : 21 Sep 2019 03:42
Operator : HP/JU
Sample : K4975-19
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
FB02-20190918

Quant Time: Sep 21 04:45:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.69 min Scan# 604
Delta R.T. -0.01 min
Lab File: BN007783.D
Acq: 21 Sep 2019 03:42

Instrument :
BNA_N
ClientSampleId :
FB02-20190918

Tot Ion:152 Resp: 6464
Ion Ratio Lower Upper
152 100
150 154.5 125.6 188.4
115 63.7 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.084 ng
RT: 5.31 min Scan# 308
Delta R.T. -0.01 min
Lab File: BN007783.D
Acq: 21 Sep 2019 03:42

Tgt Ion:112 Resp: 1866
Ion Ratio Lower Upper
112 100
64 61.6 46.6 70.0
63 30.3 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.040 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42

Instrument :

BNA_N

ClientSampleId :

FB02-20190918


Tot Ion: 99 Resp: 1263

Ion Ratio Lower Upper

99 100

42 17.6 12.8 19.2




71 48.3 27.6 41.4#



Abundance Ion 99.00 (98.70 to 99.70): BN007706.D (-493) (-)

Ion 42.00 (41.70 to 42.70): BN007706.D (-493) (-)

Ion 71.00 (70.70 to 71.70): BN007706.D (-493) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.46 min Scan# 850

Delta R.T. -0.01 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42

Tgt Ion: 136 Resp: 24458


Ion Ratio Lower Upper

136 100

137 11.4 9.2 13.8

54 8.5 5.8 8.8

68 8.9 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): BN007706.D (-846) (-)

Ion 137.00 (136.70 to 137.70): BN007706.D (-846) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-846) (-)

Ion 68.00 (67.70 to 68.70): BN007706.D (-846) (-)





#8

Nitrobenzene-d5

Concen: 0.250 ng

RT: 8.83 min Scan# 722

Delta R.T. 0.00 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42

Instrument :

BNA_N

ClientSampleId :

FB02-20190918


Tot Ion: 82 Resp: 5350

Ion Ratio Lower Upper

82 100

128 36.9 24.5 36.7#




54 38.8 35.2 52.8



Abundance Ion 82.00 (81.70 to 82.70): BN007706.D (-719) (-)

Ion 128.00 (127.70 to 128.70): BN007706.D (-719) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-719) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.306 ng

RT: 12.05 min Scan# 1055

Delta R.T. -0.01 min

Lab File: BN007783.D


Acq: 21 Sep 2019 03:42

Tgt Ion: 152 Resp: 12603

Ion Ratio Lower Upper



152 100


151 19.1 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): BN007706.D (-1046) (-)

Ion 151.00 (150.70 to 151.70): BN007706.D (-1046) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.31 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42

Instrument :

BNA_N

ClientSampleId :

FB02-20190918


Tot Ion:164 Resp: 14047

Ion Ratio Lower Upper

164 100

162 101.7 81.7 122.5




160 46.8 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.174 ng

RT: 15.81 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42


Tgt Ion:330 Resp: 1329

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 33.1 28.7 43.1




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.332 ng
RT: 12.94 min Scan# 1197
Delta R.T. 0.00 min
Lab File: BN007783.D
Acq: 21 Sep 2019 03:42

Instrument :
BNA_N
ClientSampleId :
FB02-20190918

Tot Ion	Ratio	Lower	Upper
172	100		
171	34.0	28.8	43.2
170	21.5	19.5	29.3




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.06 min Scan# 1571
Delta R.T. -0.01 min
Lab File: BN007783.D
Acq: 21 Sep 2019 03:42

Tgt Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	9.2	7.4	11.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BNC
Ion 80.00 (79.70 to 80.70): BNC









#25
 Fluoranthene-d10
 Concen: 0.322 ng
 RT: 19.09 min Scan# 1879
 Delta R.T. -0.01 min
 Lab File: BN007783.D
 Acq: 21 Sep 2019 03:42




Instrument :
 BNA_N
 ClientSampleId :
 FB02-20190918


Tot Ion:212 Resp: 34571
 Ion Ratio Lower Upper
 212 100
 106 11.6 9.4 14.0
 104 6.6 5.3 7.9



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.25 min Scan# 2180
 Delta R.T. -0.02 min
 Lab File: BN007783.D
 Acq: 21 Sep 2019 03:42

Tgt Ion:240 Resp: 36286
 Ion Ratio Lower Upper
 240 100
 120 10.9 5.4 8.2#
 236 26.9 21.0 31.4





#29

Terphenyl-d14

Concen: 0.336 ng

RT: 19.70 min Scan# 2001

Delta R.T. -0.01 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42

Instrument :

BNA_N

ClientSampleId :

FB02-20190918


Tot Ion:244 Resp: 29971

Ion Ratio Lower Upper

244 100

212 7.3 5.9 8.9




122 9.9 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.031 ng

RT: 21.19 min Scan# 2174

Delta R.T. -0.02 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42


Tgt Ion:149 Resp: 2150

Ion Ratio Lower Upper

149 100

167 23.9 23.7 35.5



279 4.7 4.2 6.2






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.46 min Scan# 2598

Delta R.T. -0.03 min

Lab File: BN007783.D

Acq: 21 Sep 2019 03:42

Instrument :

BNA_N

ClientSampleId :

FB02-20190918

Tot Ion: 264 Resp: 38521

Ion Ratio Lower Upper

264 100

260 24.2 19.3 28.9

265 31.8 26.9 40.3

