

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
 Data File : BN007787.D
 Acq On : 21 Sep 2019 06:05
 Operator : HP/JU
 Sample : K4974-05
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D4-20190916

Quant Time: Sep 21 06:51:28 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	6516	0.40	ng	0.00
7) Naphthalene-d8	10.46	136	24584	0.40	ng	-0.01
13) Acenaphthene-d10	14.31	164	14937	0.40	ng	-0.02
19) Phenanthrene-d10	17.06	188	33065	0.40	ng	-0.01
27) Chrysene-d12	21.25	240	36112	0.40	ng	-0.02
34) Perylene-d12	23.46	264	39582	0.40	ng	-0.03
System Monitoring Compounds						
4) 2-Fluorophenol	5.31	112	2325	0.10	ng	0.00
5) Phenol-d6	6.87	99	1823	0.06	ng	0.00
8) Nitrobenzene-d5	8.83	82	5775	0.27	ng	0.00
11) 2-Methylnaphthalene-d10	12.05	152	13863	0.33	ng	0.00
14) 2,4,6-Tribromophenol	15.80	330	1540	0.19	ng	-0.02
15) 2-Fluorobiphenyl	12.94	172	22046	0.36	ng	0.00
25) Fluoranthene-d10	19.09	212	38096	0.34	ng	-0.02
29) Terphenyl-d14	19.70	244	35209	0.40	ng	-0.02
Target Compounds						
2) 1,4-Dioxane	3.28	88	46701	6.430	ng	# 95
6) bis(2-Chloroethyl)ether	7.14	93	457	0.025	ng	# 93
32) Bis(2-ethylhexyl)phthalate	21.19	149	2469	0.036	ng	# 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
Data File : BN007787.D
Acq On : 21 Sep 2019 06:05
Operator : HP/JU
Sample : K4974-05
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D4-20190916

Quant Time: Sep 21 06:51:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.69 min Scan# 604
Delta R.T. -0.01 min
Lab File: BN007787.D
Acq: 21 Sep 2019 06:05

Instrument :
BNA_N
ClientSampleId :
RE132D4-20190916

Tot Ion:152 Resp: 6516
Ion Ratio Lower Upper
152 100
150 155.9 125.6 188.4
115 64.3 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 6.430 ng
RT: 3.28 min Scan# 56
Delta R.T. -0.02 min
Lab File: BN007787.D
Acq: 21 Sep 2019 06:05

Tgt Ion: 88 Resp: 46701
Ion Ratio Lower Upper
88 100
58 58.7 44.6 66.8
43 22.2 14.4 21.6#



Abundance Ion 88.00 (87.70 to 88.70): BNC
Ion 58.00 (57.70 to 58.70): BNC
Ion 43.00 (42.70 to 43.70): BNC





#4

2-Fluorophenol

Concen: 0.104 ng

RT: 5.31 min Scan# 308

Delta R.T. -0.01 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05

Instrument :

BNA_N

ClientSampleId :

RE132D4-20190916


Tot Ion: 112 Resp: 2325

Ion Ratio Lower Upper

112 100

64 61.3 46.6 70.0



63 29.2 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC



#5

Phenol-d6

Concen: 0.060 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05


Tgt Ion: 99 Resp: 1823

Ion Ratio Lower Upper

99 100

42 20.4 12.8 19.2#



71 37.7 27.6 41.4




Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC





#6

bis(2-Chloroethyl)ether

Concen: 0.025 ng

RT: 7.14 min Scan# 535

Delta R.T. -0.01 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05

Instrument :

BNA_N

ClientSampleId :

RE132D4-20190916


Tot Ion: 93 Resp: 457

Ion Ratio Lower Upper

93 100

63 69.1 59.3 88.9

95 45.3 31.4 47.0



Abundance Ion 93.00 (92.70 to 93.70): BN007706.D (-532) (-)

Ion 63.00 (62.70 to 63.70): BN007706.D (-532) (-)

Ion 95.00 (94.70 to 95.70): BN007706.D (-532) (-)

7.14

300



200

100

0

7.10 7.20

Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.46 min Scan# 850

Delta R.T. -0.01 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05

Tgt Ion: 136 Resp: 24584


Ion Ratio Lower Upper

136 100

137 11.4 9.2 13.8

54 8.2 5.8 8.8

68 9.0 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BN007706.D (-846) (-)

Ion 137.00 (136.70 to 137.70): BN007706.D (-846) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-846) (-)

Ion 68.00 (67.70 to 68.70): BN007706.D (-846) (-)

10.46

15000


10000


5000

0

10.40 10.60

Time-->





#8

Nitrobenzene-d5

Concen: 0.269 ng

RT: 8.83 min Scan# 722

Delta R.T. 0.00 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05

Instrument :

BNA_N

ClientSampleId :

RE132D4-20190916


Tot Ion: 82 Resp: 5775

Ion Ratio Lower Upper

82 100

128 37.2 24.5 36.7#




54 40.2 35.2 52.8



Abundance Ion 82.00 (81.70 to 82.70): BN007706.D (-719) (-)

Ion 128.00 (127.70 to 128.70): BN007706.D (-719) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-719) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.335 ng

RT: 12.05 min Scan# 1056

Delta R.T. -0.01 min

Lab File: BN007787.D


Acq: 21 Sep 2019 06:05

Tgt Ion: 152 Resp: 13863

Ion Ratio Lower Upper



152 100

151 18.9 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): BN007706.D (-1046) (-)

Ion 151.00 (150.70 to 151.70): BN007706.D (-1046) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.31 min Scan# 1319

Delta R.T. -0.02 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05

Instrument :

BNA_N

ClientSampleId :

RE132D4-20190916


Tot Ion:164 Resp: 14937

Ion Ratio Lower Upper

164 100

162 104.7 81.7 122.5




160 48.8 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.189 ng

RT: 15.80 min Scan# 1453

Delta R.T. -0.02 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05


Tgt Ion:330 Resp: 1540

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 33.4 28.7 43.1




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.358 ng
RT: 12.94 min Scan# 1196
Delta R.T. -0.00 min
Lab File: BN007787.D
Acq: 21 Sep 2019 06:05




Instrument :
BNA_N
ClientSampleId :
RE132D4-20190916


Tot Ion:172 Resp: 22046
Ion Ratio Lower Upper
172 100
171 34.6 28.8 43.2
170 23.2 19.5 29.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.06 min Scan# 1570
Delta R.T. -0.01 min
Lab File: BN007787.D
Acq: 21 Sep 2019 06:05

Tgt Ion:188 Resp: 33065
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.2 7.4 11.2#









#25
 Fluoranthene-d10
 Concen: 0.342 ng
 RT: 19.09 min Scan# 1877
 Delta R.T. -0.02 min
 Lab File: BN007787.D
 Acq: 21 Sep 2019 06:05

Instrument :
 BNA_N
 ClientSampleId :
 RE132D4-20190916

Tot Ion:212 Resp: 38096
 Ion Ratio Lower Upper
 212 100
 106 11.7 9.4 14.0
 104 6.7 5.3 7.9




Abundance Ion 212.00 (211.70 to 212.70): E
 Ion 106.00 (105.70 to 106.70): E
 Ion 104.00 (103.70 to 104.70): E






#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.25 min Scan# 2179
 Delta R.T. -0.02 min
 Lab File: BN007787.D
 Acq: 21 Sep 2019 06:05

Tgt Ion:240 Resp: 36112
 Ion Ratio Lower Upper
 240 100
 120 7.7 5.4 8.2
 236 26.5 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.397 ng

RT: 19.70 min Scan# 1999

Delta R.T. -0.02 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05

Instrument :

BNA_N

ClientSampleId :

RE132D4-20190916


Tot Ion:244 Resp: 35209

Ion Ratio Lower Upper

244 100

212 7.4 5.9 8.9




122 10.4 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.036 ng

RT: 21.19 min Scan# 2173

Delta R.T. -0.02 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05


Tgt Ion:149 Resp: 2469

Ion Ratio Lower Upper

149 100

167 25.5 23.7 35.5



279 6.4 4.2 6.2#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.46 min Scan# 2596

Delta R.T. -0.03 min

Lab File: BN007787.D

Acq: 21 Sep 2019 06:05

Instrument :

BNA_N

ClientSampleId :

RE132D4-20190916

Tot Ion:264 Resp: 39582

Ion Ratio Lower Upper

264 100

260 24.0 19.3 28.9

265 30.5 26.9 40.3

