

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
 Data File : BN007789.D
 Acq On : 21 Sep 2019 07:16
 Operator : HP/JU
 Sample : K4974-07
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE134D2-20190916

Quant Time: Sep 23 02:17:03 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	6635	0.40	ng	0.00
7) Naphthalene-d8	10.46	136	25120	0.40	ng	-0.01
13) Acenaphthene-d10	14.31	164	14656	0.40	ng	-0.01
19) Phenanthrene-d10	17.06	188	33364	0.40	ng	-0.01
27) Chrysene-d12	21.25	240	36966	0.40	ng	-0.02
34) Perylene-d12	23.46	264	40894	0.40	ng	-0.03
System Monitoring Compounds						
4) 2-Fluorophenol	5.31	112	1835	0.08	ng	0.00
5) Phenol-d6	6.87	99	1494	0.05	ng	0.00
8) Nitrobenzene-d5	8.83	82	5819	0.26	ng	0.00
11) 2-Methylnaphthalene-d10	12.05	152	13782	0.33	ng	0.00
14) 2,4,6-Tribromophenol	15.81	330	215	0.03	ng	-0.01
15) 2-Fluorobiphenyl	12.94	172	20204	0.33	ng	0.00
25) Fluoranthene-d10	19.09	212	36682	0.33	ng	-0.01
29) Terphenyl-d14	19.70	244	32134	0.35	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.28	88	47252	6.390	ng	Qvalue # 94
32) Bis(2-ethylhexyl)phthalate	21.19	149	2916	0.042	ng	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN092019\
Data File : BN007789.D
Acq On : 21 Sep 2019 07:16
Operator : HP/JU
Sample : K4974-07
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE134D2-20190916

Quant Time: Sep 23 02:17:03 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.69 min Scan# 604
Delta R.T. -0.01 min
Lab File: BN007789.D
Acq: 21 Sep 2019 07:16

Instrument :
BNA_N
ClientSampleId :
RE134D2-20190916

Tot Ion:152 Resp: 6635
Ion Ratio Lower Upper
152 100
150 153.1 125.6 188.4
115 62.7 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
Concen: 6.390 ng
RT: 3.28 min Scan# 56
Delta R.T. -0.02 min
Lab File: BN007789.D
Acq: 21 Sep 2019 07:16

Tgt Ion: 88 Resp: 47252
Ion Ratio Lower Upper
88 100
58 59.4 44.6 66.8
43 22.0 14.4 21.6#



Abundance Ion 88.00 (87.70 to 88.70): BNC
Ion 58.00 (57.70 to 58.70): BNC
Ion 43.00 (42.70 to 43.70): BNC





#4

2-Fluorophenol

Concen: 0.080 ng

RT: 5.31 min Scan# 308

Delta R.T. -0.01 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16

Instrument :

BNA_N

ClientSampleId :

RE134D2-20190916


Tot Ion:112 Resp: 1835

Ion Ratio Lower Upper

112 100

64 59.8 46.6 70.0



63 31.7 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC



#5

Phenol-d6

Concen: 0.047 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16


Tgt Ion: 99 Resp: 1494

Ion Ratio Lower Upper

99 100

42 22.2 12.8 19.2#



71 38.6 27.6 41.4



Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.46 min Scan# 850

Delta R.T. -0.01 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16

Instrument :

BNA_N

ClientSampleId :

RE134D2-20190916

Tot Ion:136 Resp: 25120


Ion Ratio Lower Upper

136 100

137 11.5 9.2 13.8

54 8.3 5.8 8.8

68 8.9 6.5 9.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.265 ng

RT: 8.83 min Scan# 722

Delta R.T. -0.00 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16


Tgt Ion: 82 Resp: 5819

Ion Ratio Lower Upper

82 100

128 37.2 24.5 36.7#



54 38.0 35.2 52.8



Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
 2-Methylnaphthalene-d10
 Concen: 0.326 ng
 RT: 12.05 min Scan# 1056
 Delta R.T. -0.01 min
 Lab File: BN007789.D
 Acq: 21 Sep 2019 07:16




Instrument :
 BNA_N
 ClientSampleId :
 RE134D2-20190916


Tot Ion:152 Resp: 13782
 Ion Ratio Lower Upper
 152 100
 151 19.3 15.4 23.2



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.31 min Scan# 1320
 Delta R.T. -0.01 min
 Lab File: BN007789.D
 Acq: 21 Sep 2019 07:16

Tgt Ion:164 Resp: 14656
 Ion Ratio Lower Upper
 164 100
 162 103.0 81.7 122.5
 160 47.8 37.0 55.4





#14

2,4,6-Tribromophenol

Concen: 0.027 ng

RT: 15.81 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16

Instrument :

BNA_N

ClientSampleId :

RE134D2-20190916


Tot Ion:330 Resp: 215

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0




141 32.6 28.7 43.1



Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#15

2-Fluorobiphenyl

Concen: 0.335 ng

RT: 12.94 min Scan# 1197

Delta R.T. -0.00 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16


Tgt Ion:172 Resp: 20204

Ion Ratio Lower Upper

172 100

171 34.1 28.8 43.2



170 21.9 19.5 29.3




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.06 min Scan# 1571

Delta R.T. -0.01 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16

Instrument :

BNA_N

ClientSampleId :

RE134D2-20190916


Tot Ion:188 Resp: 33364

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.2 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.326 ng

RT: 19.09 min Scan# 1879

Delta R.T. -0.01 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16


Tgt Ion:212 Resp: 36682

Ion Ratio Lower Upper

212 100

106 12.0 9.4 14.0



104 6.7 5.3 7.9




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.25 min Scan# 2180

Delta R.T. -0.02 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16

Instrument :

BNA_N

ClientSampleId :

RE134D2-20190916


Tot Ion:240 Resp: 36966

Ion Ratio Lower Upper

240 100

120 10.2 5.4 8.2#




236 26.8 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.354 ng

RT: 19.70 min Scan# 2001

Delta R.T. -0.01 min

Lab File: BN007789.D

Acq: 21 Sep 2019 07:16


Tgt Ion:244 Resp: 32134

Ion Ratio Lower Upper

244 100

212 7.2 5.9 8.9



122 9.8 7.4 11.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.042 ng
 RT: 21.19 min Scan# 2174
 Delta R.T. -0.02 min
 Lab File: BN007789.D
 Acq: 21 Sep 2019 07:16

Instrument :
 BNA_N
 ClientSampleId :
 RE134D2-20190916

Tot Ion:149 Resp: 2916
 Ion Ratio Lower Upper
 149 100
 167 26.8 23.7 35.5
 279 5.7 4.2 6.2




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.46 min Scan# 2598
 Delta R.T. -0.03 min
 Lab File: BN007789.D
 Acq: 21 Sep 2019 07:16

Tgt Ion:264 Resp: 40894
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.3 28.9
 265 30.4 26.9 40.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

