

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN092521\  
 Data File : BN016500.D  
 Acq On : 26 Sep 2021 07:27  
 Operator : CG/JU  
 Sample : M3833-05  
 Misc :  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 MW201D1-20210919

Quant Time: Sep 27 05:29:52 2021  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_N\METHODS\8270-SIM-BN092421.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Fri Sep 24 03:35:41 2021  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc | Units | Dev(Min)  |
|-------------------------------|--------|------|----------|------|-------|-----------|
| -----                         |        |      |          |      |       |           |
| Internal Standards            |        |      |          |      |       |           |
| 1) 1,4-Dichlorobenzene-d4     | 7.661  | 152  | 18167    | 0.40 | ng    | 0.00      |
| 7) Naphthalene-d8             | 10.432 | 136  | 76122    | 0.40 | ng    | #-0.01    |
| 13) Acenaphthene-d10          | 14.294 | 164  | 35006    | 0.40 | ng    | # 0.00    |
| 19) Phenanthrene-d10          | 17.042 | 188  | 73506    | 0.40 | ng    | 0.00      |
| 29) Chrysene-d12              | 21.249 | 240  | 75040    | 0.40 | ng    | # 0.00    |
| 35) Perylene-d12              | 23.512 | 264  | 66653    | 0.40 | ng    | # 0.00    |
| System Monitoring Compounds   |        |      |          |      |       |           |
| 4) 2-Fluorophenol             | 5.300  | 112  | 5052     | 0.12 | ng    | 0.02      |
| 5) Phenol-d6                  | 6.849  | 99   | 3891     | 0.08 | ng    | 0.00      |
| 8) Nitrobenzene-d5            | 8.810  | 82   | 14344    | 0.27 | ng    | 0.00      |
| 11) 2-Methylnaphthalene-d10   | 12.025 | 152  | 33208    | 0.29 | ng    | 0.00      |
| 14) 2,4,6-Tribromophenol      | 15.791 | 330  | 2360     | 0.31 | ng    | 0.00      |
| 15) 2-Fluorobiphenyl          | 12.911 | 172  | 46999    | 0.32 | ng    | -0.01     |
| 27) Fluoranthene-d10          | 19.083 | 212  | 94359    | 0.47 | ng    | 0.00      |
| 31) Terphenyl-d14             | 19.698 | 244  | 75018    | 0.43 | ng    | 0.00      |
| Target Compounds              |        |      |          |      |       |           |
| 34) Bis(2-ethylhexyl)phtha... | 21.185 | 149  | 8385     | 0.14 | ng    | Qvalue 96 |
| -----                         |        |      |          |      |       |           |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN092521\  
Data File : BN016500.D  
Acq On : 26 Sep 2021 07:27  
Operator : CG/JU  
Sample : M3833-05  
Misc :  
ALS Vial : 33 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
MW201D1-20210919

Quant Time: Sep 27 05:29:52 2021  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_N\METHODS\8270-SIM-BN092421.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Fri Sep 24 03:35:41 2021  
Response via : Initial Calibration

