

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092521\
 Data File : BN016472.D
 Acq On : 25 Sep 2021 13:18
 Operator : CG/JU
 Sample : M3782-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D1-20210914

Manual Integrations
 APPROVED

mohammad
 9/28/2021 1:36:26 PM

Quant Time: Sep 26 04:14:34 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN092421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 24 03:35:41 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.670	152	22110	0.40	ng	0.00
7) Naphthalene-d8	10.432	136	94472	0.40	ng	#-0.01
13) Acenaphthene-d10	14.294	164	46283	0.40	ng	0.00
19) Phenanthrene-d10	17.042	188	91760	0.40	ng	0.00
29) Chrysene-d12	21.249	240	87771	0.40	ng	# 0.00
35) Perylene-d12	23.515	264	79404	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.300	112	5977	0.12	ng	0.02
5) Phenol-d6	6.849	99	3916	0.07	ng	0.00
8) Nitrobenzene-d5	8.810	82	19830	0.30	ng	0.00
11) 2-Methylnaphthalene-d10	12.029	152	41657	0.30	ng	0.00
14) 2,4,6-Tribromophenol	15.791	330	3862	0.35	ng	0.00
15) 2-Fluorobiphenyl	12.911	172	56146	0.29	ng	-0.01
27) Fluoranthene-d10	19.088	212	109698	0.44	ng	0.00
31) Terphenyl-d14	19.698	244	93350	0.46	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.290	88	32302m	3.41	ng	Qvalue
34) Bis(2-ethylhexyl)phtha...	21.185	149	23040	0.33	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092521\
Data File : BN016472.D
Acq On : 25 Sep 2021 13:18
Operator : CG/JU
Sample : M3782-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914

Manual Integrations
APPROVED

mohammad
9/28/2021 1:36:26 PM

Quant Time: Sep 26 04:14:34 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN092421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 24 03:35:41 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.670 min Scan# 498
 Delta R.T. -0.000 min
 Lab File: BN016472.D
 Acq: 25 Sep 2021 13:18

Tgt Ion: 152 Resp: 22110
 Ion Ratio Lower Upper
 152 100
 150 153.4 125.6 188.4
 115 57.1 50.2 75.2

Instrument :
 BNA_N
 ClientSampleId :
 RE132D1-20210914




Manual Integrations
 APPROVED


mohammad
 9/28/2021 1:36:26 PM



#2
 1,4-Dioxane
 Concen: 3.41 ng m
 RT: 3.290 min Scan# 23
 Delta R.T. 0.009 min
 Lab File: BN016472.D
 Acq: 25 Sep 2021 13:18

Tgt Ion: 88 Resp: 32302
 Ion Ratio Lower Upper
 88 100
 43 38.8 20.3 30.5#
 58 106.5 69.9 104.9#









#4
2-Fluorophenol
Concen: 0.12 ng
RT: 5.300 min Scan# 241
Delta R.T. 0.019 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion: 112 Resp: 5977
Ion Ratio Lower Upper
112 100
64 64.4 47.3 70.9
63 35.7 23.4 35.0#

Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914




Manual Integrations
APPROVED


mohammad
9/28/2021 1:36:26 PM



#5
Phenol-d6
Concen: 0.07 ng
RT: 6.849 min Scan# 409
Delta R.T. 0.000 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18


Tgt Ion: 99 Resp: 3916
Ion Ratio Lower Upper
99 100
42 31.3 14.0 21.0#
71 39.4 23.8 35.6#





#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.432 min Scan# 735
Delta R.T. -0.013 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18




Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914



Tgt Ion:	136	Resp:	94472
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	9.9	5.3	7.9#
68	5.8	3.9	5.9




Manual Integrations
APPROVED


mohammad
9/28/2021 1:36:26 PM



#8
Nitrobenzene-d5
Concen: 0.30 ng
RT: 8.810 min Scan# 607
Delta R.T. 0.000 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:	82	Resp:	19830
Ion	Ratio	Lower	Upper
82	100		
128	41.9	31.7	47.5
54	64.9	46.4	69.6









#11
2-Methylnaphthalene-d10
Concen: 0.30 ng
RT: 12.029 min Scan# 937
Delta R.T. -0.004 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:152 Resp: 41657
Ion Ratio Lower Upper
152 100
151 20.7 16.1 24.1

Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914




Manual Integrations
APPROVED


mohammad
9/28/2021 1:36:26 PM




#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.294 min Scan# 1185
Delta R.T. 0.000 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:164 Resp: 46283
Ion Ratio Lower Upper
164 100
162 99.9 79.0 118.4
160 46.7 34.1 51.1









#14
2,4,6-Tribromophenol
Concen: 0.35 ng
RT: 15.791 min Scan# 1303
Delta R.T. 0.000 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18





Tgt Ion:330 Resp: 3862
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 44.7 25.0 37.4#



#15
2-Fluorobiphenyl
Concen: 0.29 ng
RT: 12.911 min Scan# 1076
Delta R.T. -0.013 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18




Tgt Ion:172 Resp: 56146
Ion Ratio Lower Upper
172 100
171 35.4 27.8 41.6
170 24.0 18.2 27.2



Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914

Manual Integrations
APPROVED

mohammad
9/28/2021 1:36:26 PM







#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.042 min Scan# 1405
Delta R.T. -0.000 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:	188	Resp:	91760
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	9.5	7.0	10.6

Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914




Manual Integrations
APPROVED


mohammad
9/28/2021 1:36:26 PM



#27
Fluoranthene-d10
Concen: 0.44 ng
RT: 19.088 min Scan# 1701
Delta R.T. -0.005 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:	212	Resp:	109698
Ion Ratio	Lower	Upper	
212	100		
106	10.9	9.8	14.6
104	6.0	5.4	8.2









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.249 min Scan# 2003
Delta R.T. 0.000 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:240 Resp: 87771
Ion Ratio Lower Upper
240 100
120 9.5 5.3 7.9#
236 26.3 19.8 29.8

Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914




Manual Integrations
APPROVED


mohammad
9/28/2021 1:36:26 PM



#31
Terphenyl-d14
Concen: 0.46 ng
RT: 19.698 min Scan# 1824
Delta R.T. -0.005 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:244 Resp: 93350
Ion Ratio Lower Upper
244 100
212 7.6 5.5 8.3
122 10.0 9.0 13.4









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.33 ng
RT: 21.185 min Scan# 1997
Delta R.T. -0.010 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:149 Resp: 23040
Ion Ratio Lower Upper
149 100
167 27.8 23.4 35.0
279 4.1 3.9 5.9

Instrument :
BNA_N
ClientSampleId :
RE132D1-20210914

Manual Integrations
APPROVED

mohammad
9/28/2021 1:36:26 PM



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.515 min Scan# 2436
Delta R.T. -0.003 min
Lab File: BN016472.D
Acq: 25 Sep 2021 13:18

Tgt Ion:264 Resp: 79404
Ion Ratio Lower Upper
264 100
260 24.4 18.9 28.3
265 23.6 23.7 35.5#

