

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092521\
 Data File : BN016514.D
 Acq On : 26 Sep 2021 17:01
 Operator : CG/JU
 Sample : M3833-15
 Misc :
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE122D1-20210920

Manual Integrations
 APPROVED

mohammad
 9/28/2021 1:37:46 PM

Quant Time: Sep 27 05:31:41 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN092421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 24 03:35:41 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.661	152	12294	0.40	ng	0.00
7) Naphthalene-d8	10.432	136	42033	0.40	ng	#-0.01
13) Acenaphthene-d10	14.294	164	9776	0.40	ng	# 0.00
19) Phenanthrene-d10	17.042	188	30179	0.40	ng	0.00
29) Chrysene-d12	21.249	240	31289	0.40	ng	# 0.00
35) Perylene-d12	23.515	264	27753	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.291	112	1395	0.05	ng	0.00
5) Phenol-d6	6.849	99	1600	0.05	ng	0.00
8) Nitrobenzene-d5	8.810	82	11780	0.40	ng	0.00
11) 2-Methylnaphthalene-d10	12.025	152	10500	0.17	ng	0.00
14) 2,4,6-Tribromophenol	15.791	330	1132	0.44	ng	0.00
15) 2-Fluorobiphenyl	12.911	172	17537	0.43	ng	-0.01
27) Fluoranthene-d10	19.088	212	40647	0.49	ng	0.00
31) Terphenyl-d14	19.698	244	31967	0.44	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.281	88	3938m	0.75	ng	Qvalue
25) Phenanthrene	17.090	178	2885	0.03	ng	# 89
34) Bis(2-ethylhexyl)phtha...	21.185	149	3329	0.13	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092521\
Data File : BN016514.D
Acq On : 26 Sep 2021 17:01
Operator : CG/JU
Sample : M3833-15
Misc :
ALS Vial : 47 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920

Manual Integrations
APPROVED

mohammad
9/28/2021 1:37:46 PM

Quant Time: Sep 27 05:31:41 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN092421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 24 03:35:41 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.661 min Scan# 497
Delta R.T. -0.009 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion: 152 Resp: 12294
Ion Ratio Lower Upper
152 100
150 155.7 125.6 188.4
115 57.9 50.2 75.2

Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920




Manual Integrations
APPROVED


mohammad
9/28/2021 1:37:46 PM



#2
1,4-Dioxane
Concen: 0.75 ng m
RT: 3.281 min Scan# 22
Delta R.T. 0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion: 88 Resp: 3938
Ion Ratio Lower Upper
88 100
43 32.7 20.3 30.5#
58 79.0 69.9 104.9









#4
2-Fluorophenol
Concen: 0.05 ng
RT: 5.291 min Scan# 240
Delta R.T. 0.009 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion: 112 Resp: 1395
Ion Ratio Lower Upper
112 100
64 67.4 47.3 70.9
63 37.3 23.4 35.0#

Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920




Manual Integrations
APPROVED


mohammad
9/28/2021 1:37:46 PM



#5
Phenol-d6
Concen: 0.05 ng
RT: 6.849 min Scan# 409
Delta R.T. 0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01


Tgt Ion: 99 Resp: 1600
Ion Ratio Lower Upper
99 100
42 49.1 14.0 21.0#
71 36.4 23.8 35.6#





#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.432 min Scan# 735
Delta R.T. -0.013 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01




Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920



Tgt Ion:	136	Resp:	42033
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	10.0	5.3	7.9#
68	5.4	3.9	5.9




Manual Integrations
APPROVED


mohammad
9/28/2021 1:37:46 PM



#8
Nitrobenzene-d5
Concen: 0.40 ng
RT: 8.810 min Scan# 607
Delta R.T. 0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:	82	Resp:	11780
Ion	Ratio	Lower	Upper
82	100		
128	40.9	31.7	47.5
54	68.6	46.4	69.6









#11
2-Methylnaphthalene-d10
Concen: 0.17 ng
RT: 12.025 min Scan# 936
Delta R.T. -0.009 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:152 Resp: 10500
Ion Ratio Lower Upper
152 100
151 21.9 16.1 24.1

Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920




Manual Integrations
APPROVED


mohammad
9/28/2021 1:37:46 PM




#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.294 min Scan# 1185
Delta R.T. -0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:164 Resp: 9776
Ion Ratio Lower Upper
164 100
162 104.5 79.0 118.4
160 112.5 34.1 51.1#









#14
2,4,6-Tribromophenol
Concen: 0.44 ng
RT: 15.791 min Scan# 1303
Delta R.T. 0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01





Tgt Ion: 330 Resp: 1132
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 47.2 25.0 37.4#



#15
2-Fluorobiphenyl
Concen: 0.43 ng
RT: 12.911 min Scan# 1076
Delta R.T. -0.013 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01




Tgt Ion: 172 Resp: 17537
Ion Ratio Lower Upper
172 100
171 35.9 27.8 41.6
170 25.4 18.2 27.2



Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920

Manual Integrations
APPROVED

mohammad
9/28/2021 1:37:46 PM







#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.042 min Scan# 1405
Delta R.T. -0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:	188	Resp:	30179
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	9.8	7.0	10.6

Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920




Manual Integrations
APPROVED


mohammad
9/28/2021 1:37:46 PM



#25
Phenanthrene
Concen: 0.03 ng
RT: 17.090 min Scan# 1409
Delta R.T. 0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:	178	Resp:	2885
Ion Ratio	Lower	Upper	
178	100		
176	20.0	14.4	21.6
179	22.9	12.2	18.4









#27
Fluoranthene-d10
Concen: 0.49 ng
RT: 19.088 min Scan# 1701
Delta R.T. -0.005 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:212 Resp: 40647
Ion Ratio Lower Upper
212 100
106 10.8 9.8 14.6
104 6.3 5.4 8.2

Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920




Manual Integrations
APPROVED


mohammad
9/28/2021 1:37:46 PM




#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.249 min Scan# 2003
Delta R.T. 0.000 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:240 Resp: 31289
Ion Ratio Lower Upper
240 100
120 13.0 5.3 7.9#
236 27.1 19.8 29.8









#31
Terphenyl-d14
Concen: 0.44 ng
RT: 19.698 min Scan# 1824
Delta R.T. -0.005 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01





Tgt Ion:244 Resp: 31967
Ion Ratio Lower Upper
244 100
212 7.9 5.5 8.3
122 10.8 9.0 13.4



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.13 ng
RT: 21.185 min Scan# 1997
Delta R.T. -0.011 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01




Tgt Ion:149 Resp: 3329
Ion Ratio Lower Upper
149 100
167 26.7 23.4 35.0
279 4.3 3.9 5.9



Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920


Manual Integrations
APPROVED

mohammad
9/28/2021 1:37:46 PM



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.515 min Scan# 2436
Delta R.T. -0.003 min
Lab File: BN016514.D
Acq: 26 Sep 2021 17:01

Tgt Ion:	264	Resp:	27753
Ion Ratio	Lower	Upper	
264	100		
260	25.1	18.9	28.3
265	25.3	23.7	35.5



Instrument :
BNA_N
ClientSampleId :
RE122D1-20210920

Manual Integrations
APPROVED

mohammad
9/28/2021 1:37:46 PM