

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092820\
 Data File : BN011987.D
 Acq On : 28 Sep 2020 16:25
 Operator : CG/JU
 Sample : L4118-07
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D7-20200918

Quant Time: Sep 28 17:53:25 2020
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 25 11:18:41 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.675	152	1157	0.40	ng	# 0.00
7) Naphthalene-d8	10.453	136	4785	0.40	ng	# 0.00
13) Acenaphthene-d10	14.306	164	2747	0.40	ng	0.00
19) Phenanthrene-d10	17.053	188	5197	0.40	ng	0.00
29) Chrysene-d12	21.248	240	4996	0.40	ng	#-0.01
36) Perylene-d12	23.463	264	5190	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.283	112	451	0.11	ng	0.00
5) Phenol-d6	6.853	99	305	0.06	ng	0.00
8) Nitrobenzene-d5	8.818	82	1700	0.34	ng	0.00
11) 2-Methylnaphthalene-d10	12.042	152	2415	0.32	ng	0.00
14) 2,4,6-Tribromophenol	15.803	330	451	0.34	ng	0.00
15) 2-Fluorobiphenyl	12.923	172	3445	0.33	ng	-0.01
27) Fluoranthene-d10	19.087	212	6100	0.40	ng	0.00
31) Terphenyl-d14	19.693	244	5320	0.47	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.245	88	2504	1.24	ng	# 82
6) bis(2-Chloroethyl)ether	7.111	93	99	0.02	ng	# 81
34) Bis(2-ethylhexyl)phtha...	21.174	149	920	0.08	ng	# 83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092820\
Data File : BN011987.D
Acq On : 28 Sep 2020 16:25
Operator : CG/JU
Sample : L4118-07
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918

Quant Time: Sep 28 17:53:25 2020
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 25 11:18:41 2020
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.675 min Scan# 583
 Delta R.T. -0.008 min
 Lab File: BN011987.D
 Acq: 28 Sep 2020 16:25




Instrument :
 BNA_N
 ClientSampleId :
 RE132D7-20200918


Tgt Ion:152 Resp: 1157
 Ion Ratio Lower Upper
 152 100
 150 159.0 118.3 177.5
 115 83.7 51.3 76.9#



#2
 1,4-Dioxane
 Concen: 1.24 ng
 RT: 3.245 min Scan# 33
 Delta R.T. -0.008 min
 Lab File: BN011987.D
 Acq: 28 Sep 2020 16:25

Tgt Ion: 88 Resp: 2504
 Ion Ratio Lower Upper
 88 100
 58 88.7 63.3 94.9
 43 61.4 33.0 49.4#









#4
2-Fluorophenol
Concen: 0.11 ng
RT: 5.283 min Scan# 286
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25




Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918


Tgt Ion:112 Resp: 451
Ion Ratio Lower Upper
112 100
64 76.7 49.0 73.6#
63 49.9 31.8 47.6#



#5
Phenol-d6
Concen: 0.06 ng
RT: 6.853 min Scan# 481
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25

Tgt Ion: 99 Resp: 305
Ion Ratio Lower Upper
99 100
42 58.7 23.4 35.0#
71 63.9 38.1 57.1#









#6
bis(2-Chloroethyl)ether
Concen: 0.02 ng
RT: 7.111 min Scan# 513
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25




Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918


Tgt Ion: 93 Resp: 99
Ion Ratio Lower Upper
93 100
63 98.0 61.1 91.7#
95 30.3 25.5 38.3



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.453 min Scan# 831
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25

Tgt Ion: 136 Resp: 4785
Ion Ratio Lower Upper
136 100
137 13.4 9.5 14.3
54 10.3 5.6 8.4#
68 6.4 3.2 4.8#









#8
Nitrobenzene-d5
Concen: 0.34 ng
RT: 8.818 min Scan# 702
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25




Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918


Tgt Ion: 82 Resp: 1700
Ion Ratio Lower Upper
82 100
128 32.4 34.2 51.2#
54 70.7 43.1 64.7#



#11
2-Methylnaphthalene-d10
Concen: 0.32 ng
RT: 12.042 min Scan# 1033
Delta R.T. -0.004 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25

Tgt Ion:152 Resp: 2415
Ion Ratio Lower Upper
152 100
151 19.8 16.7 25.1









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.306 min Scan# 1279
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25




Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918


Tgt Ion:164 Resp: 2747
Ion Ratio Lower Upper
164 100
162 100.5 83.6 125.4
160 49.5 41.2 61.8



#14
2,4,6-Tribromophenol
Concen: 0.34 ng
RT: 15.803 min Scan# 1397
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25

Tgt Ion:330 Resp: 451
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 61.9 33.7 50.5#









#15
2-Fluorobiphenyl
Concen: 0.33 ng
RT: 12.923 min Scan# 1170
Delta R.T. -0.013 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25




Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918


Tgt Ion:	172	Resp:	3445
Ion Ratio	Lower	Upper	
172	100		
171	37.4	27.4	41.2
170	26.6	17.8	26.6



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.053 min Scan# 1499
Delta R.T. -0.000 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25

Tgt Ion:	188	Resp:	5197
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	9.9	7.7	11.5









#27
Fluoranthene-d10
Concen: 0.40 ng
RT: 19.087 min Scan# 1794
Delta R.T. -0.005 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25




Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918


Tgt Ion:212 Resp: 6100
Ion Ratio Lower Upper
212 100
106 12.0 6.4 9.6#
104 7.2 3.9 5.9#



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.248 min Scan# 2096
Delta R.T. -0.011 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25

Tgt Ion:240 Resp: 4996
Ion Ratio Lower Upper
240 100
120 17.6 3.5 5.3#
236 27.5 20.5 30.7









#31
 Terphenyl-d14
 Concen: 0.47 ng
 RT: 19.693 min Scan# 1916
 Delta R.T. -0.005 min
 Lab File: BN011987.D
 Acq: 28 Sep 2020 16:25




Instrument :
 BNA_N
 ClientSampleId :
 RE132D7-20200918


Tgt Ion:244 Resp: 5320
 Ion Ratio Lower Upper
 244 100
 212 10.9 7.3 10.9#
 122 14.3 7.8 11.6#



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.08 ng
 RT: 21.174 min Scan# 2089
 Delta R.T. -0.000 min
 Lab File: BN011987.D
 Acq: 28 Sep 2020 16:25


Tgt Ion:149 Resp: 920
 Ion Ratio Lower Upper
 149 100
 167 19.6 23.6 35.4#
 279 8.6 4.0 6.0#





#36
Perylene-d12
Concen: 0.40 ng
RT: 23.463 min Scan# 2514
Delta R.T. -0.007 min
Lab File: BN011987.D
Acq: 28 Sep 2020 16:25

Instrument :
BNA_N
ClientSampleId :
RE132D7-20200918



Tgt Ion:	264	Resp:	5190
Ion	Ratio	Lower	Upper
264	100		
260	24.9	19.6	29.4
265	64.7	38.6	58.0#

