

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092820\
 Data File : BN012004.D
 Acq On : 29 Sep 2020 04:29
 Operator : CG/JU
 Sample : L4116-04
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 KY038PS038-200922

Quant Time: Oct 03 07:08:32 2020
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 30 16:28:17 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.675	152	1431	0.40	ng	0.00
7) Naphthalene-d8	10.440	136	6210	0.40	ng	# 0.00
13) Acenaphthene-d10	14.306	164	3376	0.40	ng	0.01
19) Phenanthrene-d10	17.053	188	6510	0.40	ng	0.01
29) Chrysene-d12	21.248	240	6076	0.40	ng	# 0.00
36) Perylene-d12	23.453	264	5490	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.283	112	595	0.12	ng	0.00
5) Phenol-d6	6.845	99	454	0.07	ng	0.00
8) Nitrobenzene-d5	8.818	82	1938	0.30	ng	0.01
11) 2-Methylnaphthalene-d10	12.038	152	2508	0.26	ng	0.00
14) 2,4,6-Tribromophenol	15.803	330	433	0.26	ng	0.01
15) 2-Fluorobiphenyl	12.923	172	3650	0.29	ng	0.00
27) Fluoranthene-d10	19.087	212	5158	0.27	ng	0.00
31) Terphenyl-d14	19.688	244	5405	0.39	ng	0.00
Target Compounds						
9) Naphthalene	10.491	128	441	0.02	ng	# 55


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092820\
Data File : BN012004.D
Acq On : 29 Sep 2020 04:29
Operator : CG/JU
Sample : L4116-04
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
KY038PS038-200922

Quant Time: Oct 03 07:08:32 2020
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 30 16:28:17 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.675 min Scan# 583
Delta R.T. 0.008 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29




Instrument :
BNA_N
ClientSampleId :
KY038PS038-200922


Tgt Ion:152 Resp: 1431
Ion Ratio Lower Upper
152 100
150 153.6 118.3 177.5
115 75.4 51.3 76.9



#4
2-Fluorophenol
Concen: 0.12 ng
RT: 5.283 min Scan# 286
Delta R.T. 0.008 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29

Tgt Ion:112 Resp: 595
Ion Ratio Lower Upper
112 100
64 70.4 49.0 73.6
63 53.1 31.8 47.6#









#5
Phenol-d6
Concen: 0.07 ng
RT: 6.845 min Scan# 480
Delta R.T. 0.008 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29




Instrument :
BNA_N
ClientSampleId :
KY038PS038-200922


Tgt Ion: 99 Resp: 454
Ion Ratio Lower Upper
99 100
42 80.4 23.4 35.0#
71 80.0 38.1 57.1#



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.440 min Scan# 830
Delta R.T. 0.000 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29

Tgt Ion: 136 Resp: 6210
Ion Ratio Lower Upper
136 100
137 12.4 9.5 14.3
54 14.0 5.6 8.4#
68 7.5 3.2 4.8#









#8
Nitrobenzene-d5
Concen: 0.30 ng
RT: 8.818 min Scan# 702
Delta R.T. 0.013 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29




Instrument :
BNA_N
ClientSampleId :
KY038PS038-200922


Tgt Ion: 82 Resp: 1938
Ion Ratio Lower Upper
82 100
128 36.0 34.2 51.2
54 66.4 43.1 64.7#



#9
Naphthalene
Concen: 0.02 ng
RT: 10.491 min Scan# 834
Delta R.T. 0.000 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29

Tgt Ion: 128 Resp: 441
Ion Ratio Lower Upper
128 100
129 29.6 9.7 14.5#
127 31.9 11.0 16.4#









#11
2-Methylnaphthalene-d10
Concen: 0.26 ng
RT: 12.038 min Scan# 1032
Delta R.T. 0.005 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29




Instrument :
BNA_N
ClientSampleId :
KY038PS038-200922


Tgt Ion:152 Resp: 2508
Ion Ratio Lower Upper
152 100
151 21.1 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.306 min Scan# 1279
Delta R.T. 0.013 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29

Tgt Ion:164 Resp: 3376
Ion Ratio Lower Upper
164 100
162 97.0 83.6 125.4
160 45.5 41.2 61.8









#14
2,4,6-Tribromophenol
Concen: 0.26 ng
RT: 15.803 min Scan# 1397
Delta R.T. 0.013 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29




Instrument :
BNA_N
ClientSampleId :
KY038PS038-200922


Tgt Ion: 330 Resp: 433
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 53.3 33.7 50.5#



#15
2-Fluorobiphenyl
Concen: 0.29 ng
RT: 12.923 min Scan# 1170
Delta R.T. 0.000 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29

Tgt Ion: 172 Resp: 3650
Ion Ratio Lower Upper
172 100
171 36.0 27.4 41.2
170 24.6 17.8 26.6









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.053 min Scan# 1499
Delta R.T. 0.012 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29




Instrument :
BNA_N
ClientSampleId :
KY038PS038-200922


Tgt Ion:188 Resp: 6510
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.8 7.7 11.5



#27
Fluoranthene-d10
Concen: 0.27 ng
RT: 19.087 min Scan# 1794
Delta R.T. 0.005 min
Lab File: BN012004.D
Acq: 29 Sep 2020 04:29

Tgt Ion:212 Resp: 5158
Ion Ratio Lower Upper
212 100
106 11.4 6.4 9.6#
104 6.6 3.9 5.9#





#29

Chrysene-d12

Concen: 0.40 ng

RT: 21.248 min Scan# 2096

Delta R.T. 0.000 min

Lab File: BN012004.D

Acq: 29 Sep 2020 04:29





Tgt Ion:240 Resp: 6076

Ion Ratio Lower Upper

240 100

120 10.6 3.5 5.3#

236 26.8 20.5 30.7



#31

Terphenyl-d14

Concen: 0.39 ng

RT: 19.688 min Scan# 1915

Delta R.T. 0.000 min

Lab File: BN012004.D

Acq: 29 Sep 2020 04:29




Tgt Ion:244 Resp: 5405


Ion Ratio Lower Upper

244 100

212 10.2 7.3 10.9


122 13.3 7.8 11.6#





#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.453 min Scan# 2511
 Delta R.T. -0.003 min
 Lab File: BN012004.D
 Acq: 29 Sep 2020 04:29

Instrument :
 BNA_N
 ClientSampleId :
 KY038PS038-200922



Tgt Ion:264	Resp:	5490
Ion Ratio	Lower	Upper
264	100	
260	25.0	19.6 29.4
265	72.6	38.6 58.0#

