

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN093024\
 Data File : BN034287.D
 Acq On : 30 Sep 2024 21:25
 Operator : RC/JU
 Sample : P4019-06
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DDCA9

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 10/01/2024
 Supervised By :mohammad ahmed 10/02/2024

Quant Time: Oct 01 00:08:52 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN091124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Sep 30 14:14:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.387	152	243907	20.000	ng/ul	0.00
20) Naphthalene-d8	10.146	136	949933	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.040	164	587134	20.000	ng/ul	0.00
64) Phenanthrene-d10	16.804	188	1186338	20.000	ng/ul	0.00
79) Chrysene-d12	21.027	240	1069670	20.000	ng/ul	0.00
88) Perylene-d12	23.733	264	1302321	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.005	96	15497	2.593	ng/uL	0.00
4) Pyridine-d5	3.405	84	25116m	1.414	ng/ul	0.02
7) Phenol-d5	6.587	99	307055	14.185	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	6.746	67	187272	13.944	ng/ul	0.00
11) 2-Chlorophenol-d4	6.928	132	262826	15.425	ng/ul	0.00
15) 4-Methylphenol-d8	8.105	113	247343	13.887	ng/ul	0.00
21) Nitrobenzene-d5	8.528	128	121576	16.057	ng/ul	0.00
24) 2-Nitrophenol-d4	9.246	143	131845	16.934	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.781	165	250768	17.102	ng/ul	0.00
31) 4-Chloroaniline-d4	10.293	131	270058	12.165	ng/ul	0.00
46) Dimethylphthalate-d6	13.469	166	787007	17.936	ng/ul	0.00
49) Acenaphthylene-d8	13.728	160	921126	18.660	ng/ul	0.00
54) 4-Nitrophenol-d4	14.275	143	102422	11.374	ng/ul	0.00
60) Fluorene-d10	15.045	176	696533	18.730	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.175	200	111199	15.721	ng/ul	0.00
73) Anthracene-d10	16.898	188	1067616	19.141	ng/ul	0.00
81) Pyrene-d10	19.204	212	1208494	20.277	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.545	264	1314813	19.654	ng/ul	-0.01
Target Compounds						
30) Naphthalene	10.193	128	127739	2.458	ng/ul	97
36) 2-Methylnaphthalene	11.816	142	238928	6.676	ng/ul	99
37) 1-Methylnaphthalene	12.046	142	179156	4.945	ng/ul	98
58) 2,3,4,6-Tetrachlorophenol	14.687	232	1100137	107.411	ng/ul	92
71) Pentachlorophenol	16.481	266	6179175	663.528	ng/ul	94
72) Phenanthrene	16.845	178	178952	2.736	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN093024\
Data File : BN034287.D
Acq On : 30 Sep 2024 21:25
Operator : RC/JU
Sample : P4019-06
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DDCA9

Quant Time: Oct 01 00:08:52 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN091124.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Sep 30 14:14:38 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 10/01/2024
Supervised By :mohammad ahmed 10/02/2024

