

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100421\
 Data File : BN016731.D
 Acq On : 05 Oct 2021 05:13
 Operator : CG/JU
 Sample : M3829-04DL 2X
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE125D1-20210917DL

Quant Time: Oct 05 06:27:51 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 04 17:52:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.642	152	28166	0.40	ng	0.00
7) Naphthalene-d8	10.407	136	128024	0.40	ng	0.00
13) Acenaphthene-d10	14.269	164	66625	0.40	ng	0.00
19) Phenanthrene-d10	17.030	188	126149	0.40	ng	0.00
29) Chrysene-d12	21.238	240	124177	0.40	ng	0.00
35) Perylene-d12	23.491	264	126751	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.263	112	3034	0.04	ng	0.00
5) Phenol-d6	6.822	99	1811	0.02	ng	0.00
8) Nitrobenzene-d5	8.784	82	8344	0.09	ng	0.00
11) 2-Methylnaphthalene-d10	12.003	152	22702	0.12	ng	0.00
14) 2,4,6-Tribromophenol	15.778	330	3748	0.21	ng	0.00
15) 2-Fluorobiphenyl	12.898	172	31339	0.12	ng	0.00
27) Fluoranthene-d10	19.068	212	56759	0.16	ng	0.00
31) Terphenyl-d14	19.678	244	66257	0.24	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.253	88	31909	2.43	ng	Qvalue # 59
34) Bis(2-ethylhexyl)phtha...	21.174	149	17122	0.07	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100421\
Data File : BN016731.D
Acq On : 05 Oct 2021 05:13
Operator : CG/JU
Sample : M3829-04DL 2X
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE125D1-20210917DL

Quant Time: Oct 05 06:27:51 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 04 17:52:33 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.642 min Scan# 495
 Delta R.T. 0.000 min
 Lab File: BN016731.D
 Acq: 05 Oct 2021 05:13




Instrument :
 BNA_N
 ClientSampleId :
 RE125D1-20210917DL


Tgt Ion:152 Resp: 28166
 Ion Ratio Lower Upper
 152 100
 150 153.2 123.3 184.9
 115 57.1 47.0 70.6



#2
 1,4-Dioxane
 Concen: 2.43 ng
 RT: 3.253 min Scan# 19
 Delta R.T. 0.000 min
 Lab File: BN016731.D
 Acq: 05 Oct 2021 05:13

Tgt Ion: 88 Resp: 31909
 Ion Ratio Lower Upper
 88 100
 43 22.0 61.7 92.5#
 58 61.8 62.2 93.2#









#4
2-Fluorophenol
Concen: 0.04 ng
RT: 5.263 min Scan# 237
Delta R.T. 0.009 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Instrument :
BNA_N
ClientSampleId :
RE125D1-20210917DL

Tgt Ion: 112 Resp: 3034




Ion	Ratio	Lower	Upper
112	100		
64	54.2	42.9	64.3
63	27.8	21.5	32.3




#5
Phenol-d6
Concen: 0.02 ng
RT: 6.822 min Scan# 406
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Tgt Ion: 99 Resp: 1811


Ion	Ratio	Lower	Upper
99	100		
42	20.7	13.4	20.2#
71	43.8	24.0	36.0#








#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.407 min Scan# 733
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Instrument :
BNA_N
ClientSampleId :
RE125D1-20210917DL







Tgt Ion:	136	Resp:	128024
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	6.6	6.5	9.7
68	5.6	5.3	7.9



#8
Nitrobenzene-d5
Concen: 0.09 ng
RT: 8.784 min Scan# 605
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Tgt Ion:	82	Resp:	8344
Ion	Ratio	Lower	Upper
82	100		
128	42.7	33.8	50.6
54	49.5	38.5	57.7









#11
2-Methylnaphthalene-d10
Concen: 0.12 ng
RT: 12.003 min Scan# 931
Delta R.T. -0.004 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13




Instrument :
BNA_N
ClientSampleId :
RE125D1-20210917DL


Tgt Ion:152 Resp: 22702
Ion Ratio Lower Upper
152 100
151 20.7 16.2 24.4



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.269 min Scan# 1183
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Tgt Ion:164 Resp: 66625
Ion Ratio Lower Upper
164 100
162 102.1 82.6 124.0
160 46.2 38.2 57.2









#14
2,4,6-Tribromophenol
Concen: 0.21 ng
RT: 15.778 min Scan# 1302
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13




Instrument :
BNA_N
ClientSampleId :
RE125D1-20210917DL


Tgt Ion: 330 Resp: 3748
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 29.8 24.2 36.2



#15
2-Fluorobiphenyl
Concen: 0.12 ng
RT: 12.898 min Scan# 1075
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Tgt Ion: 172 Resp: 31339
Ion Ratio Lower Upper
172 100
171 33.6 26.9 40.3
170 21.4 17.4 26.0









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.030 min Scan# 1404
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13




Instrument :
BNA_N
ClientSampleId :
RE125D1-20210917DL


Tgt Ion:188	Resp:	126149
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	6.7	5.8



#27
Fluoranthene-d10
Concen: 0.16 ng
RT: 19.068 min Scan# 1697
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Tgt Ion:212	Resp:	56759
Ion Ratio	Lower	Upper
212	100	
106	13.2	10.6
104	7.3	5.8









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.238 min Scan# 2002
Delta R.T. 0.000 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13




Instrument :
BNA_N
ClientSampleId :
RE125D1-20210917DL


Tgt Ion:240 Resp: 124177
Ion Ratio Lower Upper
240 100
120 6.7 6.6 10.0
236 25.4 20.7 31.1



#31
Terphenyl-d14
Concen: 0.24 ng
RT: 19.678 min Scan# 1820
Delta R.T. -0.005 min
Lab File: BN016731.D
Acq: 05 Oct 2021 05:13

Tgt Ion:244 Resp: 66257
Ion Ratio Lower Upper
244 100
212 7.4 5.8 8.6
122 12.4 8.9 13.3









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.07 ng
 RT: 21.174 min Scan# 1996
 Delta R.T. 0.000 min
 Lab File: BN016731.D
 Acq: 05 Oct 2021 05:13

Instrument :
 BNA_N
 ClientSampleId :
 RE125D1-20210917DL

Tgt Ion:	149	Resp:	17122
Ion	Ratio	Lower	Upper
149	100		
167	27.5	22.2	33.4
279	4.3	3.4	5.2



#35
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.491 min Scan# 2429
 Delta R.T. -0.003 min
 Lab File: BN016731.D
 Acq: 05 Oct 2021 05:13

Tgt Ion:	264	Resp:	126751
Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.8	29.6
265	23.4	20.3	30.5

