

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100421\
 Data File : BN016766.D
 Acq On : 06 Oct 2021 06:17
 Operator : CG/JU
 Sample : M3966-02MS
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 S-831-J-SO-2-2.5-092721MS

Manual Integrations
 APPROVED

mohammad
 10/7/2021 8:31:55 AM

Quant Time: Oct 06 06:58:02 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 04 17:52:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.642	152	27065	0.40	ng	0.00
7) Naphthalene-d8	10.407	136	123205	0.40	ng	# 0.00
13) Acenaphthene-d10	14.269	164	66743	0.40	ng	0.00
19) Phenanthrene-d10	17.018	188	126192	0.40	ng	#-0.01
29) Chrysene-d12	21.238	240	117497	0.40	ng	0.00
35) Perylene-d12	23.488	264	132178	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.282	112	18939	0.27	ng	0.03
5) Phenol-d6	6.831	99	24432	0.32	ng	0.00
8) Nitrobenzene-d5	8.784	82	26265	0.30	ng	0.00
11) 2-Methylnaphthalene-d10	12.003	152	79014m	0.43	ng	0.00
14) 2,4,6-Tribromophenol	15.766	330	8709	0.34	ng	-0.01
15) 2-Fluorobiphenyl	12.886	172	75884	0.28	ng	-0.01
27) Fluoranthene-d10	19.068	212	114132	0.33	ng	0.00
31) Terphenyl-d14	19.679	244	85793	0.33	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.281	88	8129m	0.64	ng	
3) n-Nitrosodimethylamine	3.585	42	8833	0.43	ng	# 96
6) bis(2-Chloroethyl)ether	7.080	93	30654	0.42	ng	99
9) Naphthalene	10.457	128	144079	0.43	ng	100
10) Hexachlorobutadiene	10.749	225	23394	0.37	ng	# 100
12) 2-Methylnaphthalene	12.074	142	93501	0.44	ng	99
16) Acenaphthylene	13.990	152	140947	0.48	ng	100
17) Acenaphthene	14.332	154	85090	0.44	ng	99
18) Fluorene	15.322	166	110266	0.47	ng	99
20) 4,6-Dinitro-2-methylph...	15.411	198	2740	0.52	ng	# 76
21) 4-Bromophenyl-phenylether	16.227	248	30247	0.39	ng	# 84
22) Hexachlorobenzene	16.324	284	32861	0.38	ng	100
23) Atrazine	16.506	200	26239	0.43	ng	96
24) Pentachlorophenol	16.677	266	15461	0.70	ng	98
25) Phenanthrene	17.066	178	441580	1.19	ng	99
26) Anthracene	17.151	178	206855	0.62	ng	98
28) Fluoranthene	19.093	202	933441	2.27	ng	100
30) Pyrene	19.460	202	860870	2.23	ng	# 95
32) Benzo(a)anthracene	21.217	228	641939	1.76	ng	98
33) Chrysene	21.270	228	625234	1.69	ng	97
34) Bis(2-ethylhexyl)phtha...	21.164	149	244280	1.11	ng	94
36) Indeno(1,2,3-cd)pyrene	25.764	276	456190	1.09	ng	98
37) Benzo(b)fluoranthene	22.810	252	859074	2.01	ng	98
38) Benzo(k)fluoranthene	22.855	252	382857	0.93	ng	# 95
39) Benzo(a)pyrene	23.385	252	623285	1.63	ng	99
40) Dibenzo(a,h)anthracene	25.785	278	215159	0.65	ng	# 95
41) Benzo(g,h,i)perylene	26.462	276	409772	1.10	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100421\
Data File : BN016766.D
Acq On : 06 Oct 2021 06:17
Operator : CG/JU
Sample : M3966-02MS
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED

mohammad
10/7/2021 8:31:55 AM

Quant Time: Oct 06 06:58:02 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 04 17:52:33 2021
Response via : Initial Calibration





#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.642 min Scan# 495
 Delta R.T. 0.000 min
 Lab File: BN016766.D
 Acq: 06 Oct 2021 06:17





Tgt Ion: 152 Resp: 27065

Ion	Ratio	Lower	Upper
152	100		
150	152.4	123.3	184.9
115	56.7	47.0	70.6

Instrument :
 BNA_N
 ClientSampleId :
 S-831-J-SO-2-2.5-092721MS

Manual Integrations
 APPROVED




mohammad
 10/7/2021 8:31:55 AM




#2
 1,4-Dioxane
 Concen: 0.64 ng m
 RT: 3.281 min Scan# 22
 Delta R.T. 0.028 min
 Lab File: BN016766.D
 Acq: 06 Oct 2021 06:17

Tgt Ion: 88 Resp: 8129

Ion	Ratio	Lower	Upper
88	100		
43	0.0	61.7	92.5#
58	0.0	62.2	93.2#









#3
n-Nitrosodimethylamine
Concen: 0.43 ng
RT: 3.585 min Scan# 55
Delta R.T. 0.010 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion: 42 Resp: 8833
Ion Ratio Lower Upper
42 100
74 159.7 124.0 186.0
44 0.0 5.6 8.4#

Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Manual Integrations
APPROVED


mohammad
10/7/2021 8:31:55 AM



#4
2-Fluorophenol
Concen: 0.27 ng
RT: 5.282 min Scan# 239
Delta R.T. 0.028 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion: 112 Resp: 18939
Ion Ratio Lower Upper
112 100
64 54.5 42.9 64.3
63 30.5 21.5 32.3









#5
Phenol-d6
Concen: 0.32 ng
RT: 6.831 min Scan# 407
Delta R.T. 0.010 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion: 99 Resp: 24432
Ion Ratio Lower Upper
99 100
42 19.3 13.4 20.2
71 31.0 24.0 36.0

Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Manual Integrations
APPROVED


mohammad
10/7/2021 8:31:55 AM



#6
bis(2-Chloroethyl)ether
Concen: 0.42 ng
RT: 7.080 min Scan# 434
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17


Tgt Ion: 93 Resp: 30654
Ion Ratio Lower Upper
93 100
63 72.6 59.0 88.6
95 33.4 26.4 39.6





#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.407 min Scan# 733
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17



Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Tgt Ion:	136	Resp:	123205
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	5.7	6.5	9.7#
68	5.0	5.3	7.9#

Manual Integrations
APPROVED



mohammad
10/7/2021 8:31:55 AM




#8
Nitrobenzene-d5
Concen: 0.30 ng
RT: 8.784 min Scan# 605
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:	82	Resp:	26265
Ion	Ratio	Lower	Upper
82	100		
128	49.1	33.8	50.6
54	43.4	38.5	57.7









#9
Naphthalene
Concen: 0.43 ng
RT: 10.457 min Scan# 737
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17





Tgt Ion:128 Resp: 144079
Ion Ratio Lower Upper
128 100
129 11.1 8.7 13.1
127 12.8 10.3 15.5



#10
Hexachlorobutadiene
Concen: 0.37 ng
RT: 10.749 min Scan# 760
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:225 Resp: 23394
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.5 51.1 76.7



Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED

mohammad
10/7/2021 8:31:55 AM







#11
2-Methylnaphthalene-d10
Concen: 0.43 ng m
RT: 12.003 min Scan# 931
Delta R.T. -0.004 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:152 Resp: 79014
Ion Ratio Lower Upper
152 100
151 16.1 16.2 24.4#

Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Manual Integrations
APPROVED


mohammad
10/7/2021 8:31:55 AM




#12
2-Methylnaphthalene
Concen: 0.44 ng
RT: 12.074 min Scan# 947
Delta R.T. -0.008 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:142 Resp: 93501
Ion Ratio Lower Upper
142 100
141 89.1 70.6 106.0
115 33.2 26.1 39.1








#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.269 min Scan# 1183
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:164 Resp: 66743

Ion	Ratio	Lower	Upper
164	100		
162	100.5	82.6	124.0
160	44.6	38.2	57.2





#14
2,4,6-Tribromophenol
Concen: 0.34 ng
RT: 15.766 min Scan# 1301
Delta R.T. -0.012 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17



Tgt Ion:330 Resp: 8709


Ion	Ratio	Lower	Upper
330	100		
332	0.0	0.0	0.0
141	41.5	24.2	36.2#




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED




mohammad
10/7/2021 8:31:55 AM




#15
2-Fluorobiphenyl
Concen: 0.28 ng
RT: 12.886 min Scan# 1074
Delta R.T. -0.012 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17





Tgt Ion:172 Resp: 75884
Ion Ratio Lower Upper
172 100
171 35.1 26.9 40.3
170 23.9 17.4 26.0



#16
Acenaphthylene
Concen: 0.48 ng
RT: 13.990 min Scan# 1161
Delta R.T. 0.001 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:152 Resp: 140947
Ion Ratio Lower Upper
152 100
151 19.6 15.5 23.3
153 13.2 10.4 15.6



Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS


Manual Integrations
APPROVED

mohammad
10/7/2021 8:31:55 AM



#17
Acenaphthene
Concen: 0.44 ng
RT: 14.332 min Scan# 1188
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS



Tgt Ion:154 Resp: 85090
Ion Ratio Lower Upper
154 100
153 113.5 90.1 135.1
152 54.8 43.6 65.4




Manual Integrations
APPROVED


mohammad
10/7/2021 8:31:55 AM



#18
Fluorene
Concen: 0.47 ng
RT: 15.322 min Scan# 1266
Delta R.T. 0.001 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:166 Resp: 110266
Ion Ratio Lower Upper
166 100
165 99.0 78.1 117.1
167 14.2 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.018 min Scan# 1403
Delta R.T. -0.012 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:188 Resp: 126192
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.2 5.8 8.8#

Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Manual Integrations
APPROVED


mohammad
10/7/2021 8:31:55 AM



#20
4,6-Dinitro-2-methylphenol
Concen: 0.52 ng
RT: 15.411 min Scan# 1273
Delta R.T. -0.012 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17


Tgt Ion:198 Resp: 2740
Ion Ratio Lower Upper
198 100
182 19.2 26.2 39.2#
77 0.0 0.0 0.0





#21
4-Bromophenyl-phenylether
Concen: 0.39 ng
RT: 16.227 min Scan# 1338
Delta R.T. 0.001 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Tgt Ion:248 Resp: 30247
Ion Ratio Lower Upper
248 100
250 103.8 76.2 114.4
141 36.8 45.6 68.4#

Manual Integrations
APPROVED



mohammad
10/7/2021 8:31:55 AM




#22
Hexachlorobenzene
Concen: 0.38 ng
RT: 16.324 min Scan# 1346
Delta R.T. -0.012 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:284 Resp: 32861
Ion Ratio Lower Upper
284 100
142 32.7 25.8 38.6
249 29.1 23.3 34.9









#23
Atrazine
Concen: 0.43 ng
RT: 16.506 min Scan# 1361
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17





Tgt Ion:200 Resp: 26239
Ion Ratio Lower Upper
200 100
173 23.2 20.1 30.1
215 50.9 38.8 58.2



#24
Pentachlorophenol
Concen: 0.70 ng
RT: 16.677 min Scan# 1375
Delta R.T. -0.012 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:266 Resp: 15461
Ion Ratio Lower Upper
266 100
264 63.0 49.3 73.9
268 63.8 51.8 77.8



Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED

mohammad
10/7/2021 8:31:55 AM







#25
Phenanthrene
Concen: 1.19 ng
RT: 17.066 min Scan# 1407
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:178 Resp: 441580
Ion Ratio Lower Upper
178 100
176 18.5 15.0 22.6
179 16.3 12.4 18.6

Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Manual Integrations
APPROVED


mohammad
10/7/2021 8:31:55 AM




#26
Anthracene
Concen: 0.62 ng
RT: 17.151 min Scan# 1414
Delta R.T. -0.012 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:178 Resp: 206855
Ion Ratio Lower Upper
178 100
176 18.4 14.5 21.7
179 16.8 12.2 18.4









#27
Fluoranthene-d10
Concen: 0.33 ng
RT: 19.068 min Scan# 1697
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17





Tgt Ion:212 Resp: 114132
Ion Ratio Lower Upper
212 100
106 13.2 10.6 16.0
104 7.5 5.8 8.8



#28
Fluoranthene
Concen: 2.27 ng
RT: 19.093 min Scan# 1702
Delta R.T. -0.005 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:202 Resp: 933441
Ion Ratio Lower Upper
202 100
101 11.1 8.9 13.3
203 17.5 13.8 20.8




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED




mohammad
10/7/2021 8:31:55 AM




#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.238 min Scan# 2002
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17





Tgt Ion:240 Resp: 117497
Ion Ratio Lower Upper
240 100
120 7.6 6.6 10.0
236 26.3 20.7 31.1



#30
Pyrene
Concen: 2.23 ng
RT: 19.460 min Scan# 1776
Delta R.T. -0.005 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:202 Resp: 860870
Ion Ratio Lower Upper
202 100
200 20.7 16.5 24.7
203 21.8 13.9 20.9#




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED



mohammad
10/7/2021 8:31:55 AM



#31
Terphenyl-d14
Concen: 0.33 ng
RT: 19.679 min Scan# 1820
Delta R.T. -0.005 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:244 Resp: 85793
Ion Ratio Lower Upper
244 100
212 7.5 5.8 8.6
122 12.6 8.9 13.3




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED



mohammad
10/7/2021 8:31:55 AM




#32
Benzo(a)anthracene
Concen: 1.76 ng
RT: 21.217 min Scan# 2000
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:228 Resp: 641939
Ion Ratio Lower Upper
228 100
226 27.6 22.3 33.5
229 20.6 15.4 23.0





#33
Chrysene
Concen: 1.69 ng
RT: 21.270 min Scan# 2005
Delta R.T. 0.000 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS




Tgt Ion:228 Resp: 625234
Ion Ratio Lower Upper
228 100
226 29.3 24.2 36.4
229 21.6 15.4 23.0

Manual Integrations
APPROVED



mohammad
10/7/2021 8:31:55 AM




#34
Bis(2-ethylhexyl)phthalate
Concen: 1.11 ng
RT: 21.164 min Scan# 1995
Delta R.T. -0.010 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:149 Resp: 244280
Ion Ratio Lower Upper
149 100
167 31.2 22.2 33.4
279 4.3 3.4 5.2





#35
Perylene-d12
Concen: 0.40 ng
RT: 23.488 min Scan# 2428
Delta R.T. -0.006 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS



Tgt Ion:264 Resp: 132178
Ion Ratio Lower Upper
264 100
260 25.5 19.8 29.6
265 25.8 20.3 30.5




Manual Integrations
APPROVED


mohammad
10/7/2021 8:31:55 AM




#36
Indeno(1,2,3-cd)pyrene
Concen: 1.09 ng
RT: 25.764 min Scan# 3093
Delta R.T. -0.017 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:276 Resp: 456190
Ion Ratio Lower Upper
276 100
138 22.4 19.2 28.8
277 24.8 20.0 30.0









#37
Benzo(b)fluoranthene
Concen: 2.01 ng
RT: 22.810 min Scan# 2230
Delta R.T. -0.003 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17





Tgt Ion:252 Resp: 859074
Ion Ratio Lower Upper
252 100
253 23.0 17.8 26.8
125 11.8 8.3 12.5



#38
Benzo(k)fluoranthene
Concen: 0.93 ng
RT: 22.855 min Scan# 2243
Delta R.T. -0.006 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:252 Resp: 382857
Ion Ratio Lower Upper
252 100
253 23.8 17.8 26.8
125 14.2 8.5 12.7#




Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED




mohammad
10/7/2021 8:31:55 AM




#39
Benzo(a)pyrene
Concen: 1.63 ng
RT: 23.385 min Scan# 2398
Delta R.T. -0.006 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17





Tgt Ion:252 Resp: 623285
Ion Ratio Lower Upper
252 100
253 23.0 17.9 26.9
125 12.4 9.4 14.2



#40
Dibenzo(a,h)anthracene
Concen: 0.65 ng
RT: 25.785 min Scan# 3099
Delta R.T. -0.013 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17




Tgt Ion:278 Resp: 215159
Ion Ratio Lower Upper
278 100
139 20.1 13.1 19.7#
279 25.5 19.3 28.9



Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS


Manual Integrations
APPROVED

mohammad
10/7/2021 8:31:55 AM



#41
Benzo(g,h,i)perylene
Concen: 1.10 ng
RT: 26.462 min Scan# 3297
Delta R.T. -0.013 min
Lab File: BN016766.D
Acq: 06 Oct 2021 06:17

Tgt Ion:	276	Resp:	409772
Ion	Ratio	Lower	Upper
276	100		
277	24.3	19.0	28.4
138	22.3	17.0	25.6



Instrument :
BNA_N
ClientSampleId :
S-831-J-SO-2-2.5-092721MS

Manual Integrations
APPROVED

mohammad
10/7/2021 8:31:55 AM