

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100724\
 Data File : BN034440.D
 Acq On : 07 Oct 2024 16:17
 Operator : RC/JU
 Sample : P4109-14
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A4ET6

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/08/2024
 Supervised By :mohammad ahmed 10/09/2024

Quant Time: Oct 07 17:30:20 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN091124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Sep 30 14:14:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.375	152	198550	20.000	ng/ul	-0.01
20) Naphthalene-d8	10.134	136	782203	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.028	164	487885	20.000	ng/ul	-0.01
64) Phenanthrene-d10	16.787	188	987759	20.000	ng/ul	-0.01
79) Chrysene-d12	21.028	240	807396	20.000	ng/ul	0.00
88) Perylene-d12	23.733	264	875533	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	2.999	96	6190	1.272	ng/uL	0.00
4) Pyridine-d5	3.405	84	7813m	0.540	ng/ul	0.02
7) Phenol-d5	6.581	99	104272	5.917	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	6.734	67	70055	6.408	ng/ul	0.00
11) 2-Chlorophenol-d4	6.917	132	101274	7.301	ng/ul	-0.01
15) 4-Methylphenol-d8	8.093	113	69493	4.793	ng/ul	-0.01
21) Nitrobenzene-d5	8.522	128	44929	7.206	ng/ul	0.00
24) 2-Nitrophenol-d4	9.234	143	48928	7.632	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.769	165	90552	7.500	ng/ul	0.00
31) 4-Chloroaniline-d4	10.287	131	58069	3.177	ng/ul	0.00
46) Dimethylphthalate-d6	13.457	166	286023	7.845	ng/ul	-0.01
49) Acenaphthylene-d8	13.716	160	323968	7.898	ng/ul	-0.01
54) 4-Nitrophenol-d4	14.281	143	23788m	3.179	ng/ul	0.00
60) Fluorene-d10	15.034	176	256620	8.305	ng/ul	-0.01
65) 4,6-Dinitro-2-methylph...	15.169	200	22387	3.801	ng/ul	0.00
73) Anthracene-d10	16.887	188	388204	8.359	ng/ul	-0.01
81) Pyrene-d10	19.198	212	363273	8.075	ng/ul	-0.01
92) Benzo(a)pyrene-d12	23.551	264	216322	4.810	ng/ul	0.00
Target Compounds					Qvalue	
16) Acetophenone	8.193	105	27007	1.176	ng/ul	99
72) Phenanthrene	16.828	178	125670	2.307	ng/ul	98
80) Fluoranthene	18.863	202	251360	4.780	ng/ul	98
82) Pyrene	19.228	202	157818	2.791	ng/ul	97
85) Benzo(a)anthracene	21.010	228	108697	1.888	ng/ul	94
86) Bis(2-ethylhexyl)phtha...	20.975	149	42006	1.132	ng/ul#	92
87) Chrysene	21.063	228	114550m	2.085	ng/ul	
90) Benzo(b)fluoranthene	22.892	252	147510	2.763	ng/ul#	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100724\
Data File : BN034440.D
Acq On : 07 Oct 2024 16:17
Operator : RC/JU
Sample : P4109-14
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
A4ET6

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :mohammad ahmed 10/09/2024


Quant Time: Oct 07 17:30:20 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN091124.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Sep 30 14:14:38 2024
Response via : Initial Calibration





#16
Acetophenone
Concen: 1.176 ng/ul
RT: 8.193 min Scan# 902
Delta R.T. -0.012 min
Lab File: BN034440.D
Acq: 07 Oct 2024 16:17




Instrument :
BNA_N
ClientSampleId :
A4ET6



Tgt Ion:105 Resp: 27007
Ion Ratio Lower Upper
105 100
77 77.0 61.1 91.7
51 27.3 22.6 33.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 10/08/2024
Supervised By :mohammad ahmed 10/09/2024



#72
Phenanthrene
Concen: 2.307 ng/ul
RT: 16.828 min Scan# 2370
Delta R.T. -0.012 min
Lab File: BN034440.D
Acq: 07 Oct 2024 16:17


Tgt Ion:178 Resp: 125670
Ion Ratio Lower Upper
178 100
179 15.6 11.9 17.9
176 18.1 15.2 22.8





#80
Fluoranthene
Concen: 4.780 ng/u1
RT: 18.863 min Scan# 2716
Delta R.T. -0.006 min
Lab File: BN034440.D
Acq: 07 Oct 2024 16:17




Instrument :
BNA_N
ClientSampleId :
A4ET6




Tgt Ion:202 Resp: 251360
Ion Ratio Lower Upper
202 100
101 11.6 9.6 14.4
100 8.2 7.7 11.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 10/08/2024
Supervised By :mohammad ahmed 10/09/2024




#82
Pyrene
Concen: 2.791 ng/u1
RT: 19.228 min Scan# 2778
Delta R.T. -0.012 min
Lab File: BN034440.D
Acq: 07 Oct 2024 16:17



Tgt Ion:202 Resp: 157818
Ion Ratio Lower Upper
202 100
101 13.9 11.8 17.8
100 11.0 10.0 15.0





#85

Benzo(a)anthracene

Concen: 1.888 ng/ul

RT: 21.010 min Scan# 3081

Delta R.T. -0.006 min

Lab File: BN034440.D

Acq: 07 Oct 2024 16:17

Instrument :

BNA_N





ClientSampleId :

A4ET6

Tgt Ion:	228	Resp:	108697
Ion Ratio	Lower	Upper	
228	100		
229	21.7	15.0	22.6
226	28.3	20.2	30.4

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :mohammad ahmed 10/09/2024



#86

Bis(2-ethylhexyl)phthalate

Concen: 1.132 ng/ul




RT: 20.975 min Scan# 3075


Delta R.T. -0.006 min

Lab File: BN034440.D

Acq: 07 Oct 2024 16:17

Tgt Ion:	149	Resp:	42006
Ion Ratio	Lower	Upper	
149	100		
167	29.8	20.6	31.0
279	5.6	3.0	4.6#





#87

Chrysene

Concen: 2.085 ng/u1 m

RT: 21.063 min Scan# 30

Delta R.T. -0.012 min

Lab File: BN034440.D

Acq: 07 Oct 2024 16:17

Instrument :

BNA_N

ClientSampleId :

A4ET6





Tgt Ion:	228	Resp:	114550
Ion Ratio	Lower	Upper	
228	100		
226	30.4	22.5	33.7
229	24.6	15.8	23.6

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 10/08/2024

Supervised By :mohammad ahmed 10/09/2024



#90

Benzo(b)fluoranthene

Concen: 2.763 ng/u1

RT: 22.892 min Scan# 3401

Delta R.T. 0.000 min

Lab File: BN034440.D

Acq: 07 Oct 2024 16:17

Tgt Ion:	252	Resp:	147510
Ion Ratio	Lower	Upper	
252	100		
253	23.5	17.8	26.6
125	20.5	9.1	13.7

