

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100820\
 Data File : BN012111.D
 Acq On : 08 Oct 2020 20:20
 Operator : CG/JU
 Sample : L4259-07
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C5CF5

Quant Time: Oct 09 01:16:11 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN100220.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 08 15:35:30 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.646	152	226321	20.00	ng/ul	0.00
18) Naphthalene-d8	10.422	136	939864	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.287	164	585202	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.034	188	1237534	20.00	ng/ul	0.00
78) Chrysene-d12	21.233	240	1212053	20.00	ng/ul	0.00
86) Perylene-d12	23.433	264	1313921	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.187	96	9746	1.87	ng/uL	0.00
5) Phenol-d5	6.822	99	144575	7.65	ng/ul	0.00
7) Bis-(2-Chloroethyl)eth...	6.987	67	370869	31.96	ng/ul	0.00
9) 2-Chlorophenol-d4	7.181	132	423146	27.70	ng/ul	0.00
13) 4-Methylphenol-d8	8.346	113	266562	17.93	ng/ul	0.00
19) Nitrobenzene-d5	8.793	128	255929	34.29	ng/ul	0.00
22) 2-Nitrophenol-d4	9.511	143	284022	35.19	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.046	165	468364	30.26	ng/ul	0.00
29) 4-Chloroaniline-d4	10.563	131	48205	2.64	ng/ul	0.00
44) Dimethylphthalate-d6	13.699	166	1766429	38.48	ng/ul	0.00
47) Acenaphthylene-d8	13.975	160	1964491	35.85	ng/ul	0.00
52) 4-Nitrophenol-d4	14.487	143	57952	6.86	ng/ul	0.00
58) Fluorene-d10	15.281	176	1441721	35.99	ng/ul	0.00
63) 4,6-Dinitro-2-methylph...	15.404	200	298944	37.85	ng/ul	0.00
71) Anthracene-d10	17.134	188	2381282	39.68	ng/ul	0.00
79) Pyrene-d10	19.434	212	2676729	41.99	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.298	264	2901679	39.35	ng/ul	0.00
Target Compounds						
69) Pentachlorophenol	16.687	266	41838	4.27	ng/ul	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100820\
Data File : BN012111.D
Acq On : 08 Oct 2020 20:20
Operator : CG/JU
Sample : L4259-07
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C5CF5

Quant Time: Oct 09 01:16:11 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN100220.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 08 15:35:30 2020
Response via : Initial Calibration





#69
 Pentachlorophenol
 Concen: 4.27 ng/ul
 RT: 16.687 min Scan# 2329
 Delta R.T. 0.000 min
 Lab File: BN012111.D
 Acq: 08 Oct 2020 20:20

Instrument :
 BNA_N
 ClientSampleId :
 C5CF5

Tgt Ion:	266	Resp:	41838
Ion	Ratio	Lower	Upper
266	100		
264	61.2	50.6	75.8
268	59.0	49.9	74.9

