

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN101720\
 Data File : BN012340.D
 Acq On : 18 Oct 2020 21:24
 Operator : CG/JU
 Sample : L4285-13
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BEQD9

Quant Time: Oct 19 03:26:19 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN101720.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Oct 17 15:47:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	237218	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.36	136	904413	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.24	164	543165	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.99	188	1113937	20.00	ng/ul	0.00
78) Chrysene-d12	21.19	240	926290	20.00	ng/ul	0.00
86) Perylene-d12	23.36	264	962964	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	130	0.03	ng/uL	0.00
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	6.92	67	299	0.02	ng/ul	-0.02
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	10.48	131	11061	0.58	ng/ul	-0.04
44) Dimethylphthalate-d6	13.64	166	749	0.02	ng/ul	-0.02
47) Acenaphthylene-d8	13.99	160	449	0.01	ng/ul	0.05
52) 4-Nitrophenol-d4	14.45	143	2278	0.27	ng/ul	0.00
58) Fluorene-d10	15.24	176	555	0.01	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.37	200	185	0.02	ng/ul	0.00
71) Anthracene-d10	16.99	188	1113841	20.35	ng/ul	-0.11
79) Pyrene-d10	19.39	212	3169	0.06	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.19	264	1318	0.02	ng/ul	-0.04

Target Compounds


					Ovalue	
28) Naphthalene	10.42	128	431681	8.217	ng/ul	99
34) 2-Methylnaphthalene	12.03	142	388995	10.759	ng/ul	95
35) 1-Methylnaphthalene	12.26	142	330051	9.232	ng/uL	98
41) 1,1'-Biphenyl	13.06	154	73325	1.602	ng/ul	96
50) Acenaphthene	14.30	153	423877	10.919	ng/ul	98
54) Dibenzofuran	14.64	168	147352	2.789	ng/ul	92
59) Fluorene	15.29	166	572168	12.874	ng/ul	97
65) N-Nitrosodiphenylamine	15.50	169	37363	1.037	ng/ul#	56
70) Phenanthrene	17.03	178	4986768	72.804	ng/ul	98
72) Anthracene	17.12	178	351393	5.099	ng/ul	97
77) Fluoranthene	19.05	202	2703276	34.409	ng/ul	100
80) Pyrene	19.42	202	1720849	24.576	ng/ul	99
83) Benzo(a)anthracene	21.17	228	872155	13.721	ng/ul	96
85) Chrysene	21.22	228	1142518	18.339	ng/ul#	90
88) Benzo(b)fluoranthene	22.71	252	384825	5.690	ng/ul#	95
89) Benzo(k)fluoranthene	22.75	252	95074	1.448	ng/ul#	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN101720\
Data File : BN012340.D
Acq On : 18 Oct 2020 21:24
Operator : CG/JU
Sample : L4285-13
Misc :
ALS Vial : 55 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BEQD9

Quant Time: Oct 19 03:26:19 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN101720.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Oct 17 15:47:34 2020
Response via : Initial Calibration





#28

Naphthalene

Concen: 8.217 ng/ul

RT: 10.42 min Scan# 1263

Delta R.T. -0.01 min

Lab File: BN012340.D

Acq: 18 Oct 2020 21:24

Instrument :

BNA_N

ClientSampleId :

BEQD9


Tot Ion:128 Resp: 431681

Ion Ratio Lower Upper

128 100

129 11.1 8.6 12.8




127 12.8 9.9 14.9



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#34

2-Methylnaphthalene

Concen: 10.759 ng/ul

RT: 12.03 min Scan# 1538

Delta R.T. -0.01 min

Lab File: BN012340.D


Acq: 18 Oct 2020 21:24

Tgt Ion:142 Resp: 388995

Ion Ratio Lower Upper



142 100


141 89.5 75.3 112.9



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E









#35
 1-Methylnaphthalene
 Concen: 9.232 ng/uL
 RT: 12.26 min Scan# 1576
 Delta R.T. -0.01 min
 Lab File: BN012340.D
 Acq: 18 Oct 2020 21:24




Instrument :
 BNA_N
 ClientSampleId :
 BEQD9


Tot Ion:142 Resp: 330051
 Ion Ratio Lower Upper
 142 100
 141 94.6 74.5 111.7
 116 4.6 3.4 5.0



#41
 1,1'-Biphenyl
 Concen: 1.602 ng/uL
 RT: 13.06 min Scan# 1713
 Delta R.T. -0.01 min
 Lab File: BN012340.D
 Acq: 18 Oct 2020 21:24

Tgt Ion:154 Resp: 73325
 Ion Ratio Lower Upper
 154 100
 153 38.8 33.2 49.8
 76 14.6 11.0 16.6





#50

Acenaphthene

Concen: 10.919 ng/ul

RT: 14.30 min Scan# 1923

Delta R.T. -0.01 min

Lab File: BN012340.D

Acq: 18 Oct 2020 21:24

Instrument :

BNA_N

ClientSampleId :

BEQD9


Tot Ion:153 Resp: 423877

Ion Ratio Lower Upper

153 100

152 48.9 37.7 56.5




154 87.4 71.6 107.4



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#54

Dibenzofuran

Concen: 2.789 ng/ul

RT: 14.64 min Scan# 1981

Delta R.T. -0.01 min

Lab File: BN012340.D


Acq: 18 Oct 2020 21:24

Tgt Ion:168 Resp: 147352

Ion Ratio Lower Upper



168 100


139 42.5 30.3 45.5



Abundance Ion 168.00 (167.70 to 168.70): E

Ion 139.00 (138.70 to 139.70): E









#59
Fluorene
Concen: 12.874 ng/ul
RT: 15.29 min Scan# 2091
Delta R.T. -0.01 min
Lab File: BN012340.D
Acq: 18 Oct 2020 21:24




Instrument :
BNA_N
ClientSampled :
BEQD9


Tot Ion:166 Resp: 572168
Ion Ratio Lower Upper
166 100
165 98.7 77.3 115.9
167 16.6 11.3 16.9



#65
N-Nitrosodiphenylamine
Concen: 1.037 ng/ul
RT: 15.50 min Scan# 2128
Delta R.T. -0.01 min
Lab File: BN012340.D
Acq: 18 Oct 2020 21:24

Tgt Ion:169 Resp: 37363
Ion Ratio Lower Upper
169 100
168 110.0 51.4 77.0#
167 46.0 28.1 42.1#





#70

Phenanthrene

Concen: 72.804 ng/ul

RT: 17.03 min Scan# 2387

Delta R.T. -0.01 min

Lab File: BN012340.D

Acq: 18 Oct 2020 21:24

Instrument :

BNA_N

ClientSampleId :

BEQD9


Tot Ion:178 Resp: 4986768

Ion Ratio Lower Upper

178 100

179 16.5 12.6 18.8




176 20.3 15.3 22.9



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#72

Anthracene

Concen: 5.099 ng/ul

RT: 17.12 min Scan# 2402

Delta R.T. -0.01 min

Lab File: BN012340.D

Acq: 18 Oct 2020 21:24


Tgt Ion:178 Resp: 351393

Ion Ratio Lower Upper

178 100

179 18.7 12.6 19.0



176 18.6 14.6 22.0




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E









#77
Fluoranthene
Concen: 34.409 ng/ul
RT: 19.05 min Scan# 2731
Delta R.T. -0.01 min
Lab File: BN012340.D
Acq: 18 Oct 2020 21:24

Instrument :
BNA_N
ClientSampleID :
BEQD9

Tot Ion:202 Resp: 2703276
Ion Ratio Lower Upper
202 100
101 11.1 8.7 13.1
100 8.6 6.9 10.3




Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 100.00 (99.70 to 100.70): B






#80
Pyrene
Concen: 24.576 ng/ul
RT: 19.42 min Scan# 2793
Delta R.T. -0.01 min
Lab File: BN012340.D
Acq: 18 Oct 2020 21:24

Tgt Ion:202 Resp: 1720849
Ion Ratio Lower Upper
202 100
101 13.7 11.2 16.8
100 12.0 8.9 13.3



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 100.00 (99.70 to 100.70): B









#83
Benzo(a)anthracene
Concen: 13.721 ng/ul
RT: 21.17 min Scan# 3091
Delta R.T. -0.01 min
Lab File: BN012340.D
Acq: 18 Oct 2020 21:24




Instrument :
BNA_N
ClientSampled :
BEQD9


Tot Ion:228 Resp: 872155
Ion Ratio Lower Upper
228 100
229 23.5 15.9 23.9
226 29.9 23.5 35.3



#85
Chrysene
Concen: 18.339 ng/ul
RT: 21.22 min Scan# 3100
Delta R.T. -0.01 min
Lab File: BN012340.D
Acq: 18 Oct 2020 21:24

Tgt Ion:228 Resp: 1142518
Ion Ratio Lower Upper
228 100
226 32.0 21.8 32.6
229 22.6 14.6 21.8#





#88

Benzo(b)fluoranthene

Concen: 5.690 ng/ul

RT: 22.71 min Scan# 3353

Delta R.T. -0.01 min

Lab File: BN012340.D

Acq: 18 Oct 2020 21:24

Instrument :

BNA_N

ClientSampleId :

BEQD9


Tot Ion:252 Resp: 384825

Ion Ratio Lower Upper

252 100

253 22.5 17.3 25.9




125 14.4 7.9 11.9#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#89

Benzo(k)fluoranthene

Concen: 1.448 ng/ul

RT: 22.75 min Scan# 3360

Delta R.T. -0.01 min

Lab File: BN012340.D

Acq: 18 Oct 2020 21:24


Tgt Ion:252 Resp: 95074

Ion Ratio Lower Upper

252 100

253 25.5 17.6 26.4

125 15.3 7.6 11.4#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

