

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN101720\
 Data File : BN012305.D
 Acq On : 17 Oct 2020 23:10
 Operator : CG/JU
 Sample : L4235-15
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AQ0

Manual Integrations
 APPROVED

mohammad
 10/19/2020 1:24:58 PM

Quant Time: Oct 19 01:24:03 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN101720.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Oct 19 01:01:46 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	257248	20.00	ng/ul	0.00
18) Naphthalene-d8	10.37	136	1053576	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.24	164	638250	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.99	188	1283055	20.00	ng/ul	0.00
78) Chrysene-d12	21.19	240	1233079	20.00	ng/ul	0.00
86) Perylene-d12	23.36	264	1297517	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.15	96	13931	2.49	ng/uL	0.00
5) Phenol-d5	6.78	99	233309	10.09	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	161351	11.69	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	198840	11.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	193458	10.42	ng/ul	0.00
19) Nitrobenzene-d5	8.75	128	98317	11.08	ng/ul	0.00
22) 2-Nitrophenol-d4	9.46	143	106926	10.65	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	177468	9.86	ng/ul	0.00
29) 4-Chloroaniline-d4	10.51	131	218286	9.87	ng/ul	0.00
44) Dimethylphthalate-d6	13.66	166	641593	12.39	ng/ul	0.00
47) Acenaphthylene-d8	13.93	160	667973	10.75	ng/ul	0.00
52) 4-Nitrophenol-d4	14.45	143	57162	5.78	ng/ul	0.00
58) Fluorene-d10	15.24	176	490641	11.08	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.36	200	58998	6.56	ng/ul	0.00
71) Anthracene-d10	17.09	188	697838	11.07	ng/ul	0.00
79) Pyrene-d10	19.39	212	744857	11.17	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.22	264	777111	10.37	ng/ul	0.00

Target Compounds

					Ovalue
45) Dimethylphthalate	13.70	163	296782	5.498	ng/ul 99
70) Phenanthrene	17.03	178	185181	2.347	ng/ul 100
77) Fluoranthene	19.05	202	617597	6.825	ng/ul 98
80) Pyrene	19.42	202	470576	5.048	ng/ul 97
83) Benzo(a)anthracene	21.17	228	273921	3.237	ng/ul 97
85) Chrysene	21.22	228	304989m	3.677	ng/ul
88) Benzo(b)fluoranthene	22.72	252	412448	4.526	ng/ul# 96
89) Benzo(k)fluoranthene	22.75	252	153531m	1.735	ng/ul
91) Benzo(a)pyrene	23.27	252	243212	2.912	ng/ul 98
92) Indeno(1,2,3-cd)pyrene	25.53	276	184763	1.737	ng/ul 98
94) Benzo(g,h,i)perylene	26.20	276	140647	1.589	ng/ul# 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN101720\
Data File : BN012305.D
Acq On : 17 Oct 2020 23:10
Operator : CG/JU
Sample : L4235-15
Misc :
ALS Vial : 20 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
C0AQ0

Manual Integrations
APPROVED

mohammad
10/19/2020 1:24:58 PM

Quant Time: Oct 19 01:24:03 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN101720.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Oct 19 01:01:46 2020
Response via : Initial Calibration









#45
Dimethylphthalate
Concen: 5.498 ng/ul
RT: 13.70 min Scan# 1822
Delta R.T. -0.01 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Instrument :
BNA_N
ClientSampleId :
C0AQ0

Tot Ion	Ratio	Resp	Lower	Upper
163	100	296782		
194	4.0		3.3	4.9
164	10.4		7.9	11.9




Manual Integrations
APPROVED


mohammad
10/19/2020 1:24:58 PM



#70
Phenanthrene
Concen: 2.347 ng/ul
RT: 17.03 min Scan# 2388
Delta R.T. -0.00 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Tgt Ion	Ratio	Resp	Lower	Upper
178	100	185181		
179	15.6		12.6	18.8
176	18.8		15.3	22.9









#77
 Fluoranthene
 Concen: 6.825 ng/ul
 RT: 19.05 min Scan# 2731
 Delta R.T. -0.01 min
 Lab File: BN012305.D
 Acq: 17 Oct 2020 23:10

Instrument :
 BNA_N
 ClientSampleId :
 C0AQ0

Tot Ion	Ratio	Resp Lower	Resp Upper
202	100		
101	11.7	8.7	13.1
100	8.3	6.9	10.3




Manual Integrations
 APPROVED


mohammad
 10/19/2020 1:24:58 PM



#80
 Pyrene
 Concen: 5.048 ng/ul
 RT: 19.42 min Scan# 2794
 Delta R.T. -0.00 min
 Lab File: BN012305.D
 Acq: 17 Oct 2020 23:10

Tgt Ion	Ratio	Resp Lower	Resp Upper
202	100		
101	12.4	11.2	16.8
100	10.5	8.9	13.3









#83
Benzo(a)anthracene
Concen: 3.237 ng/ul
RT: 21.17 min Scan# 3091
Delta R.T. -0.01 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Instrument :
BNA_N
ClientSampleId :
C0AQ0

Tot Ion	Ratio	Lower	Upper
228	100		
229	20.2	15.9	23.9
226	26.7	23.5	35.3




Manual Integrations
APPROVED


mohammad
10/19/2020 1:24:58 PM



#85
Chrysene
Concen: 3.677 ng/ul m
RT: 21.22 min Scan# 3100
Delta R.T. -0.01 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Tgt Ion	Ratio	Lower	Upper
228	100		
226	30.2	21.8	32.6
229	22.2	14.6	21.8#









#88
Benzo(b)fluoranthene
Concen: 4.526 ng/ul
RT: 22.72 min Scan# 3354
Delta R.T. -0.01 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Instrument :
BNA_N
ClientSampleId :
C0AQ0

Tot Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.3	25.9
125	13.3	7.9	11.9




Manual Integrations
APPROVED


mohammad
10/19/2020 1:24:58 PM



#89
Benzo(k)fluoranthene
Concen: 1.735 ng/ul m
RT: 22.75 min Scan# 3360
Delta R.T. -0.01 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Tgt Ion	Ratio	Lower	Upper
252	100		
253	24.1	17.6	26.4
125	15.2	7.6	11.4









#91
Benzo(a)pyrene
Concen: 2.912 ng/ul
RT: 23.27 min Scan# 3448
Delta R.T. -0.01 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Instrument :
BNA_N
ClientSampleId :
C0AQ0

Tot Ion	Ratio	Resp Lower	Upper
252	100		
253	23.5	18.2	27.4
125	12.9	9.3	13.9




Manual Integrations
APPROVED


mohammad
10/19/2020 1:24:58 PM



#92
Indeno(1,2,3-cd)pyrene
Concen: 1.737 ng/ul
RT: 25.53 min Scan# 3832
Delta R.T. -0.01 min
Lab File: BN012305.D
Acq: 17 Oct 2020 23:10

Tgt Ion	Ratio	Resp Lower	Upper
276	100		
138	20.7	17.8	26.6
277	24.1	20.0	30.0





#94

Benzo(a,h,i)perylene

Concen: 1.589 ng/ul

RT: 26.20 min Scan# 3946

Delta R.T. -0.01 min

Lab File: BN012305.D

Acq: 17 Oct 2020 23:10

Instrument :

BNA_N

ClientSampleId :

C0AQ0

Tot Ion:	276	Resp:	140647
Ion Ratio	Lower	Upper	
276	100		
138	26.3	16.8	25.2#
277	25.4	17.6	26.4

Manual Integrations
APPROVED

mohammad
10/19/2020 1:24:58 PM

