

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN101720\
 Data File : BN012325.D
 Acq On : 18 Oct 2020 11:46
 Operator : CG/JU
 Sample : L4286-01
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AR3

Quant Time: Oct 19 02:24:54 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN101720.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Oct 19 02:21:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	246460	20.00	ng/ul	0.00
18) Naphthalene-d8	10.37	136	1031664	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.24	164	641142	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.99	188	1344905	20.00	ng/ul	0.00
78) Chrysene-d12	21.19	240	1320882	20.00	ng/ul	0.00
86) Perylene-d12	23.36	264	1332131	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.14	96	35208	6.58	ng/uL	0.00
5) Phenol-d5	6.78	99	125860	5.68	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	342256	25.89	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	373239	21.57	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	243272	13.67	ng/ul	-0.01
19) Nitrobenzene-d5	8.75	128	231089	26.60	ng/ul	0.00
22) 2-Nitrophenol-d4	9.46	143	263459	26.80	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	443116	25.14	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	40373	1.86	ng/ul	0.00
44) Dimethylphthalate-d6	13.66	166	1617880	31.10	ng/ul	0.00
47) Acenaphthylene-d8	13.93	160	1868732	29.93	ng/ul	0.00
52) 4-Nitrophenol-d4	14.45	143	50849	5.12	ng/ul	0.00
58) Fluorene-d10	15.23	176	1340008	30.13	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.36	200	264256	28.04	ng/ul	0.00
71) Anthracene-d10	17.09	188	2241756	33.92	ng/ul	0.00
79) Pyrene-d10	19.39	212	2463923	34.50	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.23	264	2650645	34.47	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	13.70	163	114265	2.107	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN101720\
Data File : BN012325.D
Acq On : 18 Oct 2020 11:46
Operator : CG/JU
Sample : L4286-01
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0AR3

Quant Time: Oct 19 02:24:54 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN101720.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Oct 19 02:21:59 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 2.107 ng/ul

RT: 13.70 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BN012325.D

Acq: 18 Oct 2020 11:46

Instrument :

BNA_N

ClientSampleId :

C0AR3


Tot Ion:163 Resp: 114265

Ion Ratio Lower Upper

163 100

194 4.1 3.3 4.9

164 10.7 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

