

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN101922\
 Data File : BN022179.D
 Acq On : 18 Oct 2022 16:12
 Operator : CG/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Oct 19 02:09:00 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 19 02:07:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	4152	0.400	ng	0.00
7) Naphthalene-d8	10.784	136	13868	0.400	ng	0.00
13) Acenaphthene-d10	14.621	164	7987	0.400	ng	0.00
19) Phenanthrene-d10	17.387	188	15684	0.400	ng	0.00
29) Chrysene-d12	21.582	240	9946	0.400	ng	0.00
35) Perylene-d12	24.052	264	7694	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.479	112	4831	0.502	ng	0.00
5) Phenol-d6	7.112	99	6383	0.511	ng	0.00
8) Nitrobenzene-d5	9.129	82	4866	0.436	ng	0.00
11) 2-Methylnaphthalene-d10	12.380	152	9414	0.369	ng	0.00
14) 2,4,6-Tribromophenol	16.121	330	1177	0.386	ng	0.00
15) 2-Fluorobiphenyl	13.253	172	13698	0.393	ng	0.00
27) Fluoranthene-d10	19.420	212	14990	0.360	ng	0.00
31) Terphenyl-d14	20.015	244	8920	0.446	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.298	88	2020	0.376	ng	99
3) n-Nitrosodimethylamine	3.638	42	2224	0.381	ng	# 93
6) bis(2-Chloroethyl)ether	7.379	93	5336	0.405	ng	98
9) Naphthalene	10.837	128	16681	0.398	ng	100
10) Hexachlorobutadiene	11.115	225	2711	0.374	ng	# 100
12) 2-Methylnaphthalene	12.085	142	3451	0.556	ng	# 91
16) Acenaphthylene	14.343	152	15370	0.404	ng	100
17) Acenaphthene	14.685	154	10472	0.392	ng	99
18) Fluorene	15.679	166	14177	0.440	ng	99
20) 4,6-Dinitro-2-methylph...	15.774	198	284	0.284	ng	# 1
21) 4-Bromophenyl-phenylether	16.568	248	3807	0.398	ng	96
22) Hexachlorobenzene	16.680	284	4659	0.392	ng	100
23) Atrazine	16.841	200	2814	0.397	ng	98
24) Pentachlorophenol	17.040	266	1118	0.307	ng	97
25) Phenanthrene	17.424	178	20747	0.385	ng	100
26) Anthracene	17.511	178	17016	0.393	ng	100
28) Fluoranthene	19.449	202	20621	0.357	ng	100
30) Pyrene	19.812	202	20408	0.467	ng	100
32) Benzo(a)anthracene	21.564	228	14922	0.399	ng	100
33) Chrysene	21.618	228	15484	0.373	ng	99
34) Bis(2-ethylhexyl)phtha...	21.483	149	10457	0.583	ng	98
36) Indeno(1,2,3-cd)pyrene	26.636	276	14632	0.376	ng	100
37) Benzo(b)fluoranthene	23.292	252	13315	0.365	ng	97
38) Benzo(k)fluoranthene	23.341	252	12960	0.357	ng	99
39) Benzo(a)pyrene	23.938	252	10938	0.393	ng	# 93
40) Dibenzo(a,h)anthracene	26.660	278	11572	0.373	ng	99
41) Benzo(g,h,i)perylene	27.438	276	12238	0.366	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN101922\
Data File : BN022179.D
Acq On : 18 Oct 2022 16:12
Operator : CG/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Quant Time: Oct 19 02:09:00 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 19 02:07:41 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.957 min Scan# 61
 Delta R.T. -0.000 min
 Lab File: BN022179.D
 Acq: 18 Oct 2022 16:12




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:152 Resp: 4152
 Ion Ratio Lower Upper
 152 100
 150 153.9 127.2 190.8
 115 62.9 51.4 77.0



#2
 1,4-Dioxane
 Concen: 0.376 ng
 RT: 3.298 min Scan# 44
 Delta R.T. 0.000 min
 Lab File: BN022179.D
 Acq: 18 Oct 2022 16:12

Tgt Ion: 88 Resp: 2020
 Ion Ratio Lower Upper
 88 100
 43 27.0 22.6 34.0
 58 74.3 58.6 88.0









#3
 n-Nitrosodimethylamine
 Concen: 0.381 ng
 RT: 3.638 min Scan# 91
 Delta R.T. 0.000 min
 Lab File: BN022179.D
 Acq: 18 Oct 2022 16:12




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion: 42 Resp: 2224
 Ion Ratio Lower Upper
 42 100
 74 134.5 101.6 152.4
 44 8.6 10.4 15.6#



#4
 2-Fluorophenol
 Concen: 0.502 ng
 RT: 5.479 min Scan# 346
 Delta R.T. 0.000 min
 Lab File: BN022179.D
 Acq: 18 Oct 2022 16:12

Tgt Ion: 112 Resp: 4831
 Ion Ratio Lower Upper
 112 100
 64 58.4 46.9 70.3
 63 30.4 24.6 37.0









#5
Phenol-d6
Concen: 0.511 ng
RT: 7.112 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:	99	Resp:	6383
Ion	Ratio	Lower	Upper
99	100		
42	18.7	15.9	23.9
71	32.6	25.6	38.4



#6
bis(2-Chloroethyl)ether
Concen: 0.405 ng
RT: 7.379 min Scan# 609
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:	93	Resp:	5336
Ion	Ratio	Lower	Upper
93	100		
63	79.1	64.8	97.2
95	33.3	26.6	40.0









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.784 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:136	Resp:	13868
Ion Ratio	Lower	Upper
136	100	
137	11.5	9.2 13.8
54	8.0	7.1 10.7
68	7.1	6.2 9.2



#8
Nitrobenzene-d5
Concen: 0.436 ng
RT: 9.129 min Scan# 815
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion: 82	Resp:	4866
Ion Ratio	Lower	Upper
82	100	
128	37.8	29.9 44.9
54	51.5	43.5 65.3





#9

Naphthalene

Concen: 0.398 ng

RT: 10.837 min Scan# 91

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:128 Resp: 16681

Ion Ratio Lower Upper

128 100

129 11.4 9.3 13.9

127 13.2 10.6 16.0



#10

Hexachlorobutadiene

Concen: 0.374 ng

RT: 11.115 min Scan# 1001

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12




Tgt Ion:225 Resp: 2711


Ion Ratio Lower Upper

225 100

223 0.0 0.0 0.0

227 63.8 51.3 76.9





#11

2-Methylnaphthalene-d10

Concen: 0.369 ng

RT: 12.380 min Scan# 1190

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :





SSTDCCC0.4

Tgt Ion:152 Resp: 9414

Ion Ratio Lower Upper

152 100

151 19.1 13.8 20.6



#12

2-Methylnaphthalene

Concen: 0.556 ng

RT: 12.085 min Scan# 1190

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12




Tgt Ion:142 Resp: 3451


Ion Ratio Lower Upper

142 100

141 13.9 13.6 20.4

115 7.2 9.7 14.5#









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.621 min Scan# 14
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:164 Resp: 7987
Ion Ratio Lower Upper
164 100
162 106.5 84.3 126.5
160 52.2 41.7 62.5



#14
2,4,6-Tribromophenol
Concen: 0.386 ng
RT: 16.121 min Scan# 1634
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:330 Resp: 1177
Ion Ratio Lower Upper
330 100
332 97.9 77.0 115.4
141 46.2 35.3 52.9









#15
2-Fluorobiphenyl
Concen: 0.393 ng
RT: 13.253 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:172 Resp: 13698
Ion Ratio Lower Upper
172 100
171 34.5 27.2 40.8
170 23.1 18.3 27.5



#16
Acenaphthylene
Concen: 0.404 ng
RT: 14.343 min Scan# 1473
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:152 Resp: 15370
Ion Ratio Lower Upper
152 100
151 19.3 15.5 23.3
153 12.8 10.4 15.6









#17
Acenaphthene
Concen: 0.392 ng
RT: 14.685 min Scan# 1505
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:154 Resp: 10472
Ion Ratio Lower Upper
154 100
153 114.6 92.1 138.1
152 57.5 47.8 71.6



#18
Fluorene
Concen: 0.440 ng
RT: 15.679 min Scan# 1598
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:166 Resp: 14177
Ion Ratio Lower Upper
166 100
165 99.3 80.0 120.0
167 13.2 10.9 16.3





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.387 min Scan# 11

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:188 Resp: 15684

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 8.9 7.5 11.3



#20

4,6-Dinitro-2-methylphenol

Concen: 0.284 ng

RT: 15.774 min Scan# 1606

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12




Tgt Ion:198 Resp: 284


Ion Ratio Lower Upper

198 100

51 349.1 96.6 144.8#

105 79.3 64.4 96.6









#21
4-Bromophenyl-phenylether
Concen: 0.398 ng
RT: 16.568 min Scan# 1670
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:248 Resp: 3807
Ion Ratio Lower Upper
248 100
250 96.8 76.6 114.8
141 66.0 57.5 86.3



#22
Hexachlorobenzene
Concen: 0.392 ng
RT: 16.680 min Scan# 1679
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:284 Resp: 4659
Ion Ratio Lower Upper
284 100
142 41.6 33.4 50.0
249 31.3 25.1 37.7









#23
Atrazine
Concen: 0.397 ng
RT: 16.841 min Scan# 1
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:200 Resp: 2814
Ion Ratio Lower Upper
200 100
173 28.0 24.6 36.8
215 46.7 37.1 55.7



#24
Pentachlorophenol
Concen: 0.307 ng
RT: 17.040 min Scan# 1708
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:266 Resp: 1118
Ion Ratio Lower Upper
266 100
264 61.3 49.8 74.6
268 65.4 49.6 74.4









#25
Phenanthrene
Concen: 0.385 ng
RT: 17.424 min Scan# 1739
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:178 Resp: 20747
Ion Ratio Lower Upper
178 100
176 19.2 15.4 23.0
179 15.3 12.2 18.2



#26
Anthracene
Concen: 0.393 ng
RT: 17.511 min Scan# 1746
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:178 Resp: 17016
Ion Ratio Lower Upper
178 100
176 18.5 14.8 22.2
179 15.2 12.2 18.2









#27
Fluoranthene-d10
Concen: 0.360 ng
RT: 19.420 min Scan# 2119
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:212 Resp: 14990
Ion Ratio Lower Upper
212 100
106 18.7 15.2 22.8
104 10.4 8.6 13.0



#28
Fluoranthene
Concen: 0.357 ng
RT: 19.449 min Scan# 2126
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:202 Resp: 20621
Ion Ratio Lower Upper
202 100
101 14.3 11.4 17.0
203 16.8 13.5 20.3





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.582 min Scan# 2434

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:240 Resp: 9946

Ion Ratio Lower Upper

240 100

120 17.2 11.8 17.6

236 28.4 22.4 33.6



#30

Pyrene

Concen: 0.467 ng

RT: 19.812 min Scan# 2212

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12




Tgt Ion:202 Resp: 20408


Ion Ratio Lower Upper

202 100

200 20.9 16.6 25.0

203 17.9 14.1 21.1





#31

Terphenyl-d14

Concen: 0.446 ng

RT: 20.015 min Scan# 21

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:244 Resp: 8920

Ion Ratio Lower Upper

244 100

212 9.0 6.5 9.7

122 14.9 9.1 13.7#



#32

Benzo(a)anthracene

Concen: 0.399 ng

RT: 21.564 min Scan# 2432

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12




Tgt Ion:228 Resp: 14922


Ion Ratio Lower Upper

228 100

226 27.8 22.2 33.4

229 19.8 16.2 24.2





#33

Chrysene

Concen: 0.373 ng

RT: 21.618 min Scan# 2438

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:228 Resp: 15484

Ion Ratio Lower Upper

228 100

226 31.2 24.2 36.2

229 19.7 15.8 23.6



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.583 ng

RT: 21.483 min Scan# 2423

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12




Tgt Ion:149 Resp: 10457


Ion Ratio Lower Upper

149 100

167 26.3 20.2 30.4

279 3.0 2.3 3.5





#35

Perylene-d12

Concen: 0.400 ng

RT: 24.052 min Scan# 3089

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:264 Resp: 7694

Ion Ratio Lower Upper

264 100

260 27.0 21.3 31.9

265 71.9 63.0 94.4



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.376 ng

RT: 26.636 min Scan# 3973

Delta R.T. 0.000 min

Lab File: BN022179.D

Acq: 18 Oct 2022 16:12




Tgt Ion:276 Resp: 14632


Ion Ratio Lower Upper

276 100

138 35.0 28.0 42.0

277 24.7 19.8 29.8









#37
Benzo(b)fluoranthene
Concen: 0.365 ng
RT: 23.292 min Scan# 2829
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:252 Resp: 13315
Ion Ratio Lower Upper
252 100
253 26.7 20.6 31.0
125 22.1 15.6 23.4



#38
Benzo(k)fluoranthene
Concen: 0.357 ng
RT: 23.341 min Scan# 2846
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:252 Resp: 12960
Ion Ratio Lower Upper
252 100
253 25.8 20.4 30.6
125 19.9 15.8 23.6









#39
Benzo(a)pyrene
Concen: 0.393 ng
RT: 23.938 min Scan# 3063
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:252 Resp: 10938
Ion Ratio Lower Upper
252 100
253 28.5 23.2 34.8
125 33.8 21.1 31.7#



#40
Dibenzo(a,h)anthracene
Concen: 0.373 ng
RT: 26.660 min Scan# 3981
Delta R.T. 0.000 min
Lab File: BN022179.D
Acq: 18 Oct 2022 16:12

Tgt Ion:278 Resp: 11572
Ion Ratio Lower Upper
278 100
139 25.5 19.9 29.9
279 26.8 21.9 32.9





#41

Benzo(g,h,i)perylene

Concen: 0.366 ng

RT: 27.438 min Scan# 41

Delta R.T. 0.000 min

Lab File: BN022179.D


Acq: 18 Oct 2022 16:12

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4



Tgt Ion:276 Resp: 12238

Ion Ratio Lower Upper

276 100

277 24.9 20.0 30.0

138 31.4 25.2 37.8

