

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110121\
 Data File : BN017216.D
 Acq On : 01 Nov 2021 16:49
 Operator : CG/JU
 Sample : SSTDICV0.4
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 ICVBN110121

Quant Time: Nov 01 17:20:47 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN110121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 01 17:00:24 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
2	1,4-Dioxane	0.285	0.279	2.1	92	0.00
3	n-Nitrosodimethylamine	0.376	0.354	5.9	90	0.00
4 S	2-Fluorophenol	0.969	0.903	6.8	89	0.00
5 S	Phenol-d6	1.056	0.978	7.4	91	0.00
6	bis(2-Chloroethyl)ether	1.089	1.072	1.6	92	0.00
7 I	Naphthalene-d8	1.000	1.000	0.0	91	0.00
8 S	Nitrobenzene-d5	0.246	0.224	8.9	93	0.00
9	Naphthalene	1.077	1.045	3.0	90	0.00
10	Hexachlorobutadiene	0.196	0.194	1.0	92	0.00
11 SURR	2-Methylnaphthalene-d10	0.565	0.556	1.6	92	0.00
12	2-Methylnaphthalene	0.663	0.664	-0.2	92	0.00
13 I	Acenaphthene-d10	1.000	1.000	0.0	93	0.00
14 S	2,4,6-Tribromophenol	0.139	0.117	15.8	95	0.00
15 S	2-Fluorobiphenyl	1.503	1.485	1.2	93	0.00
16	Acenaphthylene	1.643	1.576	4.1	94	0.00
17	Acenaphthene	1.100	1.091	0.8	93	0.00
18	Fluorene	1.303	1.298	0.4	94	0.00
19 I	Phenanthrene-d10	1.000	1.000	0.0	95	0.00
20	4,6-Dinitro-2-methylphenol	0.042	0.020	52.4#	88	0.00
21	4-Bromophenyl-phenylether	0.224	0.215	4.0	94	0.00
22	Hexachlorobenzene	0.241	0.244	-1.2	98	0.00
23	Atrazine	0.152	0.143	5.9	97	0.00
24	Pentachlorophenol	0.076	0.050	34.2#	93	0.00
25	Phenanthrene	1.121	1.129	-0.7	96	0.00
26	Anthracene	0.965	0.928	3.8	97	-0.01
27 SURR	Fluoranthene-d10	1.018	0.993	2.5	96	0.00
28	Fluoranthene	1.228	1.236	-0.7	95	0.00
29 I	Chrysene-d12	1.000	1.000	0.0	94	0.00
30	Pyrene	1.279	1.265	1.1	97	0.00
31 S	Terphenyl-d14	0.874	0.868	0.7	96	0.00
32	Benzo(a)anthracene	1.242	1.194	3.9	97	0.00
33	Chrysene	1.267	1.254	1.0	95	0.00
34	Bis(2-ethylhexyl)phthalate	0.598	0.434	27.4#	96	0.00
35 I	Perylene-d12	1.000	1.000	0.0	96	0.00
36	Indeno(1,2,3-cd)pyrene	1.410	1.371	2.8	97	0.00
37	Benzo(b)fluoranthene	1.287	1.244	3.3	94	0.00
38	Benzo(k)fluoranthene	1.277	1.279	-0.2	99	0.00
39 C	Benzo(a)pyrene	1.162	1.115	4.0	96	0.00
40	Dibenzo(a,h)anthracene	1.139	1.098	3.6	97	0.00
41	Benzo(g,h,i)perylene	1.238	1.176	5.0	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

Instrument :

BNA_N

ClientSampleId :

ICVBN110121