

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110322\
 Data File : BN022488.D
 Acq On : 03 Nov 2022 21:45
 Operator : CG/JU
 Sample : N5414-01
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW3

Quant Time: Nov 04 04:08:42 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 04 03:28:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.920	152	2925	0.400	ng	0.00
7) Naphthalene-d8	10.741	136	10626	0.400	ng	#-0.01
13) Acenaphthene-d10	14.589	164	9956	0.400	ng	#-0.01
19) Phenanthrene-d10	17.350	188	12334	0.400	ng	# 0.00
29) Chrysene-d12	21.555	240	11919	0.400	ng	# 0.00
35) Perylene-d12	24.008	264	10441	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.443	112	1888	0.229	ng	0.00
5) Phenol-d6	7.083	99	745	0.072	ng	0.00
8) Nitrobenzene-d5	9.097	82	2523	0.263	ng	-0.01
11) 2-Methylnaphthalene-d10	12.342	152	4130	0.232	ng	0.00
14) 2,4,6-Tribromophenol	16.096	330	1153	0.221	ng	0.00
15) 2-Fluorobiphenyl	13.221	172	7294	0.176	ng	0.00
27) Fluoranthene-d10	19.390	212	10674	0.317	ng	0.00
31) Terphenyl-d14	19.989	244	9914	0.267	ng	0.00
Target Compounds						
9) Naphthalene	10.795	128	1467879	45.600	ng	Qvalue 98
17) Acenaphthene	14.653	154	2648	0.081	ng	# 87
18) Fluorene	15.647	166	5382	0.118	ng	# 96
34) Bis(2-ethylhexyl)phtha...	21.457	149	6518	0.161	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110322\
Data File : BN022488.D
Acq On : 03 Nov 2022 21:45
Operator : CG/JU
Sample : N5414-01
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW3

Quant Time: Nov 04 04:08:42 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 04 03:28:17 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.920 min Scan# 61
 Delta R.T. 0.000 min
 Lab File: BN022488.D
 Acq: 03 Nov 2022 21:45




Instrument :
 BNA_N
 ClientSampleId :
 MW3


Tgt Ion:152 Resp: 2925
 Ion Ratio Lower Upper
 152 100
 150 153.3 123.4 185.2
 115 68.5 54.9 82.3



#4
 2-Fluorophenol
 Concen: 0.229 ng
 RT: 5.443 min Scan# 341
 Delta R.T. -0.007 min
 Lab File: BN022488.D
 Acq: 03 Nov 2022 21:45

Tgt Ion:112 Resp: 1888
 Ion Ratio Lower Upper
 112 100
 64 0.0 47.1 70.7#
 63 0.0 24.6 36.8#









#5
Phenol-d6
Concen: 0.072 ng
RT: 7.083 min Scan# 568
Delta R.T. -0.007 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45




Instrument :
BNA_N
ClientSampleId :
MW3


Tgt Ion: 99 Resp: 745
Ion Ratio Lower Upper
99 100
42 0.0 14.7 22.1#
71 26.3 27.0 40.6#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.741 min Scan# 966
Delta R.T. -0.011 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45

Tgt Ion: 136 Resp: 10626
Ion Ratio Lower Upper
136 100
137 12.0 9.5 14.3
54 13.7 7.1 10.7#
68 12.8 6.1 9.1#









#8
Nitrobenzene-d5
Concen: 0.263 ng
RT: 9.097 min Scan# 813
Delta R.T. -0.011 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45




Instrument :
BNA_N
ClientSampleId :
MW3


Tgt Ion: 82 Resp: 2523
Ion Ratio Lower Upper
82 100
128 312.1 37.3 55.9#
54 64.9 40.0 60.0#



#9
Naphthalene
Concen: 45.600 ng
RT: 10.795 min Scan# 971
Delta R.T. 0.000 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45

Tgt Ion: 128 Resp: 1467879
Ion Ratio Lower Upper
128 100
129 11.6 9.8 14.6
127 13.1 11.4 17.2









#11
2-Methylnaphthalene-d10
Concen: 0.232 ng
RT: 12.342 min Scan# 11
Delta R.T. -0.007 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45




Instrument :
BNA_N
ClientSampleId :
MW3


Tgt Ion:152 Resp: 4130
Ion Ratio Lower Upper
152 100
151 21.3 16.6 25.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.589 min Scan# 1496
Delta R.T. -0.011 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45

Tgt Ion:164 Resp: 9956
Ion Ratio Lower Upper
164 100
162 97.0 82.0 123.0
160 117.0 39.4 59.2#









#14
2,4,6-Tribromophenol
Concen: 0.221 ng
RT: 16.096 min Scan# 1
Delta R.T. 0.000 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45




Instrument :
BNA_N
ClientSampleId :
MW3


Tgt Ion: 330 Resp: 1153
Ion Ratio Lower Upper
330 100
332 95.8 77.8 116.8
141 44.5 35.0 52.6



#15
2-Fluorobiphenyl
Concen: 0.176 ng
RT: 13.221 min Scan# 1368
Delta R.T. 0.000 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45

Tgt Ion: 172 Resp: 7294
Ion Ratio Lower Upper
172 100
171 34.1 27.9 41.9
170 23.3 19.2 28.8









#17
Acenaphthene
Concen: 0.081 ng
RT: 14.653 min Scan# 1502
Delta R.T. -0.011 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45




Instrument :
BNA_N
ClientSampleId :
MW3


Tgt Ion:154 Resp: 2648
Ion Ratio Lower Upper
154 100
153 123.8 91.8 137.8
152 74.4 45.7 68.5#



#18
Fluorene
Concen: 0.118 ng
RT: 15.647 min Scan# 1595
Delta R.T. 0.000 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45

Tgt Ion:166 Resp: 5382
Ion Ratio Lower Upper
166 100
165 96.8 78.7 118.1
167 20.0 10.2 15.2#









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.350 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45




Instrument :
BNA_N
ClientSampleId :
MW3


Tgt Ion:188 Resp: 12334
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.3 14.6 21.8#



#27
Fluoranthene-d10
Concen: 0.317 ng
RT: 19.390 min Scan# 2112
Delta R.T. -0.004 min
Lab File: BN022488.D
Acq: 03 Nov 2022 21:45

Tgt Ion:212 Resp: 10674
Ion Ratio Lower Upper
212 100
106 19.0 15.2 22.8
104 11.6 8.6 12.8





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.555 min Scan# 2431

Delta R.T. -0.009 min

Lab File: BN022488.D

Acq: 03 Nov 2022 21:45

Instrument :

BNA_N

ClientSampleId :

MW3





Tgt Ion:240 Resp: 11919

Ion Ratio Lower Upper

240 100

120 18.9 12.4 18.6#

236 29.3 22.7 34.1



#31

Terphenyl-d14

Concen: 0.267 ng

RT: 19.989 min Scan# 2254

Delta R.T. -0.004 min

Lab File: BN022488.D

Acq: 03 Nov 2022 21:45




Tgt Ion:244 Resp: 9914


Ion Ratio Lower Upper

244 100

212 10.5 7.8 11.8

122 0.0 0.0 0.0









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.161 ng
 RT: 21.457 min Scan# 2420
 Delta R.T. 0.000 min
 Lab File: BN022488.D
 Acq: 03 Nov 2022 21:45

Instrument :
 BNA_N
 ClientSampleId :
 MW3

Tgt Ion:149 Resp: 6518
 Ion Ratio Lower Upper
 149 100
 167 27.1 21.3 31.9
 279 2.8 2.7 4.1



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.008 min Scan# 3074
 Delta R.T. -0.006 min
 Lab File: BN022488.D
 Acq: 03 Nov 2022 21:45

Tgt Ion:264 Resp: 10441
 Ion Ratio Lower Upper
 264 100
 260 27.5 22.4 33.6
 265 55.2 44.4 66.6

