

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110322\
 Data File : BN022500.D
 Acq On : 04 Nov 2022 06:23
 Operator : CG/JU
 Sample : N5420-05
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RW8-PT-OUT-02-11012022

Quant Time: Nov 04 07:34:16 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 04 03:28:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.921	152	2066	0.400	ng	0.00
7) Naphthalene-d8	10.752	136	9695	0.400	ng	0.00
13) Acenaphthene-d10	14.589	164	6227	0.400	ng	-0.01
19) Phenanthrene-d10	17.350	188	13654	0.400	ng	# 0.00
29) Chrysene-d12	21.555	240	10759	0.400	ng	# 0.00
35) Perylene-d12	24.008	264	8624	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.451	112	1011	0.173	ng	0.00
5) Phenol-d6	7.097	99	671	0.091	ng	0.00
8) Nitrobenzene-d5	9.108	82	2049	0.234	ng	0.00
11) 2-Methylnaphthalene-d10	12.349	152	4228	0.260	ng	0.00
14) 2,4,6-Tribromophenol	16.109	330	244	0.075	ng	0.01
15) 2-Fluorobiphenyl	13.221	172	6982	0.269	ng	0.00
27) Fluoranthene-d10	19.390	212	11772	0.316	ng	0.00
31) Terphenyl-d14	19.989	244	12569	0.375	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.457	149	867	0.024	ng	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110322\
Data File : BN022500.D
Acq On : 04 Nov 2022 06:23
Operator : CG/JU
Sample : N5420-05
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022


Quant Time: Nov 04 07:34:16 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 04 03:28:17 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.921 min Scan# 684
Delta R.T. 0.001 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022







Tgt Ion:152 Resp: 2066
Ion Ratio Lower Upper
152 100
150 152.0 123.4 185.2
115 67.6 54.9 82.3



#4
2-Fluorophenol
Concen: 0.173 ng
RT: 5.451 min Scan# 342
Delta R.T. 0.000 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Tgt Ion:112 Resp: 1011
Ion Ratio Lower Upper
112 100
64 55.4 47.1 70.7
63 28.0 24.6 36.8









#5
Phenol-d6
Concen: 0.091 ng
RT: 7.097 min Scan# 51
Delta R.T. 0.007 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23




Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022


Tgt Ion:	99	Resp:	671
Ion	Ratio	Lower	Upper
99	100		
42	17.6	14.7	22.1
71	28.3	27.0	40.6



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.752 min Scan# 967
Delta R.T. 0.000 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Tgt Ion:	136	Resp:	9695
Ion	Ratio	Lower	Upper
136	100		
137	12.3	9.5	14.3
54	8.9	7.1	10.7
68	7.8	6.1	9.1









#8
Nitrobenzene-d5
Concen: 0.234 ng
RT: 9.108 min Scan# 813
Delta R.T. 0.000 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23




Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022


Tgt Ion: 82 Resp: 2049
Ion Ratio Lower Upper
82 100
128 44.1 37.3 55.9
54 55.9 40.0 60.0



#11
2-Methylnaphthalene-d10
Concen: 0.260 ng
RT: 12.349 min Scan# 1260
Delta R.T. 0.000 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Tgt Ion: 152 Resp: 4228
Ion Ratio Lower Upper
152 100
151 20.4 16.6 25.0









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.589 min Scan# 1496
Delta R.T. -0.011 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23




Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022


Tgt Ion:164 Resp: 6227
Ion Ratio Lower Upper
164 100
162 104.9 82.0 123.0
160 51.2 39.4 59.2



#14
2,4,6-Tribromophenol
Concen: 0.075 ng
RT: 16.109 min Scan# 1633
Delta R.T. 0.013 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Tgt Ion:330 Resp: 244
Ion Ratio Lower Upper
330 100
332 93.0 77.8 116.8
141 48.4 35.0 52.6









#15
2-Fluorobiphenyl
Concen: 0.269 ng
RT: 13.221 min Scan# 1368
Delta R.T. 0.000 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23




Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022


Tgt Ion:	172	Resp:	6982
Ion Ratio	Lower	Upper	
172	100		
171	34.8	27.9	41.9
170	24.2	19.2	28.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.350 min Scan# 1733
Delta R.T. 0.000 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Tgt Ion:	188	Resp:	13654
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	14.2	14.6	21.8









#27
Fluoranthene-d10
Concen: 0.316 ng
RT: 19.390 min Scan# 2112
Delta R.T. -0.004 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23




Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022


Tgt Ion:212 Resp: 11772
Ion Ratio Lower Upper
212 100
106 18.6 15.2 22.8
104 10.8 8.6 12.8



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.555 min Scan# 2431
Delta R.T. -0.009 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Tgt Ion:240 Resp: 10759
Ion Ratio Lower Upper
240 100
120 19.7 12.4 18.6#
236 28.2 22.7 34.1









#31
Terphenyl-d14
Concen: 0.375 ng
RT: 19.989 min Scan# 21
Delta R.T. -0.004 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23




Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022


Tgt Ion:244 Resp: 12569
Ion Ratio Lower Upper
244 100
212 9.3 7.8 11.8
122 0.0 0.0 0.0



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.024 ng
RT: 21.457 min Scan# 2420
Delta R.T. 0.000 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23


Tgt Ion:149 Resp: 867
Ion Ratio Lower Upper
149 100
167 24.5 21.3 31.9
279 3.1 2.7 4.1





#35
Perylene-d12
Concen: 0.400 ng
RT: 24.008 min Scan# 30
Delta R.T. -0.006 min
Lab File: BN022500.D
Acq: 04 Nov 2022 06:23

Instrument :
BNA_N
ClientSampleId :
RW8-PT-OUT-02-11012022



Tgt Ion:264 Resp: 8624

Ion	Ratio	Lower	Upper
264	100		
260	27.2	22.4	33.6
265	62.0	44.4	66.6

