

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110422\
 Data File : BN022513.D
 Acq On : 04 Nov 2022 18:21
 Operator : CG/JU
 Sample : N5395-01DL 5X
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 S-1-103122DL

Quant Time: Nov 05 01:58:15 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 04 03:28:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.913	152	3958	0.400	ng	0.00
7) Naphthalene-d8	10.741	136	13334	0.400	ng	-0.01
13) Acenaphthene-d10	14.589	164	8275	0.400	ng	-0.01
19) Phenanthrene-d10	17.350	188	17744	0.400	ng	# 0.00
29) Chrysene-d12	21.564	240	14981	0.400	ng	0.00
35) Perylene-d12	24.014	264	13601	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.443	112	528	0.047	ng	0.00
5) Phenol-d6	7.083	99	902	0.064	ng	0.00
8) Nitrobenzene-d5	9.097	82	576	0.048	ng	-0.01
11) 2-Methylnaphthalene-d10	12.342	152	894	0.040	ng	0.00
14) 2,4,6-Tribromophenol	16.096	330	110	0.025	ng	0.00
15) 2-Fluorobiphenyl	13.220	172	1497	0.043	ng	0.00
27) Fluoranthene-d10	19.394	212	1946	0.040	ng	0.00
31) Terphenyl-d14	19.993	244	1803	0.039	ng	0.00
Target Compounds						Qvalue
9) Naphthalene	10.795	128	1852	0.046	ng	# 89
16) Acenaphthylene	14.311	152	13653	0.325	ng	100
17) Acenaphthene	14.653	154	2144	0.079	ng	96
18) Fluorene	15.647	166	15211	0.401	ng	99
20) 4,6-Dinitro-2-methylph...	15.724	198	1	0.231	ng	# 1
24) Pentachlorophenol	17.002	266	63	0.180	ng	93
25) Phenanthrene	17.387	178	199404	3.362	ng	100
26) Anthracene	17.486	178	65331	1.252	ng	100
28) Fluoranthene	19.424	202	200343	3.135	ng	99
30) Pyrene	19.786	202	139640	2.159	ng	99
32) Benzo(a)anthracene	21.546	228	62583	1.039	ng	97
33) Chrysene	21.600	228	50617	0.848	ng	98
34) Bis(2-ethylhexyl)phtha...	21.465	149	1568	0.031	ng	97
36) Indeno(1,2,3-cd)pyrene	26.584	276	23386	0.357	ng	94
37) Benzo(b)fluoranthene	23.262	252	55815	1.044	ng	# 93
39) Benzo(a)pyrene	23.795	252	23347	0.510	ng	97
40) Dibenzo(a,h)anthracene	26.598	278	5686	0.109	ng	# 82
41) Benzo(g,h,i)perylene	27.379	276	19829	0.358	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110422\
Data File : BN022513.D
Acq On : 04 Nov 2022 18:21
Operator : CG/JU
Sample : N5395-01DL 5X
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
S-1-103122DL

Quant Time: Nov 05 01:58:15 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 04 03:28:17 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.913 min Scan# 61
Delta R.T. -0.007 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion:152 Resp: 3958
Ion Ratio Lower Upper
152 100
150 157.0 123.4 185.2
115 65.6 54.9 82.3



#4
2-Fluorophenol
Concen: 0.047 ng
RT: 5.443 min Scan# 341
Delta R.T. -0.007 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion:112 Resp: 528
Ion Ratio Lower Upper
112 100
64 58.7 47.1 70.7
63 30.3 24.6 36.8









#5
Phenol-d6
Concen: 0.064 ng
RT: 7.083 min Scan# 50
Delta R.T. -0.007 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion: 99 Resp: 902
Ion Ratio Lower Upper
99 100
42 21.7 14.7 22.1
71 34.4 27.0 40.6



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.741 min Scan# 966
Delta R.T. -0.011 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion: 136 Resp: 13334
Ion Ratio Lower Upper
136 100
137 11.5 9.5 14.3
54 9.8 7.1 10.7
68 8.9 6.1 9.1









#8
Nitrobenzene-d5
Concen: 0.048 ng
RT: 9.097 min Scan# 813
Delta R.T. -0.011 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion: 82 Resp: 576
Ion Ratio Lower Upper
82 100
128 57.2 37.3 55.9#
54 59.8 40.0 60.0



#9
Naphthalene
Concen: 0.046 ng
RT: 10.795 min Scan# 971
Delta R.T. -0.000 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion: 128 Resp: 1852
Ion Ratio Lower Upper
128 100
129 16.9 9.8 14.6#
127 18.0 11.4 17.2#









#11
2-Methylnaphthalene-d10
Concen: 0.040 ng
RT: 12.342 min Scan# 11
Delta R.T. -0.008 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion:152 Resp: 894
Ion Ratio Lower Upper
152 100
151 21.0 16.6 25.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.589 min Scan# 1496
Delta R.T. -0.011 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion:164 Resp: 8275
Ion Ratio Lower Upper
164 100
162 105.4 82.0 123.0
160 50.6 39.4 59.2









#14
2,4,6-Tribromophenol
Concen: 0.025 ng
RT: 16.096 min Scan# 1632
Delta R.T. -0.000 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion: 330 Resp: 110
Ion Ratio Lower Upper
330 100
332 98.2 77.8 116.8
141 54.5 35.0 52.6#



#15
2-Fluorobiphenyl
Concen: 0.043 ng
RT: 13.220 min Scan# 1368
Delta R.T. -0.000 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion: 172 Resp: 1497
Ion Ratio Lower Upper
172 100
171 36.2 27.9 41.9
170 25.9 19.2 28.8









#16
Acenaphthylene
Concen: 0.325 ng
RT: 14.311 min Scan# 1470
Delta R.T. -0.011 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion:152 Resp: 13653
Ion Ratio Lower Upper
152 100
151 19.7 15.8 23.6
153 13.2 10.3 15.5



#17
Acenaphthene
Concen: 0.079 ng
RT: 14.653 min Scan# 1502
Delta R.T. -0.011 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion:154 Resp: 2144
Ion Ratio Lower Upper
154 100
153 116.1 91.8 137.8
152 63.9 45.7 68.5





#18

Fluorene

Concen: 0.401 ng

RT: 15.647 min Scan# 1595

Delta R.T. -0.000 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21

Instrument :

BNA_N

ClientSampleId :

S-1-103122DL





Tgt Ion:166 Resp: 15211

Ion Ratio Lower Upper

166 100

165 97.6 78.7 118.1

167 13.0 10.2 15.2



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.350 min Scan# 1733

Delta R.T. -0.000 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21




Tgt Ion:188 Resp: 17744


Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 12.8 14.6 21.8#









#20
4,6-Dinitro-2-methylphenol
Concen: 0.231 ng
RT: 15.724 min Scan# 1
Delta R.T. -0.025 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion:198 Resp: 1
Ion Ratio Lower Upper
198 100
51 268.8 83.8 125.8#
105 197.9 71.4 107.2#



#24
Pentachlorophenol
Concen: 0.180 ng
RT: 17.002 min Scan# 1705
Delta R.T. -0.013 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion:266 Resp: 63
Ion Ratio Lower Upper
266 100
264 55.6 50.6 75.8
268 71.4 54.1 81.1





#25

Phenanthrene

Concen: 3.362 ng

RT: 17.387 min Scan# 1736

Delta R.T. -0.013 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21

Instrument :

BNA_N

ClientSampleId :

S-1-103122DL





Tgt Ion:178 Resp: 199404

Ion Ratio Lower Upper

178 100

176 19.4 15.4 23.2

179 15.3 12.2 18.4



#26

Anthracene

Concen: 1.252 ng

RT: 17.486 min Scan# 1744

Delta R.T. -0.000 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21




Tgt Ion:178 Resp: 65331


Ion Ratio Lower Upper

178 100

176 18.6 14.8 22.2

179 14.9 12.2 18.2









#27
Fluoranthene-d10
Concen: 0.040 ng
RT: 19.394 min Scan# 2113
Delta R.T. -0.000 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion:212 Resp: 1946
Ion Ratio Lower Upper
212 100
106 19.1 15.2 22.8
104 13.4 8.6 12.8#



#28
Fluoranthene
Concen: 3.135 ng
RT: 19.424 min Scan# 2120
Delta R.T. -0.004 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion:202 Resp: 200343
Ion Ratio Lower Upper
202 100
101 14.2 11.2 16.8
203 17.3 13.6 20.4





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.564 min Scan# 2432

Delta R.T. -0.000 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21

Instrument :

BNA_N

ClientSampleId :

S-1-103122DL





Tgt Ion:240 Resp: 14981

Ion Ratio Lower Upper

240 100

120 13.3 12.4 18.6

236 28.2 22.7 34.1



#30

Pyrene

Concen: 2.159 ng

RT: 19.786 min Scan# 2206

Delta R.T. -0.004 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21




Tgt Ion:202 Resp: 139640


Ion Ratio Lower Upper

202 100

200 21.0 17.0 25.4

203 18.4 14.3 21.5









#31
 Terphenyl-d14
 Concen: 0.039 ng
 RT: 19.993 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN022513.D
 Acq: 04 Nov 2022 18:21




Instrument :
 BNA_N
 ClientSampleId :
 S-1-103122DL


Tgt Ion:244 Resp: 1803
 Ion Ratio Lower Upper
 244 100
 212 13.6 7.8 11.8#
 122 0.0 0.0 0.0



#32
 Benzo(a)anthracene
 Concen: 1.039 ng
 RT: 21.546 min Scan# 2430
 Delta R.T. -0.000 min
 Lab File: BN022513.D
 Acq: 04 Nov 2022 18:21

Tgt Ion:228 Resp: 62583
 Ion Ratio Lower Upper
 228 100
 226 30.2 22.1 33.1
 229 20.2 16.4 24.6









#33
Chrysene
Concen: 0.848 ng
RT: 21.600 min Scan# 2436
Delta R.T. -0.000 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21




Instrument :
BNA_N
ClientSampleId :
S-1-103122DL


Tgt Ion:228 Resp: 50617
Ion Ratio Lower Upper
228 100
226 30.4 24.1 36.1
229 21.7 15.9 23.9



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.031 ng
RT: 21.465 min Scan# 2421
Delta R.T. 0.009 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion:149 Resp: 1568
Ion Ratio Lower Upper
149 100
167 24.9 21.3 31.9
279 3.0 2.7 4.1





#35

Perylene-d12

Concen: 0.400 ng

RT: 24.014 min Scan# 3076

Delta R.T. -0.000 min

Lab File: BN022513.D


Acq: 04 Nov 2022 18:21

Instrument :

BNA_N

ClientSampleId :

S-1-103122DL






Tgt Ion:264 Resp: 13601

Ion Ratio Lower Upper

264 100

260 27.2 22.4 33.6

265 46.2 44.4 66.6



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.357 ng

RT: 26.584 min Scan# 3955

Delta R.T. -0.003 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21




Tgt Ion:276 Resp: 23386


Ion Ratio Lower Upper

276 100

138 29.2 27.5 41.3

277 24.4 19.8 29.6





#37

Benzo(b)fluoranthene

Concen: 1.044 ng

RT: 23.262 min Scan# 2

Delta R.T. 0.003 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21

Instrument :

BNA_N

ClientSampleId :

S-1-103122DL





Tgt Ion:252 Resp: 55815

Ion Ratio Lower Upper

252 100

253 23.4 21.1 31.7

125 16.8 16.8 25.2#



#39

Benzo(a)pyrene

Concen: 0.510 ng

RT: 23.795 min Scan# 3001

Delta R.T. -0.108 min

Lab File: BN022513.D

Acq: 04 Nov 2022 18:21




Tgt Ion:252 Resp: 23347


Ion Ratio Lower Upper

252 100

253 25.4 22.0 33.0

125 24.1 19.8 29.8









#40
Dibenzo(a,h)anthracene
Concen: 0.109 ng
RT: 26.598 min Scan# 3960
Delta R.T. -0.009 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Instrument :
BNA_N
ClientSampleId :
S-1-103122DL

Tgt Ion:278 Resp: 5686
Ion Ratio Lower Upper
278 100
139 35.9 21.8 32.6#
279 37.2 21.5 32.3#



#41
Benzo(g,h,i)perylene
Concen: 0.358 ng
RT: 27.379 min Scan# 4227
Delta R.T. -0.003 min
Lab File: BN022513.D
Acq: 04 Nov 2022 18:21

Tgt Ion:276 Resp: 19829
Ion Ratio Lower Upper
276 100
277 24.5 21.0 31.4
138 31.2 26.0 39.0

