

Data File : BN008565.D
Acq On : 14 Nov 2019 20:19
Operator : JU
Sample : K5656-07
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A5455

Quant Time: Nov 15 04:30:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 15 04:28:01 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	531757	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	2276127	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.26	164	1498069	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.00	188	3202004	20.00	ng/ul	0.00
77) Chrysene-d12	21.20	240	2778159	20.00	ng/ul	0.00
85) Perylene-d12	23.37	264	2994584	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	48032	3.66	ng/uL	0.00
5) Phenol-d5	6.82	99	176644	3.79	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	421366	14.75	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	457584	12.77	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	318800	8.79	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	274335	17.69	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	300165	20.62	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	546480	14.71	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	48031	1.10	ng/ul	0.00
43) Dimethylphthalate-d6	13.67	166	1896095	15.99	ng/ul	0.00
46) Acenaphthylene-d8	13.95	160	2142403	15.84	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	80869	4.40	ng/ul	0.00
57) Fluorene-d10	15.26	176	1653015	16.78	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	257715	21.08	ng/ul	0.00
70) Anthracene-d10	17.10	188	2925162	19.28	ng/ul	0.00
78) Pyrene-d10	19.40	212	3272922	20.63	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.24	264	3115527	20.03	ng/ul	0.00

Target Compounds					Qvalue	
44) Dimethylphthalate	13.72	163	140297	1.222	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BN008565.D

Acq On : 14 Nov 2019 20:19

Operator : JU

Sample : K5656-07

Misc :

ALS Vial : 42 Sample Multiplier: 1

Instrument :

BNA_N

ClientSampleId :

A5455


Quant Time: Nov 15 04:30:58 2019


Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111319MA.M

Quant Title : SVOA CALIBRATION

QLast Update : Fri Nov 15 04:28:01 2019

Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 1.222 ng/ul

RT: 13.72 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BN008565.D

Acq: 14 Nov 2019 20:19

Instrument :

BNA_N

ClientSampleId :

A5455


Tgt Ion:163 Resp: 140297

Ion Ratio Lower Upper

163 100

194 4.8 3.6 5.4

164 9.5 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

