

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN111319\
 Data File : BN008533.D
 Acq On : 13 Nov 2019 21:36
 Operator : JU
 Sample : K5627-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BEJR3

Quant Time: Nov 14 03:29:29 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111319MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 13 15:23:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	259482	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	1102442	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.26	164	719186	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.00	188	1598197	20.00	ng/ul	0.00
77) Chrysene-d12	21.19	240	1461933	20.00	ng/ul	0.00
85) Perylene-d12	23.37	264	1655994	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	38302	5.99	ng/uL	0.00
5) Phenol-d5	6.81	99	169361	7.44	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	381057	27.33	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	395896	22.64	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	280968	15.88	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	213467	28.41	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	204260	28.97	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	441653	24.54	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	39378	1.87	ng/ul	0.00
43) Dimethylphthalate-d6	13.67	166	1728706	30.37	ng/ul	0.00
46) Acenaphthylene-d8	13.95	160	1841212	28.35	ng/ul	0.00
51) 4-Nitrophenol-d4	14.45	143	57321	6.50	ng/ul	0.00
57) Fluorene-d10	15.26	176	1417102	29.97	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	156343	25.63	ng/ul	0.00
70) Anthracene-d10	17.10	188	2548466	33.65	ng/ul	0.00
78) Pyrene-d10	19.40	212	2971845	35.60	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.23	264	3049550	35.46	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	6.84	94	25333	1.078 ng/ul	99
44) Dimethylphthalate	13.72	163	152826	2.773 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN111319\
Data File : BN008533.D
Acq On : 13 Nov 2019 21:36
Operator : JU
Sample : K5627-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BEJR3

Quant Time: Nov 14 03:29:29 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 13 15:23:53 2019
Response via : Initial Calibration









#6

Phenol

Concen: 1.078 ng/ul
 RT: 6.84 min Scan# 655
 Delta R.T. -0.00 min
 Lab File: BN008533.D
 Acq: 13 Nov 2019 21:36

Instrument :
 BNA_N
 ClientSampleId :
 BEJR3

Tot Ion	94	Resp	25333
Ion Ratio	Lower	Upper	
94	100		
65	34.8	27.7	41.5
66	45.3	37.0	55.6



#44

Dimethylphthalate

Concen: 2.773 ng/ul
 RT: 13.72 min Scan# 1825
 Delta R.T. -0.01 min
 Lab File: BN008533.D
 Acq: 13 Nov 2019 21:36

Tgt Ion	163	Resp	152826
Ion Ratio	Lower	Upper	
163	100		
194	4.1	3.6	5.4
164	9.7	8.1	12.1

