

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111321\
 Data File : BN017430.D
 Acq On : 14 Nov 2021 15:59
 Operator : CG/JU
 Sample : PB140498BS
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS498

Quant Time: Nov 15 04:59:17 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN111321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 15 02:31:43 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.868	152	7719	0.400	ng/ul	-0.01
4) Naphthalene-d8	10.663	136	27800	0.400	ng/ul	#-0.01
9) Acenaphthene-d10	14.499	164	16412	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.244	188	33502	0.400	ng/ul	0.00
17) Chrysene-d12	21.428	240	22567	0.400	ng/ul	-0.01
23) Perylene-d12	23.802	264	14864	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.328	96	5287	0.624	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.253	152	14776	0.344	ng/ul	-0.01
18) Fluoranthene-d10	19.274	212	30604	0.377	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.362	88	14946	1.369	ng/ul#	47
5) Naphthalene	10.713	128	26461	0.344	ng/ul	96
7) 2-Methylnaphthalene	12.330	142	18451	0.335	ng/ul	99
8) 1-Methylnaphthalene	12.544	142	17866	0.328	ng/ul	100
10) Acenaphthylene	14.217	152	24406	0.309	ng/ul	98
11) Acenaphthene	14.564	153	19709	0.350	ng/ul	100
12) Fluorene	15.545	166	22856	0.343	ng/ul	100
14) Pentachlorophenol	16.890	266	3641	0.496	ng/ul	98
15) Phenanthrene	17.282	178	36876	0.366	ng/ul	99
16) Anthracene	17.375	178	32956	0.325	ng/ul	99
19) Fluoranthene	19.301	202	40335	0.385	ng/ul	99
20) Pyrene	19.664	202	40447	0.378	ng/ul	97
21) Benzo(a)anthracene	21.411	228	29678	0.354	ng/ul	100
22) Chrysene	21.463	228	32054	0.382	ng/ul	99
24) Benzo(b)fluoranthene	23.079	252	24474	0.403	ng/ul	93
25) Benzo(k)fluoranthene	23.126	252	26097	0.417	ng/ul	97
26) Benzo(a)pyrene	23.693	252	19347	0.381	ng/ul	93
27) Indeno(1,2,3-cd)pyrene	26.257	276	17166	0.401	ng/ul#	87
28) Dibenzo(a,h)anthracene	26.274	278	12869	0.404	ng/ul	94
29) Benzo(g,h,i)perylene	26.998	276	16603	0.424	ng/ul	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111321\
Data File : BN017430.D
Acq On : 14 Nov 2021 15:59
Operator : CG/JU
Sample : PB140498BS
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SLCS498

Quant Time: Nov 15 04:59:17 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN111321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 15 02:31:43 2021
Response via : Initial Calibration

