

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111522\
 Data File : BN022693.D
 Acq On : 16 Nov 2022 18:49
 Operator : CG/JU
 Sample : PB149092BS
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Nov 16 21:38:47 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN111522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 15 22:53:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.875	152	80033	20.000	ng/u1	0.00
20) Naphthalene-d8	10.699	136	355796	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.557	164	220193	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.322	188	438167	20.000	ng/u1	0.00
79) Chrysene-d12	21.527	240	384203	20.000	ng/u1	0.00
88) Perylene-d12	23.957	264	348805	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.193	96	13468	5.745	ng/uL	0.00
4) Pyridine-d5	3.622	84	183861	27.734	ng/u1	0.00
7) Phenol-d5	7.046	99	235333	31.133	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.205	67	143425	31.646	ng/u1	0.00
11) 2-Chlorophenol-d4	7.399	132	173998	31.432	ng/u1	0.00
15) 4-Methylphenol-d8	8.610	113	188204	31.538	ng/u1	0.00
21) Nitrobenzene-d5	9.057	128	88937	32.294	ng/u1	0.00
24) 2-Nitrophenol-d4	9.781	143	98293	31.987	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.328	165	169587	32.372	ng/u1	0.00
31) 4-Chloroaniline-d4	10.851	131	229951	28.817	ng/u1	0.00
46) Dimethylphthalate-d6	13.975	166	505495	31.562	ng/u1	0.00
49) Acenaphthylene-d8	14.251	160	573623	32.505	ng/u1	0.00
54) 4-Nitrophenol-d4	14.792	143	95015	29.759	ng/u1	0.00
60) Fluorene-d10	15.557	176	419018	31.899	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.692	200	81593	29.296	ng/u1	0.00
73) Anthracene-d10	17.422	188	621165	32.375	ng/u1	0.00
81) Pyrene-d10	19.727	212	674365	33.870	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.804	264	579368	33.043	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.228	88	25387	10.177	ng/uL#	95
5) Pyridine	3.646	79	169996	25.862	ng/u1	97
6) Benzaldehyde	7.011	77	131052	34.268	ng/u1	96
8) Phenol	7.075	94	225807	28.682	ng/u1	99
10) Bis(2-Chloroethyl)ether	7.299	93	171540	27.963	ng/u1	99
12) 2-Chlorophenol	7.434	128	171853	29.074	ng/u1	100
13) 2-Methylphenol	8.334	108	167405	28.568	ng/u1	95
14) 2,2'-oxybis(1-Chloropr...	8.416	45	234376	28.943	ng/u1	98
16) Acetophenone	8.716	105	270761	28.428	ng/u1	95
17) N-Nitroso-di-n-propyla...	8.705	70	147662	29.089	ng/u1	99
18) 4-Methylphenol	8.675	108	183199	28.791	ng/u1	98
19) Hexachloroethane	8.952	117	72261	28.874	ng/u1	93
22) Nitrobenzene	9.099	77	222025	29.756	ng/u1	99
23) Isophorone	9.628	82	405986	28.446	ng/u1	100
25) 2-Nitrophenol	9.816	139	100077	29.622	ng/u1	98
26) 2,4-Dimethylphenol	9.881	107	211483	29.182	ng/u1	99
27) Bis(2-Chloroethoxy)met...	10.116	93	237619	28.871	ng/u1	99
29) 2,4-Dichlorophenol	10.357	162	159456	29.947	ng/u1	99
30) Naphthalene	10.751	128	550195	29.134	ng/u1	99
32) 4-Chloroaniline	10.875	127	216899	26.027	ng/u1	99
33) Hexachlorobutadiene	11.028	225	95071	29.008	ng/u1	89
34) Caprolactam	11.675	113	34801	17.228	ng/u1	97
35) 4-Chloro-3-methylphenol	12.016	107	202534	29.165	ng/u1	95
36) 2-Methylnaphthalene	12.375	142	366352	28.477	ng/u1	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111522\
 Data File : BN022693.D
 Acq On : 16 Nov 2022 18:49
 Operator : CG/JU
 Sample : PB149092BS
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Nov 16 21:38:47 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN111522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 15 22:53:43 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.593	142	372656	28.896	ng/ul	97
39) 1,2,4,5-Tetrachloroben...	12.740	216	174283	29.488	ng/ul	96
40) Hexachlorocyclopentadiene	12.710	237	92160	26.708	ng/ul	96
41) 2,4,6-Trichlorophenol	12.993	196	122998	29.311	ng/ul	96
42) 2,4,5-Trichlorophenol	13.069	196	133412	30.023	ng/ul	97
43) 1,1'-Biphenyl	13.387	154	476021	29.452	ng/ul	99
44) 2-Chloronaphthalene	13.434	162	368408	29.252	ng/ul	98
45) 2-Nitroaniline	13.651	65	135422	29.609	ng/ul	97
47) Dimethylphthalate	14.022	163	486932	28.926	ng/ul	98
48) 2,6-Dinitrotoluene	14.151	165	102830	30.177	ng/ul	99
50) Acenaphthylene	14.281	152	582705	29.558	ng/ul	98
51) 3-Nitroaniline	14.481	138	99794	27.199	ng/ul	98
52) Acenaphthene	14.622	153	407542	29.137	ng/ul	100
53) 2,4-Dinitrophenol	14.692	184	50746	21.309	ng/ul	99
55) 4-Nitrophenol	14.804	109	87964	27.794	ng/ul	98
56) Dibenzofuran	14.957	168	549542	29.736	ng/ul	99
57) 2,4-Dinitrotoluene	14.940	165	144913	29.203	ng/ul	94
58) 2,3,4,6-Tetrachlorophenol	15.192	232	110251	28.969	ng/ul	96
59) Diethylphthalate	15.387	149	514486	28.835	ng/ul	99
61) Fluorene	15.610	166	449344	29.115	ng/ul	94
62) 4-Chlorophenyl-phenyle...	15.604	204	211901	29.127	ng/ul	95
63) 4-Nitroaniline	15.651	138	99592	30.437	ng/ul	99
66) 4,6-Dinitro-2-methylph...	15.704	198	76380	26.532	ng/ul	99
67) N-Nitrosodiphenylamine	15.828	169	396446	30.220	ng/ul	99
68) 4-Bromophenyl-phenylether	16.504	248	130421	30.226	ng/ul	99
69) Hexachlorobenzene	16.616	284	152476	30.230	ng/ul	92
70) Atrazine	16.786	200	138354	29.586	ng/ul	99
71) Pentachlorophenol	16.969	266	86077	26.860	ng/ul	89
72) Phenanthrene	17.363	178	712242	30.158	ng/ul	98
74) Anthracene	17.457	178	706125	29.518	ng/ul	100
75) 1,2,3,4-Tetrachloroben...	13.351	216	175732	30.413	ng/ul	97
76) Pentachlorobenzene	14.875	250	171218	27.456	ng/ul	97
77) Carbazole	17.733	167	655377	29.486	ng/ul	99
78) Di-n-butylphthalate	18.292	149	862275	27.259	ng/ul	100
80) Fluoranthene	19.392	202	771865	31.061	ng/ul	99
82) Pyrene	19.757	202	794666	31.218	ng/ul	100
83) Butylbenzylphthalate	20.657	149	389536	30.062	ng/ul	99
84) 3,3'-Dichlorobenzidine	21.451	252	245034	28.905	ng/ul	95
85) Benzo(a)anthracene	21.516	228	740293	29.178	ng/ul	98
86) Bis(2-ethylhexyl)phtha...	21.433	149	562814	29.428	ng/ul	99
87) Chrysene	21.569	228	697554	29.033	ng/ul	99
89) Di-n-octyl phthalate	22.369	149	942950	30.738	ng/ul	100
90) Benzo(b)fluoranthene	23.216	252	715592	30.273	ng/ul	98
91) Benzo(k)fluoranthene	23.263	252	668739	29.804	ng/ul	96
93) Benzo(a)pyrene	23.851	252	586606	29.277	ng/ul	96
94) Indeno(1,2,3-cd)pyrene	26.504	276	634198	27.832	ng/ul	99
95) Dibenzo(a,h)anthracene	26.527	278	562563	27.545	ng/ul	97
96) Benzo(g,h,i)perylene	27.292	276	542792	27.320	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111522\
 Data File : BN022693.D
 Acq On : 16 Nov 2022 18:49
 Operator : CG/JU
 Sample : PB149092BS
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Nov 16 21:38:47 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN111522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 15 22:53:43 2022
 Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 10.177 ng/uL
RT: 3.228 min Scan# 41
Delta R.T. 0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion: 88 Resp: 25387
Ion Ratio Lower Upper
88 100
43 29.6 30.8 46.2#
58 76.9 61.7 92.5



#5
Pyridine
Concen: 25.862 ng/uL
RT: 3.646 min Scan# 112
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion: 79 Resp: 169996
Ion Ratio Lower Upper
79 100
52 77.2 58.6 88.0
51 36.3 28.8 43.2









#6
Benzaldehyde
Concen: 34.268 ng/ul
RT: 7.011 min Scan# 61
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion: 77 Resp: 131052
Ion Ratio Lower Upper
77 100
105 92.8 75.2 112.8
106 91.9 69.0 103.6



#8
Phenol
Concen: 28.682 ng/ul
RT: 7.075 min Scan# 695
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion: 94 Resp: 225807
Ion Ratio Lower Upper
94 100
65 31.3 24.3 36.5
66 41.3 33.5 50.3









#10
 Bis(2-Chloroethyl)ether
 Concen: 27.963 ng/ul
 RT: 7.299 min Scan# 733
 Delta R.T. -0.006 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion: 93 Resp: 171540
 Ion Ratio Lower Upper
 93 100
 63 76.2 61.8 92.6
 95 32.1 26.3 39.5



#12
 2-Chlorophenol
 Concen: 29.074 ng/ul
 RT: 7.434 min Scan# 756
 Delta R.T. -0.006 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49

Tgt Ion:128 Resp: 171853
 Ion Ratio Lower Upper
 128 100
 64 49.8 40.0 60.0
 130 33.1 26.3 39.5





#13

2-Methylphenol

Concen: 28.568 ng/ul

RT: 8.334 min Scan# 910

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N





ClientSampleId :

Tgt Ion:108 Resp: 167405

Ion Ratio Lower Upper

108 100

107 88.2 74.1 111.1



#14

2,2'-oxybis(1-Chloropropane)

Concen: 28.943 ng/ul

RT: 8.416 min Scan# 923

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion: 45 Resp: 234376


Ion Ratio Lower Upper

45 100

77 15.4 13.0 19.4


79 11.4 9.5 14.3








#16
Acetophenone
Concen: 28.428 ng/ul
RT: 8.716 min Scan# 91
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:105 Resp: 270761
Ion Ratio Lower Upper
105 100
77 83.9 64.0 96.0
51 28.5 20.8 31.2



#17
N-Nitroso-di-n-propylamine
Concen: 29.089 ng/ul
RT: 8.705 min Scan# 972
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion: 70 Resp: 147662
Ion Ratio Lower Upper
70 100
42 54.1 43.4 65.2
101 9.0 8.0 12.0
130 19.9 16.2 24.4









#18
4-Methylphenol
Concen: 28.791 ng/ul
RT: 8.675 min Scan# 90
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:108 Resp: 183199
Ion Ratio Lower Upper
108 100
107 109.5 89.4 134.2



#19
Hexachloroethane
Concen: 28.874 ng/ul
RT: 8.952 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:117 Resp: 72261
Ion Ratio Lower Upper
117 100
201 79.0 69.5 104.3
199 52.3 43.9 65.9





#22

Nitrobenzene

Concen: 29.756 ng/ul

RT: 9.099 min Scan# 1039

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion: 77 Resp: 222025

Ion Ratio Lower Upper

77 100

123 41.5 32.6 49.0

65 14.1 10.7 16.1



#23

Isophorone

Concen: 28.446 ng/ul

RT: 9.628 min Scan# 1129

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion: 82 Resp: 405986


Ion Ratio Lower Upper

82 100

95 7.8 6.3 9.5

138 15.9 12.8 19.2









#25
2-Nitrophenol
Concen: 29.622 ng/ul
RT: 9.816 min Scan# 1161
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:139 Resp: 100077
Ion Ratio Lower Upper
139 100
65 58.2 45.4 68.2
109 35.6 27.9 41.9



#26
2,4-Dimethylphenol
Concen: 29.182 ng/ul
RT: 9.881 min Scan# 1172
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:107 Resp: 211483
Ion Ratio Lower Upper
107 100
121 48.1 38.5 57.7
122 78.0 64.1 96.1









#27
 Bis(2-Chloroethoxy)methane
 Concen: 28.871 ng/ul
 RT: 10.116 min Scan# 1212
 Delta R.T. -0.006 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion: 93 Resp: 237619
 Ion Ratio Lower Upper
 93 100
 95 32.9 25.8 38.6
 123 10.9 8.6 13.0



#29
 2,4-Dichlorophenol
 Concen: 29.947 ng/ul
 RT: 10.357 min Scan# 1253
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49

Tgt Ion:162 Resp: 159456
 Ion Ratio Lower Upper
 162 100
 164 64.8 51.9 77.9
 98 40.5 33.1 49.7





#30

Naphthalene

Concen: 29.134 ng/ul

RT: 10.751 min Scan# 1320

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:128 Resp: 550195

Ion Ratio Lower Upper

128 100

129 10.9 8.9 13.3

127 13.8 10.6 16.0



#32

4-Chloroaniline

Concen: 26.027 ng/ul

RT: 10.875 min Scan# 1341

Delta R.T. -0.006 min

Lab File: BN022693.D




Acq: 16 Nov 2022 18:49


Tgt Ion:127 Resp: 216899

Ion Ratio Lower Upper

127 100

129 31.1 25.4 38.0









#33
Hexachlorobutadiene
Concen: 29.008 ng/ul
RT: 11.028 min Scan# 11
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:225 Resp: 95071
Ion Ratio Lower Upper
225 100
223 69.2 48.6 73.0
227 67.5 47.8 71.8



#34
Caprolactam
Concen: 17.228 ng/ul
RT: 11.675 min Scan# 1477
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:113 Resp: 34801
Ion Ratio Lower Upper
113 100
55 162.0 133.8 200.8
56 128.2 103.8 155.6









#35
4-Chloro-3-methylphenol
Concen: 29.165 ng/ul
RT: 12.016 min Scan# 1535
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:107 Resp: 202534
Ion Ratio Lower Upper
107 100
144 23.5 19.0 28.4
142 76.2 57.0 85.6



#36
2-Methylnaphthalene
Concen: 28.477 ng/ul
RT: 12.375 min Scan# 1596
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:142 Resp: 366352
Ion Ratio Lower Upper
142 100
141 89.9 71.2 106.8





#37

1-Methylnaphthalene

Concen: 28.896 ng/ul

RT: 12.593 min Scan# 1633

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:142 Resp: 372656

Ion Ratio Lower Upper

142 100

141 93.1 77.2 115.8

116 4.5 3.4 5.0



#39

1,2,4,5-Tetrachlorobenzene

Concen: 29.488 ng/ul

RT: 12.740 min Scan# 1658

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Tgt Ion:216 Resp: 174283




Ion Ratio Lower Upper


216 100

214 81.9 62.9 94.3

179 25.6 19.0 28.4

108 23.1 17.4 26.2









#40
Hexachlorocyclopentadiene
Concen: 26.708 ng/ul
RT: 12.710 min Scan# 1653
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:237 Resp: 92160
Ion Ratio Lower Upper
237 100
235 59.9 50.3 75.5
272 12.5 9.4 14.2



#41
2,4,6-Trichlorophenol
Concen: 29.311 ng/ul
RT: 12.993 min Scan# 1701
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:196 Resp: 122998
Ion Ratio Lower Upper
196 100
198 92.1 77.3 115.9
200 30.8 25.4 38.2





#42

2,4,5-Trichlorophenol

Concen: 30.023 ng/ul

RT: 13.069 min Scan# 1

Delta R.T. -0.006 min


Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:196 Resp: 133412

Ion Ratio Lower Upper

196 100

198 95.7 78.8 118.2

200 31.4 26.0 39.0



#43

1,1'-Biphenyl

Concen: 29.452 ng/ul

RT: 13.387 min Scan# 1768

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion:154 Resp: 476021


Ion Ratio Lower Upper

154 100

153 40.5 32.2 48.2


76 14.5 11.2 16.8








#44
2-Chloronaphthalene
Concen: 29.252 ng/ul
RT: 13.434 min Scan# 1776
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49


Instrument :
BNA_N
ClientSampleId :





Tgt Ion:162 Resp: 368408
Ion Ratio Lower Upper
162 100
164 33.3 26.0 39.0
127 46.0 37.8 56.6




#45
2-Nitroaniline
Concen: 29.609 ng/ul
RT: 13.651 min Scan# 1813
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49



Tgt Ion: 65 Resp: 135422
Ion Ratio Lower Upper
65 100
92 65.9 55.2 82.8
138 94.4 74.1 111.1









#47
Dimethylphthalate
Concen: 28.926 ng/ul
RT: 14.022 min Scan# 1876
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:163 Resp: 486932
Ion Ratio Lower Upper
163 100
194 3.7 3.2 4.8
164 9.7 8.6 12.8



#48
2,6-Dinitrotoluene
Concen: 30.177 ng/ul
RT: 14.151 min Scan# 1898
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:165 Resp: 102830
Ion Ratio Lower Upper
165 100
89 69.4 55.2 82.8
121 22.8 19.6 29.4





#50

Acenaphthylene

Concen: 29.558 ng/ul

RT: 14.281 min Scan# 1920

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:152 Resp: 582705

Ion Ratio Lower Upper

152 100

151 19.2 16.4 24.6

153 13.1 10.9 16.3



#51

3-Nitroaniline

Concen: 27.199 ng/ul

RT: 14.481 min Scan# 1954

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion:138 Resp: 99794


Ion Ratio Lower Upper

138 100

108 11.4 9.7 14.5

92 126.9 103.7 155.5









#52
Acenaphthene
Concen: 29.137 ng/ul
RT: 14.622 min Scan# 1978
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:153 Resp: 407542
Ion Ratio Lower Upper
153 100
152 47.7 38.2 57.4
154 89.3 71.9 107.9



#53
2,4-Dinitrophenol
Concen: 21.309 ng/ul
RT: 14.692 min Scan# 1990
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:184 Resp: 50746
Ion Ratio Lower Upper
184 100
63 84.5 66.4 99.6
154 73.4 59.4 89.0









#55
4-Nitrophenol
Concen: 27.794 ng/ul
RT: 14.804 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:109 Resp: 87964
Ion Ratio Lower Upper
109 100
139 109.2 86.0 129.0
65 126.2 102.6 154.0



#56
Dibenzofuran
Concen: 29.736 ng/ul
RT: 14.957 min Scan# 2035
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:168 Resp: 549542
Ion Ratio Lower Upper
168 100
139 44.2 34.6 52.0





#57

2,4-Dinitrotoluene

Concen: 29.203 ng/ul

RT: 14.940 min Scan# 2032

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:165 Resp: 144913

Ion Ratio Lower Upper

165 100

63 58.9 43.4 65.0

182 2.7 2.3 3.5



#58

2,3,4,6-Tetrachlorophenol

Concen: 28.969 ng/ul

RT: 15.192 min Scan# 2075

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Tgt Ion:232 Resp: 110251




Ion Ratio Lower Upper


232 100

131 56.2 47.4 71.0

130 3.0 2.6 3.8


166 34.4 29.2 43.8








#59
Diethylphthalate
Concen: 28.835 ng/ul
RT: 15.387 min Scan# 2108
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:149 Resp: 514486
Ion Ratio Lower Upper
149 100
177 20.3 16.2 24.4
150 12.7 9.7 14.5



#61
Fluorene
Concen: 29.115 ng/ul
RT: 15.610 min Scan# 2146
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:166 Resp: 449344
Ion Ratio Lower Upper
166 100
165 99.2 74.0 111.0
167 13.7 10.2 15.2









#62
4-Chlorophenyl-phenylether
Concen: 29.127 ng/ul
RT: 15.604 min Scan# 2145
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:204 Resp: 211901
Ion Ratio Lower Upper
204 100
206 32.8 25.6 38.4
141 76.7 57.2 85.8



#63
4-Nitroaniline
Concen: 30.437 ng/ul
RT: 15.651 min Scan# 2153
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:138 Resp: 99592
Ion Ratio Lower Upper
138 100
92 57.8 45.5 68.3
108 98.0 79.1 118.7









#66
 4,6-Dinitro-2-methylphenol
 Concen: 26.532 ng/ul
 RT: 15.704 min Scan# 2162
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion:198 Resp: 76380
 Ion Ratio Lower Upper
 198 100
 182 4.1 3.1 4.7
 77 34.9 27.3 40.9



#67
 N-Nitrosodiphenylamine
 Concen: 30.220 ng/ul
 RT: 15.828 min Scan# 2183
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49

Tgt Ion:169 Resp: 396446
 Ion Ratio Lower Upper
 169 100
 168 65.0 52.6 79.0
 167 36.6 30.0 45.0









#68
4-Bromophenyl-phenylether
Concen: 30.226 ng/ul
RT: 16.504 min Scan# 21
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:248 Resp: 130421
Ion Ratio Lower Upper
248 100
250 93.7 77.0 115.4
141 96.1 77.0 115.4



#69
Hexachlorobenzene
Concen: 30.230 ng/ul
RT: 16.616 min Scan# 2317
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:284 Resp: 152476
Ion Ratio Lower Upper
284 100
142 42.1 37.9 56.9
249 30.5 28.6 43.0









#70
 Atrazine
 Concen: 29.586 ng/ul
 RT: 16.786 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion:200 Resp: 138354
 Ion Ratio Lower Upper
 200 100
 173 29.0 23.2 34.8
 215 47.0 38.1 57.1



#71
 Pentachlorophenol
 Concen: 26.860 ng/ul
 RT: 16.969 min Scan# 2377
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49

Tgt Ion:266 Resp: 86077
 Ion Ratio Lower Upper
 266 100
 264 68.2 47.8 71.8
 268 70.6 50.2 75.2





#72

Phenanthrene

Concen: 30.158 ng/ul

RT: 17.363 min Scan# 2444

Delta R.T. -0.000 min


Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:178 Resp: 712242

Ion Ratio Lower Upper

178 100

179 15.2 13.0 19.6

176 19.2 16.1 24.1



#74

Anthracene

Concen: 29.518 ng/ul

RT: 17.457 min Scan# 2460

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion:178 Resp: 706125


Ion Ratio Lower Upper

178 100

179 15.7 12.5 18.7

176 18.7 15.1 22.7





#75

1,2,3,4-Tetrachlorobenzene

Concen: 30.413 ng/uL

RT: 13.351 min Scan# 11

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:216 Resp: 175732

Ion Ratio Lower Upper

216 100

214 77.4 60.3 90.5

218 45.7 39.2 58.8



#76

Pentachlorobenzene

Concen: 27.456 ng/uL

RT: 14.875 min Scan# 2021

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion:250 Resp: 171218


Ion Ratio Lower Upper

250 100

248 60.6 50.7 76.1

252 64.9 51.0 76.4









#77
 Carbazole
 Concen: 29.486 ng/ul
 RT: 17.733 min Scan# 2507
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion:167 Resp: 655377
 Ion Ratio Lower Upper
 167 100
 166 22.1 18.2 27.2
 139 14.9 11.9 17.9



#78
 Di-n-butylphthalate
 Concen: 27.259 ng/ul
 RT: 18.292 min Scan# 2602
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49

Tgt Ion:149 Resp: 862275
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.3 10.9
 104 6.0 4.6 7.0









#80
Fluoranthene
Concen: 31.061 ng/ul
RT: 19.392 min Scan# 2789
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:202 Resp: 771865
Ion Ratio Lower Upper
202 100
101 12.3 9.2 13.8
100 9.2 7.3 10.9



#82
Pyrene
Concen: 31.218 ng/ul
RT: 19.757 min Scan# 2851
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:202 Resp: 794666
Ion Ratio Lower Upper
202 100
101 14.8 11.9 17.9
100 11.9 9.5 14.3









#83
Butylbenzylphthalate
Concen: 30.062 ng/ul
RT: 20.657 min Scan# 3004
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:149 Resp: 389536
Ion Ratio Lower Upper
149 100
91 80.0 63.4 95.2
206 18.6 14.3 21.5



#84
3,3'-Dichlorobenzidine
Concen: 28.905 ng/ul
RT: 21.451 min Scan# 3139
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:252 Resp: 245034
Ion Ratio Lower Upper
252 100
254 65.1 49.0 73.6
126 13.1 11.4 17.0





#85

Benzo(a)anthracene

Concen: 29.178 ng/ul

RT: 21.516 min Scan# 3150

Delta R.T. -0.000 min


Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:228 Resp: 740293

Ion Ratio Lower Upper

228 100

229 19.7 16.0 24.0

226 26.4 22.6 33.8



#86

Bis(2-ethylhexyl)phthalate

Concen: 29.428 ng/ul

RT: 21.433 min Scan# 3136

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion:149 Resp: 562814


Ion Ratio Lower Upper

149 100

167 26.7 20.7 31.1

279 3.7 2.9 4.3









#87
Chrysene
Concen: 29.033 ng/ul
RT: 21.569 min Scan# 3159
Delta R.T. -0.000 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:228 Resp: 697554
Ion Ratio Lower Upper
228 100
226 28.7 22.6 34.0
229 18.2 14.8 22.2



#89
Di-n-octyl phthalate
Concen: 30.738 ng/ul
RT: 22.369 min Scan# 3295
Delta R.T. -0.006 min
Lab File: BN022693.D
Acq: 16 Nov 2022 18:49

Tgt Ion:149 Resp: 942950





#90

Benzo(b)fluoranthene

Concen: 30.273 ng/ul

RT: 23.216 min Scan# 3439

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:252 Resp: 715592

Ion Ratio Lower Upper

252 100

253 21.3 16.2 24.2

125 10.9 8.7 13.1



#91

Benzo(k)fluoranthene

Concen: 29.804 ng/ul

RT: 23.263 min Scan# 3447

Delta R.T. -0.000 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion:252 Resp: 668739


Ion Ratio Lower Upper

252 100

253 23.0 16.2 24.4

125 11.8 9.0 13.6





#93

Benzo(a)pyrene

Concen: 29.277 ng/ul

RT: 23.851 min Scan# 31

Delta R.T. -0.006 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:252 Resp: 586606

Ion Ratio Lower Upper

252 100

253 21.7 15.4 23.2

125 12.3 9.5 14.3



#94

Indeno(1,2,3-cd)pyrene

Concen: 27.832 ng/ul

RT: 26.504 min Scan# 3998

Delta R.T. -0.018 min

Lab File: BN022693.D

Acq: 16 Nov 2022 18:49




Tgt Ion:276 Resp: 634198


Ion Ratio Lower Upper

276 100

138 25.7 21.3 31.9

277 23.7 19.2 28.8









#95
 Dibenzo(a,h)anthracene
 Concen: 27.545 ng/ul
 RT: 26.527 min Scan# 4003
 Delta R.T. -0.006 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49

Instrument :
 BNA_N
 ClientSampleId :

Tgt Ion:278 Resp: 562563
 Ion Ratio Lower Upper
 278 100
 139 18.0 14.4 21.6
 279 26.1 19.0 28.6



#96
 Benzo(g,h,i)perylene
 Concen: 27.320 ng/ul
 RT: 27.292 min Scan# 4132
 Delta R.T. -0.000 min
 Lab File: BN022693.D
 Acq: 16 Nov 2022 18:49

Tgt Ion:276 Resp: 542792
 Ion Ratio Lower Upper
 276 100
 138 22.9 18.6 27.8
 277 24.3 18.0 27.0

