

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN111618\
 Data File : BN003580.D
 Acq On : 17 Nov 2018 01:24
 Operator : MJ/SJ
 Sample : J5928-22
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A40X2

Quant Time: Nov 17 03:51:38 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111418MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 16 22:18:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.84	152	104512	20.00	ng/ul	0.00
18) Naphthalene-d8	10.64	136	460306	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.47	164	281358	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.22	188	615012	20.00	ng/ul	0.00
77) Chrysene-d12	21.40	240	679145	20.00	ng/ul	0.00
85) Perylene-d12	23.71	264	753536	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.29	96	1255	0.57	ng/uL	0.00
5) Phenol-d5	6.99	99	27639	3.20	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.18	67	71937	14.74	ng/ul	0.00
9) 2-Chlorophenol-d4	7.37	132	87925	11.90	ng/ul	0.00
13) 4-Methylphenol-d8	8.53	113	52900	7.29	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	49876	13.98	ng/ul	0.00
22) 2-Nitrophenol-d4	9.72	143	55688	14.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.25	165	102553	13.42	ng/ul	0.00
29) 4-Chloroaniline-d4	10.78	131	5389	0.82	ng/ul	0.00
43) Dimethylphthalate-d6	13.88	166	363809	15.60	ng/ul	0.00
46) Acenaphthylene-d8	14.17	160	441584	15.22	ng/ul	0.00
51) 4-Nitrophenol-d4	14.67	143	9757	2.09	ng/ul	0.00
57) Fluorene-d10	15.47	176	328065	16.77	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.59	200	47457	10.98	ng/ul	0.00
70) Anthracene-d10	17.32	188	506067	16.75	ng/ul	0.00
78) Pyrene-d10	19.61	212	583980	17.32	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.56	264	691188	16.94	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	7.02	94	40669	4.679 ng/ul	96
44) Dimethylphthalate	13.93	163	125473	5.478 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN111618\
Data File : BN003580.D
Acq On : 17 Nov 2018 01:24
Operator : MJ/SJ
Sample : J5928-22
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A40X2

Quant Time: Nov 17 03:51:38 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111418MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 16 22:18:27 2018
Response via : Initial Calibration





#6

Phenol

Concen: 4.679 ng/ul

RT: 7.02 min Scan# 685

Delta R.T. -0.01 min

Lab File: BN003580.D

Acq: 17 Nov 2018 01:24

Instrument :

BNA_N

ClientSampleId :

A40X2


Tot Ion: 94 Resp: 40669

Ion Ratio Lower Upper

94 100

65 25.1 19.2 28.8




66 35.2 25.8 38.6



Abundance Ion 94.00 (93.70 to 94.70): BN003567.D (-679) (-)

Ion 65.00 (64.70 to 65.70): BN003567.D (-679) (-)

Ion 66.00 (65.70 to 66.70): BN003567.D (-679) (-)



#44

Dimethylphthalate

Concen: 5.478 ng/ul

RT: 13.93 min Scan# 1860

Delta R.T. -0.01 min

Lab File: BN003580.D

Acq: 17 Nov 2018 01:24


Tgt Ion:163 Resp: 125473

Ion Ratio Lower Upper

163 100

194 4.2 3.5 5.3

164 10.3 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): BN003567.D (-1854) (-)

Ion 194.00 (193.70 to 194.70): BN003567.D (-1854) (-)

Ion 164.00 (163.70 to 164.70): BN003567.D (-1854) (-)

