

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN112223\
 Data File : BN028817.D
 Acq On : 21 Nov 2023 19:06
 Operator : MA/JU
 Sample : PB156979BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS979

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 11/23/2023
 Supervised By :mohammad ahmed 11/25/2023

Quant Time: Nov 22 00:04:01 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN110923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 21 23:49:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.786	152	5681m	0.400	ng/ul	0.05
4) Naphthalene-d8	10.473	136	15341m	0.400	ng/ul	0.01
9) Acenaphthene-d10	14.302	164	10212	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.068	188	15031	0.400	ng/ul	0.00
17) Chrysene-d12	21.272	240	12688	0.400	ng/ul	# 0.00
23) Perylene-d12	23.546	264	12610	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.108	96	5446m	0.867	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.096	152	6251	0.271	ng/ul	0.02
18) Fluoranthene-d10	19.094	212	20946	0.513	ng/ul	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.137	88	16055m	2.313	ng/ul	
5) Naphthalene	10.523	128	15564	0.362	ng/ul#	94
7) 2-Methylnaphthalene	12.156	142	6863	0.242	ng/ul	97
8) 1-Methylnaphthalene	12.343	142	9817	0.341	ng/ul	99
10) Acenaphthylene	14.029	152	20695	0.406	ng/ul	97
11) Acenaphthene	14.362	153	15493	0.413	ng/ul	99
12) Fluorene	15.371	166	14228	0.326	ng/ul	97
14) Pentachlorophenol	16.722	266	3718	1.031	ng/ul	99
15) Phenanthrene	17.106	178	20393	0.442	ng/ul#	95
16) Anthracene	17.216	178	14415	0.340	ng/ul#	92
19) Fluoranthene	19.126	202	25476	0.472	ng/ul	100
20) Pyrene	19.489	202	28737	0.514	ng/ul	98
21) Benzo(a)anthracene	21.260	228	16176	0.322	ng/ul	98
22) Chrysene	21.310	228	20385	0.416	ng/ul	98
24) Benzo(b)fluoranthene	22.856	252	17568	0.371	ng/ul	83
25) Benzo(k)fluoranthene	22.906	252	22651	0.457	ng/ul#	88
26) Benzo(a)pyrene	23.446	252	19733	0.442	ng/ul#	73
27) Indeno(1,2,3-cd)pyrene	25.877	276	24370	0.492	ng/ul#	97
28) Dibenzo(a,h)anthracene	25.904	278	18734	0.473	ng/ul#	90
29) Benzo(g,h,i)perylene	26.581	276	21116	0.520	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN112223\
Data File : BN028817.D
Acq On : 21 Nov 2023 19:06
Operator : MA/JU
Sample : PB156979BS
Misc :
ALS Vial : 4 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
SLCS979

Quant Time: Nov 22 00:04:01 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN110923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 21 23:49:43 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023





#2
1,4-Dioxane
Concen: 2.313 ng/ul m
RT: 3.137 min Scan# 1
Delta R.T. -0.004 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979




Tgt Ion: 88 Resp: 1605
Ion Ratio Lower Upper
88 100
43 32.4 32.9 49.3
58 62.6 41.8 62.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023




#5
Naphthalene
Concen: 0.362 ng/ul
RT: 10.523 min Scan# 1904
Delta R.T. 0.016 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Tgt Ion:128 Resp: 15564
Ion Ratio Lower Upper
128 100
129 14.1 9.2 13.8
127 15.3 10.7 16.1





#7
2-Methylnaphthalene
Concen: 0.242 ng/ul
RT: 12.156 min Scan# 2198
Delta R.T. 0.016 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979




Tgt Ion:142 Resp: 686
Ion Ratio Lower Upper
142 100
141 91.4 70.8 106.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023




#8
1-Methylnaphthalene
Concen: 0.341 ng/ul
RT: 12.343 min Scan# 2235
Delta R.T. 0.005 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Tgt Ion:142 Resp: 9817
Ion Ratio Lower Upper
142 100
141 93.2 74.1 111.1





#10
Acenaphthylene
Concen: 0.406 ng/ul
RT: 14.029 min Scan# 2562
Delta R.T. 0.004 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979



Tgt Ion:152 Resp: 2069
Ion Ratio Lower Upper
152 100
151 21.2 16.1 24.1
153 14.5 10.6 15.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023



#11
Acenaphthene
Concen: 0.413 ng/ul
RT: 14.362 min Scan# 2635
Delta R.T. -0.001 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06


Tgt Ion:153 Resp: 15493
Ion Ratio Lower Upper
153 100
152 50.3 39.6 59.4
154 88.0 71.0 106.6





#12
Fluorene
Concen: 0.326 ng/ul
RT: 15.371 min Scan# 2852
Delta R.T. 0.004 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979



Tgt Ion:166 Resp: 14228
Ion Ratio Lower Upper
166 100
165 101.0 78.6 118.0
167 14.9 11.0 16.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023



#14
Pentachlorophenol
Concen: 1.031 ng/ul
RT: 16.722 min Scan# 3160
Delta R.T. -0.001 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06


Tgt Ion:266 Resp: 3718
Ion Ratio Lower Upper
266 100
264 63.0 50.1 75.1
268 64.3 50.6 75.8





#15
Phenanthrene
Concen: 0.442 ng/ul
RT: 17.106 min Scan# 3250
Delta R.T. 0.003 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979




Tgt Ion:178 Resp: 2039
Ion Ratio Lower Upper
178 100
179 18.8 12.4 18.6
176 20.4 15.4 23.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023




#16
Anthracene
Concen: 0.340 ng/ul
RT: 17.216 min Scan# 3277
Delta R.T. 0.012 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Tgt Ion:178 Resp: 14415
Ion Ratio Lower Upper
178 100
179 20.2 12.6 18.8#
176 20.9 14.9 22.3





#19
Fluoranthene
Concen: 0.472 ng/u1
RT: 19.126 min Scan# 3715
Delta R.T. 0.004 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979




Tgt Ion:202 Resp: 25470
Ion Ratio Lower Upper
202 100
101 11.8 9.5 14.3
100 9.0 7.2 10.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023




#20
Pyrene
Concen: 0.514 ng/u1
RT: 19.489 min Scan# 3794
Delta R.T. 0.004 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Tgt Ion:202 Resp: 28737
Ion Ratio Lower Upper
202 100
101 13.7 10.3 15.5
100 10.8 8.2 12.2





#21
Benzo(a)anthracene
Concen: 0.322 ng/ul
RT: 21.260 min Scan# 4271
Delta R.T. 0.005 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979




Tgt Ion:228 Resp: 16170
Ion Ratio Lower Upper
228 100
229 20.6 15.7 23.5
226 27.5 21.4 32.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023




#22
Chrysene
Concen: 0.416 ng/ul
RT: 21.310 min Scan# 4288
Delta R.T. 0.005 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Tgt Ion:228 Resp: 20385
Ion Ratio Lower Upper
228 100
226 30.8 23.8 35.8
229 20.6 15.4 23.2





#24
Benzo(b)fluoranthene
Concen: 0.371 ng/ul
RT: 22.856 min Scan# 4816
Delta R.T. 0.002 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979



Tgt Ion:252 Resp: 17568
Ion Ratio Lower Upper
252 100
253 31.0 0.0 46.6
125 21.5 0.0 27.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023



#25
Benzo(k)fluoranthene
Concen: 0.457 ng/ul
RT: 22.906 min Scan# 4834
Delta R.T. 0.002 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06


Tgt Ion:252 Resp: 22651
Ion Ratio Lower Upper
252 100
253 30.4 18.6 28.0#
125 19.6 12.7 19.1#





#26
Benzo(a)pyrene
Concen: 0.442 ng/ul
RT: 23.446 min Scan# 5018
Delta R.T. 0.002 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06




Instrument :
BNA_N
ClientSampleId :
SLCS979




Tgt Ion:252 Resp: 1973
Ion Ratio Lower Upper
252 100
253 35.7 19.0 28.6
125 29.9 13.2 19.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/23/2023
Supervised By :mohammad ahmed 11/25/2023




#27
Indeno(1,2,3-cd)pyrene
Concen: 0.492 ng/ul
RT: 25.877 min Scan# 5812
Delta R.T. 0.002 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06



Tgt Ion:276 Resp: 24370
Ion Ratio Lower Upper
276 100
138 28.0 23.8 35.6
227 0.0 0.1 0.1






#28
Dibenzo(a,h)anthracene
Concen: 0.473 ng/ul
RT: 25.904 min Scan# 5818
Delta R.T. 0.006 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06

Instrument :

BNA_N

ClientSampleId :

SLCS979






Tgt Ion:278 Resp: 18734
Ion Ratio Lower Upper
278 100
139 24.1 18.2 27.4
279 34.3 20.7 31.1

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 11/23/2023

Supervised By :mohammad ahmed 11/25/2023



#29
Benzo(g,h,i)perylene
Concen: 0.520 ng/ul
RT: 26.581 min Scan# 6022
Delta R.T. 0.002 min
Lab File: BN028817.D
Acq: 21 Nov 2023 19:06



Tgt Ion:276 Resp: 21116
Ion Ratio Lower Upper
276 100
138 27.5 20.5 30.7
277 26.1 19.4 29.0

