

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN113022\
 Data File : BN023005.D
 Acq On : 01 Dec 2022 05:21
 Operator : CG/JU
 Sample : N5756-18
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RW9-MW01D3-20221120

Quant Time: Dec 01 05:51:37 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 30 00:45:21 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.056	152	5962	0.400	ng	0.00
7) Naphthalene-d8	10.872	136	16565	0.400	ng	#-0.01
13) Acenaphthene-d10	14.698	164	8166	0.400	ng	0.00
19) Phenanthrene-d10	17.439	188	17476	0.400	ng	0.00
29) Chrysene-d12	21.629	240	11761	0.400	ng	# 0.00
35) Perylene-d12	24.110	264	7988	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.594	112	1357	0.088	ng	0.00
5) Phenol-d6	7.204	99	1089	0.055	ng	0.00
8) Nitrobenzene-d5	9.217	82	2938	0.228	ng	-0.01
11) 2-Methylnaphthalene-d10	12.461	152	5383	0.150	ng	0.00
14) 2,4,6-Tribromophenol	16.185	330	947	0.240	ng	0.00
15) 2-Fluorobiphenyl	13.330	172	9404	0.252	ng	0.00
27) Fluoranthene-d10	19.469	212	11681	0.246	ng	0.00
31) Terphenyl-d14	20.062	244	9652	0.349	ng	0.00
Target Compounds						
9) Naphthalene	10.925	128	1176	0.023	ng	# 81
25) Phenanthrene	17.476	178	1548	0.025	ng	# 88
30) Pyrene	19.861	202	1301	0.021	ng	97
32) Benzo(a)anthracene	21.611	228	1404	0.030	ng	# 90
33) Chrysene	21.665	228	1532	0.031	ng	# 92
34) Bis(2-ethylhexyl)phtha...	21.531	149	12394	0.649	ng	98
36) Indeno(1,2,3-cd)pyrene	26.706	276	936	0.028	ng	97
37) Benzo(b)fluoranthene	23.347	252	1237	0.035	ng	# 16
38) Benzo(k)fluoranthene	23.397	252	1088	0.028	ng	# 10
39) Benzo(a)pyrene	23.999	252	630	0.023	ng	# 1
40) Dibenzo(a,h)anthracene	26.735	278	804	0.031	ng	# 41
41) Benzo(g,h,i)perylene	27.510	276	835	0.029	ng	# 63


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN113022\
Data File : BN023005.D
Acq On : 01 Dec 2022 05:21
Operator : CG/JU
Sample : N5756-18
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Quant Time: Dec 01 05:51:37 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 30 00:45:21 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.056 min Scan# 61
Delta R.T. -0.008 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120







Tgt Ion:152 Resp: 5962
Ion Ratio Lower Upper
152 100
150 154.4 121.2 181.8
115 61.1 46.2 69.4



#4
2-Fluorophenol
Concen: 0.088 ng
RT: 5.594 min Scan# 348
Delta R.T. -0.007 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:112 Resp: 1357
Ion Ratio Lower Upper
112 100
64 55.5 43.4 65.2
63 30.4 23.4 35.2









#5
Phenol-d6
Concen: 0.055 ng
RT: 7.204 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion: 99 Resp: 1089
Ion Ratio Lower Upper
99 100
42 29.4 16.0 24.0#
71 45.5 26.8 40.2#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.872 min Scan# 964
Delta R.T. -0.011 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion: 136 Resp: 16565
Ion Ratio Lower Upper
136 100
137 11.4 9.0 13.4
54 10.6 6.6 9.8#
68 8.2 5.5 8.3









#8
Nitrobenzene-d5
Concen: 0.228 ng
RT: 9.217 min Scan# 809
Delta R.T. -0.011 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion: 82 Resp: 2938
Ion Ratio Lower Upper
82 100
128 40.3 36.6 54.8
54 56.0 38.5 57.7



#9
Naphthalene
Concen: 0.023 ng
RT: 10.925 min Scan# 969
Delta R.T. -0.011 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion: 128 Resp: 1176
Ion Ratio Lower Upper
128 100
129 19.6 9.0 13.4#
127 19.8 10.8 16.2#





#11

2-Methylnaphthalene-d10

Concen: 0.150 ng

RT: 12.461 min Scan# 11

Delta R.T. -0.004 min

Lab File: BN023005.D

Acq: 01 Dec 2022 05:21

Instrument :

BNA_N

ClientSampleId :





RW9-MW01D3-20221120

Tgt Ion:152 Resp: 5383

Ion Ratio Lower Upper

152 100

151 19.6 18.6 27.8



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.698 min Scan# 1492

Delta R.T. 0.000 min

Lab File: BN023005.D

Acq: 01 Dec 2022 05:21




Tgt Ion:164 Resp: 8166


Ion Ratio Lower Upper

164 100

162 104.2 84.2 126.4

160 53.5 42.5 63.7









#14
2,4,6-Tribromophenol
Concen: 0.240 ng
RT: 16.185 min Scan# 1625
Delta R.T. 0.000 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion:330 Resp: 947
Ion Ratio Lower Upper
330 100
332 99.0 76.5 114.7
141 45.4 32.6 48.8



#15
2-Fluorobiphenyl
Concen: 0.252 ng
RT: 13.330 min Scan# 1364
Delta R.T. 0.000 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:172 Resp: 9404
Ion Ratio Lower Upper
172 100
171 34.0 28.2 42.4
170 23.5 19.3 28.9





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.439 min Scan# 1726

Delta R.T. 0.000 min

Lab File: BN023005.D

Acq: 01 Dec 2022 05:21

Instrument :

BNA_N

ClientSampleId :

RW9-MW01D3-20221120





Tgt Ion:188 Resp: 17476

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 12.5 10.3 15.5



#25

Phenanthrene

Concen: 0.025 ng

RT: 17.476 min Scan# 1729

Delta R.T. -0.012 min

Lab File: BN023005.D

Acq: 01 Dec 2022 05:21




Tgt Ion:178 Resp: 1548


Ion Ratio Lower Upper

178 100

176 22.0 15.6 23.4

179 24.1 12.2 18.2#









#27
Fluoranthene-d10
Concen: 0.246 ng
RT: 19.469 min Scan# 2118
Delta R.T. -0.004 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion:212 Resp: 11681
Ion Ratio Lower Upper
212 100
106 16.8 12.3 18.5
104 10.0 7.0 10.4



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.629 min Scan# 2427
Delta R.T. 0.000 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:240 Resp: 11761
Ion Ratio Lower Upper
240 100
120 13.8 9.2 13.8#
236 28.8 22.6 34.0









#30
Pyrene
Concen: 0.021 ng
RT: 19.861 min Scan# 211
Delta R.T. -0.004 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion:	202	Resp:	1301
Ion Ratio	Lower	Upper	
202	100		
200	21.1	17.0	25.4
203	20.4	14.2	21.2



#31
Terphenyl-d14
Concen: 0.349 ng
RT: 20.062 min Scan# 2252
Delta R.T. 0.000 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:	244	Resp:	9652
Ion Ratio	Lower	Upper	
244	100		
212	9.5	7.9	11.9
122	15.2	13.9	20.9









#32
Benzo(a)anthracene
Concen: 0.030 ng
RT: 21.611 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion:228 Resp: 1404
Ion Ratio Lower Upper
228 100
226 30.9 22.1 33.1
229 26.5 15.8 23.6#



#33
Chrysene
Concen: 0.031 ng
RT: 21.665 min Scan# 2431
Delta R.T. 0.000 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:228 Resp: 1532
Ion Ratio Lower Upper
228 100
226 34.1 24.5 36.7
229 24.7 15.8 23.6#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.649 ng
 RT: 21.531 min Scan# 2416
 Delta R.T. -0.009 min
 Lab File: BN023005.D
 Acq: 01 Dec 2022 05:21




Instrument :
 BNA_N
 ClientSampleId :
 RW9-MW01D3-20221120


Tgt Ion:	149	Resp:	12394
Ion Ratio	Lower	Upper	
149	100		
167	25.6	21.3	31.9
279	2.4	2.3	3.5



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.110 min Scan# 3096
 Delta R.T. -0.003 min
 Lab File: BN023005.D
 Acq: 01 Dec 2022 05:21

Tgt Ion:	264	Resp:	7988
Ion Ratio	Lower	Upper	
264	100		
260	27.9	21.7	32.5
265	66.1	31.0	46.4









#36
Indeno(1,2,3-cd)pyrene
Concen: 0.028 ng
RT: 26.706 min Scan# 3984
Delta R.T. -0.012 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion:276 Resp: 936
Ion Ratio Lower Upper
276 100
138 33.0 24.4 36.6
277 25.7 19.9 29.9



#37
Benzo(b)fluoranthene
Concen: 0.035 ng
RT: 23.347 min Scan# 2835
Delta R.T. -0.003 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:252 Resp: 1237
Ion Ratio Lower Upper
252 100
253 50.2 18.5 27.7#
125 66.5 10.8 16.2#









#38
Benzo(k)fluoranthene
Concen: 0.028 ng
RT: 23.397 min Scan# 21
Delta R.T. -0.003 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21




Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120


Tgt Ion:252 Resp: 1088
Ion Ratio Lower Upper
252 100
253 52.7 18.6 27.8#
125 70.3 11.0 16.4#



#39
Benzo(a)pyrene
Concen: 0.023 ng
RT: 23.999 min Scan# 3058
Delta R.T. -0.003 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:252 Resp: 630
Ion Ratio Lower Upper
252 100
253 69.9 19.2 28.8#
125 97.3 12.7 19.1#









#40
Dibenzo(a,h)anthracene
Concen: 0.031 ng
RT: 26.735 min Scan# 3994
Delta R.T. -0.003 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Instrument :
BNA_N
ClientSampleId :
RW9-MW01D3-20221120

Tgt Ion:278 Resp: 804
Ion Ratio Lower Upper
278 100
139 46.1 17.4 26.0#
279 57.6 20.0 30.0#



#41
Benzo(g,h,i)perylene
Concen: 0.029 ng
RT: 27.510 min Scan# 4259
Delta R.T. -0.003 min
Lab File: BN023005.D
Acq: 01 Dec 2022 05:21

Tgt Ion:276 Resp: 835
Ion Ratio Lower Upper
276 100
277 40.9 19.7 29.5#
138 48.3 21.4 32.2#

