

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN113022\
 Data File : BN022990.D
 Acq On : 30 Nov 2022 17:36
 Operator : CG/JU
 Sample : N5730-06
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D5-20221118

Quant Time: Nov 30 23:02:27 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 30 00:45:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.064	152	6042	0.400	ng	0.00
7) Naphthalene-d8	10.882	136	16877	0.400	ng	0.00
13) Acenaphthene-d10	14.698	164	8162	0.400	ng	0.00
19) Phenanthrene-d10	17.439	188	15719	0.400	ng	0.00
29) Chrysene-d12	21.625	240	11056	0.400	ng	# 0.00
35) Perylene-d12	24.115	264	7424	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.594	112	1404	0.089	ng	0.00
5) Phenol-d6	7.204	99	1133	0.057	ng	0.00
8) Nitrobenzene-d5	9.217	82	3780	0.288	ng	-0.01
11) 2-Methylnaphthalene-d10	12.461	152	4908	0.134	ng	0.00
14) 2,4,6-Tribromophenol	16.185	330	951	0.241	ng	0.00
15) 2-Fluorobiphenyl	13.330	172	38573	1.033	ng	0.00
27) Fluoranthene-d10	19.469	212	8641	0.202	ng	0.00
31) Terphenyl-d14	20.067	244	7051	0.271	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.442	88	33506	4.369	ng	99
34) Bis(2-ethylhexyl)phtha...	21.535	149	8575	0.478	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN113022\
Data File : BN022990.D
Acq On : 30 Nov 2022 17:36
Operator : CG/JU
Sample : N5730-06
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D5-20221118


Quant Time: Nov 30 23:02:27 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 30 00:45:21 2022
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.064 min Scan# 69
 Delta R.T. -0.000 min
 Lab File: BN022990.D
 Acq: 30 Nov 2022 17:36

Instrument :
 BNA_N
 ClientSampleId :
 RE132D5-20221118







Tgt Ion:152 Resp: 6042
 Ion Ratio Lower Upper
 152 100
 150 152.2 121.2 181.8
 115 57.9 46.2 69.4



#2
 1,4-Dioxane
 Concen: 4.369 ng
 RT: 3.442 min Scan# 50
 Delta R.T. 0.000 min
 Lab File: BN022990.D
 Acq: 30 Nov 2022 17:36

Tgt Ion: 88 Resp: 33506
 Ion Ratio Lower Upper
 88 100
 43 30.6 25.4 38.2
 58 70.5 56.5 84.7









#4
2-Fluorophenol
Concen: 0.089 ng
RT: 5.594 min Scan# 34
Delta R.T. -0.007 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36




Instrument :
BNA_N
ClientSampleId :
RE132D5-20221118


Tgt Ion:112 Resp: 1404
Ion Ratio Lower Upper
112 100
64 55.8 43.4 65.2
63 30.3 23.4 35.2



#5
Phenol-d6
Concen: 0.057 ng
RT: 7.204 min Scan# 571
Delta R.T. 0.000 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36

Tgt Ion: 99 Resp: 1133
Ion Ratio Lower Upper
99 100
42 28.9 16.0 24.0#
71 39.6 26.8 40.2









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.882 min Scan# 90
Delta R.T. 0.000 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36




Instrument :
BNA_N
ClientSampleId :
RE132D5-20221118


Tgt Ion:	136	Resp:	16877
Ion Ratio	Lower	Upper	
136	100		
137	11.4	9.0	13.4
54	6.9	6.6	9.8
68	5.8	5.5	8.3



#8
Nitrobenzene-d5
Concen: 0.288 ng
RT: 9.217 min Scan# 809
Delta R.T. -0.011 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36

Tgt Ion:	82	Resp:	3780
Ion Ratio	Lower	Upper	
82	100		
128	36.5	36.6	54.8#
54	57.2	38.5	57.7









#11
2-Methylnaphthalene-d10
Concen: 0.134 ng
RT: 12.461 min Scan# 11
Delta R.T. -0.004 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36




Instrument :
BNA_N
ClientSampleId :
RE132D5-20221118


Tgt Ion:152 Resp: 4908
Ion Ratio Lower Upper
152 100
151 24.1 18.6 27.8



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.698 min Scan# 1492
Delta R.T. 0.000 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36

Tgt Ion:164 Resp: 8162
Ion Ratio Lower Upper
164 100
162 103.9 84.2 126.4
160 52.1 42.5 63.7









#14
 2,4,6-Tribromophenol
 Concen: 0.241 ng
 RT: 16.185 min Scan# 1625
 Delta R.T. 0.000 min
 Lab File: BN022990.D
 Acq: 30 Nov 2022 17:36




Instrument :
 BNA_N
 ClientSampleId :
 RE132D5-20221118


Tgt Ion: 330 Resp: 951
 Ion Ratio Lower Upper
 330 100
 332 97.6 76.5 114.7
 141 43.1 32.6 48.8



#15
 2-Fluorobiphenyl
 Concen: 1.033 ng
 RT: 13.330 min Scan# 1364
 Delta R.T. 0.000 min
 Lab File: BN022990.D
 Acq: 30 Nov 2022 17:36

Tgt Ion: 172 Resp: 38573
 Ion Ratio Lower Upper
 172 100
 171 34.7 28.2 42.4
 170 23.2 19.3 28.9









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.439 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36




Instrument :
BNA_N
ClientSampleId :
RE132D5-20221118


Tgt Ion:188 Resp: 15719
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.0 10.3 15.5



#27
Fluoranthene-d10
Concen: 0.202 ng
RT: 19.469 min Scan# 2118
Delta R.T. -0.004 min
Lab File: BN022990.D
Acq: 30 Nov 2022 17:36

Tgt Ion:212 Resp: 8641
Ion Ratio Lower Upper
212 100
106 17.1 12.3 18.5
104 10.4 7.0 10.4





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.625 min Scan# 2426

Delta R.T. -0.004 min

Lab File: BN022990.D

Acq: 30 Nov 2022 17:36

Instrument :

BNA_N

ClientSampleId :

RE132D5-20221118





Tgt Ion:240 Resp: 11056

Ion Ratio Lower Upper

240 100

120 20.3 9.2 13.8#

236 29.3 22.6 34.0



#31

Terphenyl-d14

Concen: 0.271 ng

RT: 20.067 min Scan# 2252

Delta R.T. 0.005 min

Lab File: BN022990.D

Acq: 30 Nov 2022 17:36




Tgt Ion:244 Resp: 7051


Ion Ratio Lower Upper

244 100

212 8.3 7.9 11.9

122 11.1 13.9 20.9#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.478 ng
 RT: 21.535 min Scan# 2416
 Delta R.T. -0.004 min
 Lab File: BN022990.D
 Acq: 30 Nov 2022 17:36

Instrument :
 BNA_N
 ClientSampleId :
 RE132D5-20221118

Tgt Ion:149 Resp: 8575
 Ion Ratio Lower Upper
 149 100
 167 26.0 21.3 31.9
 279 2.4 2.3 3.5



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.115 min Scan# 3098
 Delta R.T. 0.002 min
 Lab File: BN022990.D
 Acq: 30 Nov 2022 17:36

Tgt Ion:264 Resp: 7424
 Ion Ratio Lower Upper
 264 100
 260 27.8 21.7 32.5
 265 69.2 31.0 46.4#

