

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120321\
 Data File : BN017697.D
 Acq On : 03 Dec 2021 17:55
 Operator : CG/JU
 Sample : SSTDICC3.2
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC3.2

Quant Time: Dec 03 22:25:50 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN120321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 03 17:44:19 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.755	152	24553	0.40	ng	0.00
7) Naphthalene-d8	10.535	136	93730	0.40	ng	# 0.00
13) Acenaphthene-d10	14.372	164	55809	0.40	ng	0.00
19) Phenanthrene-d10	17.116	188	113002	0.40	ng	0.00
29) Chrysene-d12	21.303	240	119669	0.40	ng	# 0.00
35) Perylene-d12	23.609	264	104287	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.357	112	188055	3.37	ng	0.00
5) Phenol-d6	6.925	99	201908	3.43	ng	0.00
8) Nitrobenzene-d5	0.000	82	0d	0.00	ng	
11) 2-Methylnaphthalene-d10	12.124	152	535576	3.27	ng	0.00
14) 2,4,6-Tribromophenol	15.869	330	110369	3.89	ng	0.00
15) 2-Fluorobiphenyl	13.002	172	688014	3.17	ng	0.00
27) Fluoranthene-d10	19.149	212	1259626	3.57	ng	0.00
31) Terphenyl-d14	19.754	244	856329	3.26	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.319	88	56388	3.42	ng	95
3) n-Nitrosodimethylamine	3.633	42	81557	3.54	ng	99
6) bis(2-Chloroethyl)ether	7.183	93	209108	3.06	ng	89
9) Naphthalene	10.586	128	740944	3.13	ng	100
10) Hexachlorobutadiene	10.890	225	219752	3.37	ng	# 100
12) 2-Methylnaphthalene	12.200	142	490773	3.15	ng	97
16) Acenaphthylene	14.093	152	751793	3.45	ng	100
17) Acenaphthene	14.435	154	477307	3.17	ng	97
18) Fluorene	15.425	166	602869	3.30	ng	99
20) 4,6-Dinitro-2-methylph...	15.501	198	31869	4.58	ng	# 84
21) 4-Bromophenyl-phenylether	16.313	248	238448	3.44	ng	# 71
22) Hexachlorobenzene	16.435	284	268223	3.19	ng	# 92
24) Pentachlorophenol	16.776	266	111729	3.96	ng	100
25) Phenanthrene	17.153	178	988670	3.19	ng	100
26) Anthracene	17.250	178	910480	3.42	ng	100
28) Fluoranthene	19.179	202	1162046	3.31	ng	# 97
30) Pyrene	19.541	202	1220932	3.16	ng	100
32) Benzo(a)anthracene	21.282	228	1260841	3.47	ng	99
33) Chrysene	21.335	228	1220387	3.09	ng	99
36) Indeno(1,2,3-cd)pyrene	25.974	276	952181	2.81	ng	# 93
37) Benzo(b)fluoranthene	22.911	252	1162953	3.36	ng	# 97
38) Benzo(k)fluoranthene	22.959	252	1107758	3.12	ng	# 97
39) Benzo(a)pyrene	23.507	252	1025323	3.31	ng	# 96
40) Dibenzo(a,h)anthracene	25.995	278	738741	2.67	ng	# 95
41) Benzo(g,h,i)perylene	26.700	276	845384	2.97	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120321\
Data File : BN017697.D
Acq On : 03 Dec 2021 17:55
Operator : CG/JU
Sample : SSTDICC3.2
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2

Quant Time: Dec 03 22:25:50 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN120321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 03 17:44:19 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.755 min Scan# 51
Delta R.T. 0.001 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:152 Resp: 24553
Ion Ratio Lower Upper
152 100
150 155.9 123.0 184.4
115 58.8 45.6 68.4



#2
1,4-Dioxane
Concen: 3.42 ng
RT: 3.319 min Scan# 37
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion: 88 Resp: 56388
Ion Ratio Lower Upper
88 100
43 33.1 24.7 37.1
58 74.7 63.0 94.6









#3
n-Nitrosodimethylamine
Concen: 3.54 ng
RT: 3.633 min Scan# 71
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2

Tgt Ion: 42 Resp: 81557




Ion	Ratio	Lower	Upper
42	100		
74	121.2	97.8	146.6
44	6.0	5.5	8.3




#4
2-Fluorophenol
Concen: 3.37 ng
RT: 5.357 min Scan# 258
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion: 112 Resp: 188055

Ion	Ratio	Lower	Upper
112	100		
64	62.0	47.6	71.4
63	33.7	24.6	37.0









#5
Phenol-d6
Concen: 3.43 ng
RT: 6.925 min Scan# 41
Delta R.T. 0.001 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion: 99 Resp: 201908
Ion Ratio Lower Upper
99 100
42 21.6 17.0 25.6
71 38.2 24.8 37.2#



#6
bis(2-Chloroethyl)ether
Concen: 3.06 ng
RT: 7.183 min Scan# 456
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion: 93 Resp: 209108
Ion Ratio Lower Upper
93 100
63 70.9 65.8 98.6
95 30.0 26.6 39.8









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.535 min Scan# 71
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:136 Resp: 93730
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 6.3 4.0 6.0#
68 5.1 3.0 4.6#




#8
Nitrobenzene-d5
Concen: 0.00 ng
Expected RT: 8.90 min

Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion: 82
Sig Exp Ratio
82 100
128 34.6
54 61.5









#9
Naphthalene
Concen: 3.13 ng
RT: 10.586 min Scan# 758
Delta R.T. 0.001 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:128 Resp: 740944
Ion Ratio Lower Upper
128 100
129 10.9 8.8 13.2
127 13.0 10.6 15.8



#10
Hexachlorobutadiene
Concen: 3.37 ng
RT: 10.890 min Scan# 782
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:225 Resp: 219752
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 64.0 51.1 76.7





#11

2-Methylnaphthalene-d10

Concen: 3.27 ng

RT: 12.124 min Scan# 969

Delta R.T. 0.001 min

Lab File: BN017697.D

Acq: 03 Dec 2021 17:55

Instrument :

BNA_N

ClientSampleId :





SSTDICC3.2

Tgt Ion:152 Resp: 535576

Ion Ratio Lower Upper

152 100

151 20.3 16.2 24.4



#12

2-Methylnaphthalene

Concen: 3.15 ng

RT: 12.200 min Scan# 986

Delta R.T. 0.001 min

Lab File: BN017697.D

Acq: 03 Dec 2021 17:55




Tgt Ion:142 Resp: 490773


Ion Ratio Lower Upper

142 100

141 87.4 70.6 106.0

115 36.2 25.8 38.6









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.372 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:164 Resp: 55809
Ion Ratio Lower Upper
164 100
162 102.4 81.4 122.2
160 46.3 36.8 55.2



#14
2,4,6-Tribromophenol
Concen: 3.89 ng
RT: 15.869 min Scan# 1320
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:330 Resp: 110369
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 27.4 28.9 43.3#









#15
2-Fluorobiphenyl
Concen: 3.17 ng
RT: 13.002 min Scan# 1109
Delta R.T. 0.001 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:172 Resp: 688014
Ion Ratio Lower Upper
172 100
171 34.2 28.7 43.1
170 22.5 19.4 29.2



#16
Acenaphthylene
Concen: 3.45 ng
RT: 14.093 min Scan# 1180
Delta R.T. 0.001 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:152 Resp: 751793
Ion Ratio Lower Upper
152 100
151 19.6 15.5 23.3
153 13.1 10.4 15.6









#17
Acenaphthene
Concen: 3.17 ng
RT: 14.435 min Scan# 1207
Delta R.T. 0.001 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:154 Resp: 477307
Ion Ratio Lower Upper
154 100
153 111.1 91.2 136.8
152 53.1 44.3 66.5



#18
Fluorene
Concen: 3.30 ng
RT: 15.425 min Scan# 1285
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:166 Resp: 602869
Ion Ratio Lower Upper
166 100
165 96.4 77.9 116.9
167 13.6 10.9 16.3









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.116 min Scan# 1422
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:188 Resp: 113002
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.3 6.1 9.1



#20
4,6-Dinitro-2-methylphenol
Concen: 4.58 ng
RT: 15.501 min Scan# 1291
Delta R.T. -0.012 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:198 Resp: 31869
Ion Ratio Lower Upper
198 100
182 7.5 11.4 17.2#
77 0.0 0.0 0.0









#21
4-Bromophenyl-phenylether
Concen: 3.44 ng
RT: 16.313 min Scan# 1356
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:248 Resp: 238448
Ion Ratio Lower Upper
248 100
250 97.9 71.8 107.8
141 42.4 70.9 106.3#



#22
Hexachlorobenzene
Concen: 3.19 ng
RT: 16.435 min Scan# 1366
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55


Tgt Ion:284 Resp: 268223
Ion Ratio Lower Upper
284 100
142 26.7 28.2 42.2#
249 30.5 24.4 36.6








#24
Pentachlorophenol
Concen: 3.96 ng
RT: 16.776 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55


Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2





Tgt Ion:266 Resp: 111729
Ion Ratio Lower Upper
266 100
264 62.5 49.8 74.8
268 63.8 51.3 76.9




#25
Phenanthrene
Concen: 3.19 ng
RT: 17.153 min Scan# 1425
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55



Tgt Ion:178 Resp: 988670
Ion Ratio Lower Upper
178 100
176 18.6 15.0 22.6
179 15.4 12.3 18.5









#26
 Anthracene
 Concen: 3.42 ng
 RT: 17.250 min Scan# 1433
 Delta R.T. 0.000 min
 Lab File: BN017697.D
 Acq: 03 Dec 2021 17:55




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC3.2


Tgt Ion:178 Resp: 910480
 Ion Ratio Lower Upper
 178 100
 176 18.1 14.6 22.0
 179 15.5 12.2 18.4



#27
 Fluoranthene-d10
 Concen: 3.57 ng
 RT: 19.149 min Scan# 1724
 Delta R.T. 0.000 min
 Lab File: BN017697.D
 Acq: 03 Dec 2021 17:55

Tgt Ion:212 Resp: 1259626
 Ion Ratio Lower Upper
 212 100
 106 9.7 10.5 15.7#
 104 5.4 5.8 8.6#









#28
Fluoranthene
Concen: 3.31 ng
RT: 19.179 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:202 Resp: 1162046
Ion Ratio Lower Upper
202 100
101 8.5 8.9 13.3#
203 17.6 13.8 20.6



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.303 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:240 Resp: 119669
Ion Ratio Lower Upper
240 100
120 6.7 4.2 6.2#
236 26.6 20.0 30.0









#30
Pyrene
Concen: 3.16 ng
RT: 19.541 min Scan# 1803
Delta R.T. 0.001 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:202 Resp: 1220932
Ion Ratio Lower Upper
202 100
200 20.5 16.5 24.7
203 17.6 14.0 21.0



#31
Terphenyl-d14
Concen: 3.26 ng
RT: 19.754 min Scan# 1846
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:244 Resp: 856329
Ion Ratio Lower Upper
244 100
212 7.5 5.7 8.5
122 8.1 8.6 13.0#









#32
Benzo(a)anthracene
Concen: 3.47 ng
RT: 21.282 min Scan# 2017
Delta R.T. -0.010 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:228 Resp: 1260841
Ion Ratio Lower Upper
228 100
226 27.5 21.3 31.9
229 19.2 15.7 23.5



#33
Chrysene
Concen: 3.09 ng
RT: 21.335 min Scan# 2022
Delta R.T. -0.010 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55


Tgt Ion:228 Resp: 1220387
Ion Ratio Lower Upper
228 100
226 30.2 23.3 34.9
229 19.5 15.6 23.4







#35
Perylene-d12
Concen: 0.40 ng
RT: 23.609 min Scan# 2476
Delta R.T. -0.006 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2







Tgt Ion:264 Resp: 104287
Ion Ratio Lower Upper
264 100
260 24.7 19.4 29.2
265 23.4 18.6 28.0



#36
Indeno(1,2,3-cd)pyrene
Concen: 2.81 ng
RT: 25.974 min Scan# 3165
Delta R.T. -0.006 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:276 Resp: 952181
Ion Ratio Lower Upper
276 100
138 17.8 19.7 29.5#
277 25.1 20.0 30.0









#37
Benzo(b)fluoranthene
Concen: 3.36 ng
RT: 22.911 min Scan# 21
Delta R.T. -0.003 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:252 Resp: 1162953
Ion Ratio Lower Upper
252 100
253 22.0 17.7 26.5
125 6.9 7.8 11.8#



#38
Benzo(k)fluoranthene
Concen: 3.12 ng
RT: 22.959 min Scan# 2284
Delta R.T. 0.000 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:252 Resp: 1107758
Ion Ratio Lower Upper
252 100
253 21.8 17.7 26.5
125 6.8 8.2 12.2#









#39
Benzo(a)pyrene
Concen: 3.31 ng
RT: 23.507 min Scan# 2446
Delta R.T. -0.006 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55




Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2


Tgt Ion:252 Resp: 1025323
Ion Ratio Lower Upper
252 100
253 21.7 17.9 26.9
125 7.6 9.2 13.8#



#40
Dibenzo(a,h)anthracene
Concen: 2.67 ng
RT: 25.995 min Scan# 3171
Delta R.T. -0.006 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Tgt Ion:278 Resp: 738741
Ion Ratio Lower Upper
278 100
139 12.1 13.0 19.6#
279 23.6 19.2 28.8





#41
Benzo(g,h,i)perylene
Concen: 2.97 ng
RT: 26.700 min Scan# 31
Delta R.T. -0.003 min
Lab File: BN017697.D
Acq: 03 Dec 2021 17:55

Instrument :
BNA_N
ClientSampleId :
SSTDICC3.2

Tgt Ion:276 Resp: 845384
Ion Ratio Lower Upper
276 100
277 23.7 19.0 28.4
138 15.3 17.1 25.7#

