

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120721\
 Data File : BN017769.D
 Acq On : 07 Dec 2021 17:36
 Operator : CG/JU
 Sample : SSTDICV0.4
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 ICVBN120721

Quant Time: Dec 08 01:19:38 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN120721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 08 01:18:09 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.715	152	21381	0.400	ng	0.00
7) Naphthalene-d8	10.494	136	81276	0.400	ng	0.00
13) Acenaphthene-d10	14.347	164	58812	0.400	ng	0.00
19) Phenanthrene-d10	17.093	188	122131	0.400	ng	0.00
29) Chrysene-d12	21.283	240	126909	0.400	ng	0.00
35) Perylene-d12	23.586	264	108572	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.327	112	20510	0.397	ng	0.00
5) Phenol-d6	6.904	99	18116	0.371	ng	0.00
8) Nitrobenzene-d5	8.859	82	18391	0.340	ng	0.00
11) 2-Methylnaphthalene-d10	12.090	152	66978	0.413	ng	0.00
14) 2,4,6-Tribromophenol	15.845	330	9876	0.321	ng	0.00
15) 2-Fluorobiphenyl	12.965	172	87361	0.406	ng	0.00
27) Fluoranthene-d10	19.130	212	161364	0.395	ng	0.00
31) Terphenyl-d14	19.735	244	108977	0.400	ng	0.00
Target Compounds						Qvalue
3) n-Nitrosodimethylamine	3.603	42	8860	0.401	ng	100
6) bis(2-Chloroethyl)ether	7.143	93	23387	0.423	ng	100
9) Naphthalene	10.545	128	83466	0.392	ng	100
10) Hexachlorobutadiene	10.836	225	26024	0.421	ng	# 100
12) 2-Methylnaphthalene	12.165	142	64444	0.420	ng	97
16) Acenaphthylene	14.056	152	87502	0.379	ng	100
17) Acenaphthene	14.398	154	62674	0.407	ng	100
18) Fluorene	15.388	166	77896	0.396	ng	99
20) 4,6-Dinitro-2-methylph...	15.502	198	305	0.295	ng	96
21) 4-Bromophenyl-phenylether	16.289	248	28457	0.385	ng	99
22) Hexachlorobenzene	16.399	284	36440	0.415	ng	99
23) Atrazine	16.557	200	18288	0.342	ng	99
24) Pentachlorophenol	16.764	266	4492	0.416	ng	100
25) Phenanthrene	17.129	178	128145	0.399	ng	100
26) Anthracene	17.227	178	107161	0.380	ng	100
28) Fluoranthene	19.159	202	160769	0.412	ng	100
30) Pyrene	19.522	202	163851	0.407	ng	100
32) Benzo(a)anthracene	21.272	228	154522	0.396	ng	100
33) Chrysene	21.325	228	160749	0.394	ng	99
34) Bis(2-ethylhexyl)phtha...	21.219	149	56257	0.318	ng	100
36) Indeno(1,2,3-cd)pyrene	25.937	276	109564	0.364	ng	100
37) Benzo(b)fluoranthene	22.888	252	148828	0.403	ng	100
38) Benzo(k)fluoranthene	22.932	252	142071	0.408	ng	100
39) Benzo(a)pyrene	23.483	252	130768	0.394	ng	99
40) Dibenzo(a,h)anthracene	25.961	278	81662	0.350	ng	99
41) Benzo(g,h,i)perylene	26.660	276	93826	0.374	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120721\
Data File : BN017769.D
Acq On : 07 Dec 2021 17:36
Operator : CG/JU
Sample : SSTDICV0.4
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
ICVBN120721

Quant Time: Dec 08 01:19:38 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN120721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 08 01:18:09 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.715 min Scan# 41
Delta R.T. 0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721

Tgt Ion:152 Resp: 21381
Ion Ratio Lower Upper
152 100
150 153.1 123.0 184.4
115 55.9 45.3 67.9



#3
n-Nitrosodimethylamine
Concen: 0.401 ng
RT: 3.603 min Scan# 37
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion: 42 Resp: 8860
Ion Ratio Lower Upper
42 100
74 126.1 101.3 151.9
44 6.6 5.0 7.4









#4
2-Fluorophenol
Concen: 0.397 ng
RT: 5.327 min Scan# 211
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:112 Resp: 20510
Ion Ratio Lower Upper
112 100
64 62.0 49.3 73.9
63 32.6 25.8 38.8



#5
Phenol-d6
Concen: 0.371 ng
RT: 6.904 min Scan# 395
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion: 99 Resp: 18116
Ion Ratio Lower Upper
99 100
42 20.9 16.6 25.0
71 35.8 29.0 43.4









#6
bis(2-Chloroethyl)ether
Concen: 0.423 ng
RT: 7.143 min Scan# 41
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion: 93 Resp: 23387
Ion Ratio Lower Upper
93 100
63 77.3 62.0 93.0
95 32.4 26.4 39.6



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.494 min Scan# 720
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion: 136 Resp: 81276
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 7.3 5.9 8.9
68 6.1 5.0 7.6









#8
Nitrobenzene-d5
Concen: 0.340 ng
RT: 8.859 min Scan# 591
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion: 82 Resp: 18391
Ion Ratio Lower Upper
82 100
128 37.9 30.2 45.2
54 48.5 39.0 58.6



#9
Naphthalene
Concen: 0.392 ng
RT: 10.545 min Scan# 724
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion: 128 Resp: 83466
Ion Ratio Lower Upper
128 100
129 11.0 8.8 13.2
127 13.0 10.6 15.8









#10
Hexachlorobutadiene
Concen: 0.421 ng
RT: 10.836 min Scan# 747
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:225 Resp: 26024
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.7 50.9 76.3



#11
2-Methylnaphthalene-d10
Concen: 0.413 ng
RT: 12.090 min Scan# 929
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:152 Resp: 66978
Ion Ratio Lower Upper
152 100
151 20.3 16.4 24.6





#12

2-Methylnaphthalene

Concen: 0.420 ng

RT: 12.165 min Scan# 945

Delta R.T. 0.004 min

Lab File: BN017769.D


Acq: 07 Dec 2021 17:36

Instrument :

BNA_N

ClientSampleId :

ICVBN120721






Tgt Ion:142 Resp: 64444

Ion Ratio Lower Upper

142 100

141 85.3 70.5 105.7

115 33.5 28.0 42.0



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.347 min Scan# 1168

Delta R.T. -0.000 min

Lab File: BN017769.D

Acq: 07 Dec 2021 17:36




Tgt Ion:164 Resp: 58812


Ion Ratio Lower Upper

164 100

162 98.4 79.0 118.6

160 42.9 34.6 52.0









#14
2,4,6-Tribromophenol
Concen: 0.321 ng
RT: 15.845 min Scan# 1286
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:330 Resp: 9876
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 25.9 21.5 32.3



#15
2-Fluorobiphenyl
Concen: 0.406 ng
RT: 12.965 min Scan# 1059
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:172 Resp: 87361
Ion Ratio Lower Upper
172 100
171 34.9 28.1 42.1
170 23.6 18.9 28.3









#16
Acenaphthylene
Concen: 0.379 ng
RT: 14.056 min Scan# 1145
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:152 Resp: 87502
Ion Ratio Lower Upper
152 100
151 19.5 15.7 23.5
153 13.1 10.4 15.6



#17
Acenaphthene
Concen: 0.407 ng
RT: 14.398 min Scan# 1172
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36


Tgt Ion:154 Resp: 62674
Ion Ratio Lower Upper
154 100
153 112.7 90.1 135.1
152 54.7 43.7 65.5








#18
Fluorene
Concen: 0.396 ng
RT: 15.388 min Scan# 1250
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Instrument :
BNA_N
ClientSampleId :
ICVBN120721







Tgt Ion:166 Resp: 77896
Ion Ratio Lower Upper
166 100
165 98.2 77.8 116.8
167 13.6 11.0 16.4



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.093 min Scan# 1388
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:188 Resp: 122131
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.7 5.1 7.7









#20
4,6-Dinitro-2-methylphenol
Concen: 0.295 ng
RT: 15.502 min Scan# 1259
Delta R.T. 0.013 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:198 Resp: 305
Ion Ratio Lower Upper
198 100
182 58.5 44.2 66.2
77 0.0 0.0 0.0



#21
4-Bromophenyl-phenylether
Concen: 0.385 ng
RT: 16.289 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:248 Resp: 28457
Ion Ratio Lower Upper
248 100
250 99.1 80.3 120.5
141 38.4 29.8 44.8









#22
Hexachlorobenzene
Concen: 0.415 ng
RT: 16.399 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:284 Resp: 36440
Ion Ratio Lower Upper
284 100
142 26.0 21.0 31.4
249 29.1 23.9 35.9



#23
Atrazine
Concen: 0.342 ng
RT: 16.557 min Scan# 1344
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:200 Resp: 18288
Ion Ratio Lower Upper
200 100
173 28.0 21.4 32.2
215 49.1 39.3 58.9









#24
 Pentachlorophenol
 Concen: 0.416 ng
 RT: 16.764 min Scan# 1361
 Delta R.T. 0.000 min
 Lab File: BN017769.D
 Acq: 07 Dec 2021 17:36




Instrument :
 BNA_N
 ClientSampleId :
 ICVBN120721


Tgt Ion:	266	Resp:	4492
Ion Ratio	Lower	Upper	
266	100		
264	63.2	50.8	76.2
268	64.4	51.8	77.6



#25
 Phenanthrene
 Concen: 0.399 ng
 RT: 17.129 min Scan# 1391
 Delta R.T. -0.000 min
 Lab File: BN017769.D
 Acq: 07 Dec 2021 17:36

Tgt Ion:	178	Resp:	128145
Ion Ratio	Lower	Upper	
178	100		
176	18.8	15.0	22.6
179	16.0	12.5	18.7









#26
 Anthracene
 Concen: 0.380 ng
 RT: 17.227 min Scan# 1399
 Delta R.T. -0.000 min
 Lab File: BN017769.D
 Acq: 07 Dec 2021 17:36




Instrument :
 BNA_N
 ClientSampleId :
 ICVBN120721


Tgt Ion:178 Resp: 107161
 Ion Ratio Lower Upper
 178 100
 176 18.1 14.5 21.7
 179 15.5 12.2 18.4



#27
 Fluoranthene-d10
 Concen: 0.395 ng
 RT: 19.130 min Scan# 1688
 Delta R.T. -0.000 min
 Lab File: BN017769.D
 Acq: 07 Dec 2021 17:36

Tgt Ion:212 Resp: 161364
 Ion Ratio Lower Upper
 212 100
 106 10.4 8.2 12.2
 104 5.7 4.6 6.8









#28
Fluoranthene
Concen: 0.412 ng
RT: 19.159 min Scan# 1694
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:202 Resp: 160769
Ion Ratio Lower Upper
202 100
101 9.1 7.2 10.8
203 17.2 13.7 20.5



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.283 min Scan# 1985
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:240 Resp: 126909
Ion Ratio Lower Upper
240 100
120 10.1 7.9 11.9
236 27.0 21.4 32.2









#30
Pyrene
Concen: 0.407 ng
RT: 19.522 min Scan# 1767
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:202 Resp: 163851
Ion Ratio Lower Upper
202 100
200 20.5 16.5 24.7
203 17.5 14.0 21.0



#31
Terphenyl-d14
Concen: 0.400 ng
RT: 19.735 min Scan# 1810
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:244 Resp: 108977
Ion Ratio Lower Upper
244 100
212 7.4 5.8 8.8
122 9.3 7.1 10.7









#32
Benzo(a)anthracene
Concen: 0.396 ng
RT: 21.272 min Scan# 1984
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:228 Resp: 154522
Ion Ratio Lower Upper
228 100
226 26.7 21.4 32.0
229 19.4 15.7 23.5



#33
Chrysene
Concen: 0.394 ng
RT: 21.325 min Scan# 1989
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:228 Resp: 160749
Ion Ratio Lower Upper
228 100
226 29.2 23.6 35.4
229 19.7 15.6 23.4









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.318 ng
 RT: 21.219 min Scan# 1979
 Delta R.T. -0.000 min
 Lab File: BN017769.D
 Acq: 07 Dec 2021 17:36




Instrument :
 BNA_N
 ClientSampleId :
 ICVBN120721


Tgt Ion:	149	Resp:	56257
Ion Ratio	Lower	Upper	
149	100		
167	29.2	23.5	35.3
279	4.6	3.8	5.6



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.586 min Scan# 2435
 Delta R.T. 0.003 min
 Lab File: BN017769.D
 Acq: 07 Dec 2021 17:36

Tgt Ion:	264	Resp:	108572
Ion Ratio	Lower	Upper	
264	100		
260	24.7	20.0	30.0
265	24.4	20.5	30.7









#36
Indeno(1,2,3-cd)pyrene
Concen: 0.364 ng
RT: 25.937 min Scan# 3123
Delta R.T. -0.003 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36




Instrument :
BNA_N
ClientSampleId :
ICVBN120721


Tgt Ion:276 Resp: 109564
Ion Ratio Lower Upper
276 100
138 18.6 15.0 22.4
277 24.9 19.8 29.8



#37
Benzo(b)fluoranthene
Concen: 0.403 ng
RT: 22.888 min Scan# 2231
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36


Tgt Ion:252 Resp: 148828
Ion Ratio Lower Upper
252 100
253 22.0 17.7 26.5
125 7.6 6.2 9.2








#38
Benzo(k)fluoranthene
Concen: 0.408 ng
RT: 22.932 min Scan# 21
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Instrument :
BNA_N
ClientSampleId :
ICVBN120721







Tgt Ion:252 Resp: 142071
Ion Ratio Lower Upper
252 100
253 22.2 17.8 26.6
125 7.7 6.2 9.2



#39
Benzo(a)pyrene
Concen: 0.394 ng
RT: 23.483 min Scan# 2405
Delta R.T. -0.000 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:252 Resp: 130768
Ion Ratio Lower Upper
252 100
253 22.1 18.1 27.1
125 8.5 7.0 10.4









#40
Dibenzo(a,h)anthracene
Concen: 0.350 ng
RT: 25.961 min Scan# 3128
Delta R.T. 0.003 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Instrument :
BNA_N
ClientSampleId :
ICVBN120721

Tgt Ion:278 Resp: 81662
Ion Ratio Lower Upper
278 100
139 13.2 10.8 16.2
279 24.5 19.1 28.7



#41
Benzo(g,h,i)perylene
Concen: 0.374 ng
RT: 26.660 min Scan# 3333
Delta R.T. 0.003 min
Lab File: BN017769.D
Acq: 07 Dec 2021 17:36

Tgt Ion:276 Resp: 93826
Ion Ratio Lower Upper
276 100
277 24.1 19.1 28.7
138 16.4 13.2 19.8

