

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120821\
 Data File : BN017810.D
 Acq On : 08 Dec 2021 21:25
 Operator : CG/JU
 Sample : M4922-10
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE131D3-20211130

Quant Time: Dec 09 11:05:29 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN120721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 08 01:18:09 2021
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 12/09/2021
 Supervised By :mohammad ahmed 12/15/2021

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.715	152	20434	0.400	ng	0.00
7) Naphthalene-d8	10.494	136	80613	0.400	ng	0.00
13) Acenaphthene-d10	14.347	164	57894	0.400	ng	0.00
19) Phenanthrene-d10	17.092	188	121943	0.400	ng	0.00
29) Chrysene-d12	21.293	240	116003	0.400	ng	# 0.01
35) Perylene-d12	23.589	264	91068	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.336	112	6316	0.128	ng	0.00
5) Phenol-d6	6.913	99	3408	0.073	ng	0.00
8) Nitrobenzene-d5	8.859	82	16179m	0.302	ng	0.00
11) 2-Methylnaphthalene-d10	12.090	152	41752	0.260	ng	0.00
14) 2,4,6-Tribromophenol	15.844	330	6018	0.199	ng	0.00
15) 2-Fluorobiphenyl	12.964	172	63663	0.300	ng	0.00
27) Fluoranthene-d10	19.129	212	144343	0.354	ng	0.00
31) Terphenyl-d14	19.735	244	119603	0.480	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.270	88	19093m	2.538	ng	Qvalue
34) Bis(2-ethylhexyl)phtha...	21.219	149	17340	0.107	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120821\
Data File : BN017810.D
Acq On : 08 Dec 2021 21:25
Operator : CG/JU
Sample : M4922-10
Misc :
ALS Vial : 15 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130

Quant Time: Dec 09 11:05:29 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN120721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 08 01:18:09 2021
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.715 min Scan# 492
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25




Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130




Tgt Ion:152 Resp: 20434
Ion Ratio Lower Upper
152 100
150 153.9 123.0 184.4
115 56.9 45.3 67.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021




#2
1,4-Dioxane
Concen: 2.538 ng m
RT: 3.270 min Scan# 10
Delta R.T. -0.028 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25




Tgt Ion: 88 Resp: 19093
Ion Ratio Lower Upper
88 100
43 36.9 0.0 0.0#
58 88.1 0.0 0.0#





#4
2-Fluorophenol
Concen: 0.128 ng
RT: 5.336 min Scan# 21
Delta R.T. 0.009 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25




Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130




Tgt Ion: 112 Resp: 6310
Ion Ratio Lower Upper
112 100
64 62.2 49.3 73.9
63 35.0 25.8 38.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021




#5
Phenol-d6
Concen: 0.073 ng
RT: 6.913 min Scan# 405
Delta R.T. 0.009 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25



Tgt Ion: 99 Resp: 3408
Ion Ratio Lower Upper
99 100
42 26.9 16.6 25.0#
71 46.3 29.0 43.4#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.494 min Scan# 71
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25

Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130

Tgt Ion:	136	Resp:	8061
Ion Ratio	Lower	Upper	
136	100		
137	11.2	8.8	13.2
54	8.3	5.9	8.9
68	6.7	5.0	7.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021



#8
Nitrobenzene-d5
Concen: 0.302 ng m
RT: 8.859 min Scan# 600
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25

Tgt Ion:	82	Resp:	16179
Ion Ratio	Lower	Upper	
82	100		
128	36.8	30.2	45.2
54	50.4	39.0	58.6









#11
2-Methylnaphthalene-d10
Concen: 0.260 ng
RT: 12.090 min Scan# 911
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25

Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130

Tgt Ion:152 Resp: 41752
Ion Ratio Lower Upper
152 100
151 20.3 16.4 24.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.347 min Scan# 1177
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25


Tgt Ion:164 Resp: 57894
Ion Ratio Lower Upper
164 100
162 99.1 79.0 118.6
160 43.4 34.6 52.0





#14
2,4,6-Tribromophenol
Concen: 0.199 ng
RT: 15.844 min Scan# 1068
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25




Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130




Tgt Ion:330 Resp: 6018
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 29.8 21.5 32.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021




#15
2-Fluorobiphenyl
Concen: 0.300 ng
RT: 12.964 min Scan# 1068
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25




Tgt Ion:172 Resp: 63663
Ion Ratio Lower Upper
172 100
171 35.4 28.1 42.1
170 24.2 18.9 28.3





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.092 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25




Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130




Tgt Ion:188 Resp: 12194
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.6 5.1 7.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021




#27
Fluoranthene-d10
Concen: 0.354 ng
RT: 19.129 min Scan# 1697
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25



Tgt Ion:212 Resp: 144343
Ion Ratio Lower Upper
212 100
106 9.9 8.2 12.2
104 5.5 4.6 6.8





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.293 min Scan# 1985

Delta R.T. 0.010 min

Lab File: BN017810.D

Acq: 08 Dec 2021 21:25

Instrument :

BNA_N

ClientSampleId :

RE131D3-20211130

Tgt Ion:240 Resp: 116003

Ion Ratio Lower Upper

240 100





120 6.1 7.9 11.9

236 25.8 21.4 32.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021



#31

Terphenyl-d14

Concen: 0.480 ng

RT: 19.735 min Scan# 1819

Delta R.T. -0.000 min

Lab File: BN017810.D

Acq: 08 Dec 2021 21:25




Tgt Ion:244 Resp: 119603


Ion Ratio Lower Upper

244 100

212 7.5 5.8 8.8


122 8.6 7.1 10.7





#34
Bis(2-ethylhexyl)phthalate
Concen: 0.107 ng
RT: 21.219 min Scan# 1979
Delta R.T. -0.000 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25




Instrument :
BNA_N
ClientSampleId :
RE131D3-20211130



Tgt Ion:149 Resp: 17340
Ion Ratio Lower Upper
149 100
167 29.9 23.5 35.3
279 5.3 3.8 5.6

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 12/09/2021
Supervised By :mohammad ahmed 12/15/2021



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.589 min Scan# 2445
Delta R.T. 0.007 min
Lab File: BN017810.D
Acq: 08 Dec 2021 21:25

Tgt Ion:264 Resp: 91068
Ion Ratio Lower Upper
264 100
260 25.1 20.0 30.0
265 24.8 20.5 30.7

