

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120924\
 Data File : BN035508.D
 Acq On : 09 Dec 2024 15:52
 Operator : RC/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Quant Time: Dec 09 16:26:48 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112724.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 27 23:03:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.301	152	2019	0.400	ng	0.00
7) Naphthalene-d8	10.041	136	5848	0.400	ng	-0.01
13) Acenaphthene-d10	13.957	164	4309	0.400	ng	-0.01
19) Phenanthrene-d10	16.723	188	9730	0.400	ng	#-0.01
29) Chrysene-d12	20.965	240	8544	0.400	ng	0.00
35) Perylene-d12	23.059	264	8301	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	4.961	112	2221	0.440	ng	0.00
5) Phenol-d6	6.506	99	2789	0.459	ng	0.00
8) Nitrobenzene-d5	8.429	82	1720	0.482	ng	-0.01
11) 2-Methylnaphthalene-d10	11.646	152	3625	0.396	ng	-0.01
14) 2,4,6-Tribromophenol	15.475	330	1111	0.363	ng	0.00
15) 2-Fluorobiphenyl	12.564	172	6238	0.383	ng	-0.01
27) Fluoranthene-d10	18.775	212	9807	0.356	ng	0.00
31) Terphenyl-d14	19.407	244	6969	0.413	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.996	88	759	0.393	ng	98
3) n-Nitrosodimethylamine	3.292	42	660	0.411	ng	# 94
6) bis(2-Chloroethyl)ether	6.752	93	2026	0.397	ng	99
9) Naphthalene	10.095	128	5925	0.384	ng	100
10) Hexachlorobutadiene	10.394	225	1415	0.398	ng	# 99
12) 2-Methylnaphthalene	11.722	142	4247	0.385	ng	99
16) Acenaphthylene	13.668	152	6728	0.372	ng	100
17) Acenaphthene	14.021	154	4597	0.383	ng	98
18) Fluorene	15.026	166	6318	0.367	ng	100
20) 4,6-Dinitro-2-methylph...	15.133	198	161	0.168	ng	# 49
21) 4-Bromophenyl-phenylether	15.929	248	2125	0.373	ng	# 86
22) Hexachlorobenzene	16.028	284	2614	0.391	ng	99
23) Atrazine	16.227	200	1529	0.377	ng	94
24) Pentachlorophenol	16.388	266	909	0.313	ng	# 86
25) Phenanthrene	16.760	178	9935	0.372	ng	100
26) Anthracene	16.860	178	8709	0.360	ng	99
28) Fluoranthene	18.808	202	12535	0.348	ng	99
30) Pyrene	19.175	202	12805	0.406	ng	100
32) Benzo(a)anthracene	20.947	228	10817	0.362	ng	99
33) Chrysene	21.001	228	12009	0.390	ng	100
34) Bis(2-ethylhexyl)phtha...	20.929	149	4730	0.401	ng	99
36) Indeno(1,2,3-cd)pyrene	25.096	276	11662	0.359	ng	97
37) Benzo(b)fluoranthene	22.448	252	17725	0.584	ng	98
38) Benzo(k)fluoranthene	22.488	252	11776	0.394	ng	97
39) Benzo(a)pyrene	22.971	252	9314	0.372	ng	97
40) Dibenzo(a,h)anthracene	25.117	278	9103	0.355	ng	97
41) Benzo(g,h,i)perylene	25.713	276	9942	0.372	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120924\
Data File : BN035508.D
Acq On : 09 Dec 2024 15:52
Operator : RC/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Quant Time: Dec 09 16:26:48 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112724.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 27 23:03:24 2024
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.301 min Scan# 61
 Delta R.T. -0.007 min
 Lab File: BN035508.D
 Acq: 09 Dec 2024 15:52

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC



Tgt Ion:152 Resp: 2019




Ion	Ratio	Lower	Upper
152	100		
150	150.0	124.0	186.0
115	59.5	49.6	74.4




#2
 1,4-Dioxane
 Concen: 0.393 ng
 RT: 2.996 min Scan# 16
 Delta R.T. -0.007 min
 Lab File: BN035508.D
 Acq: 09 Dec 2024 15:52

Tgt Ion: 88 Resp: 759

Ion	Ratio	Lower	Upper
88	100		
43	23.3	17.2	25.8
58	56.1	44.5	66.7









#3
n-Nitrosodimethylamine
Concen: 0.411 ng
RT: 3.292 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion: 42 Resp: 660
Ion Ratio Lower Upper
42 100
74 163.6 124.9 187.3
44 11.1 2.2 3.4#



#4
2-Fluorophenol
Concen: 0.440 ng
RT: 4.961 min Scan# 288
Delta R.T. -0.007 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion: 112 Resp: 2221
Ion Ratio Lower Upper
112 100
64 51.5 39.8 59.8
63 27.8 21.0 31.6









#5
Phenol-d6
Concen: 0.459 ng
RT: 6.506 min Scan# 503
Delta R.T. -0.007 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion: 99 Resp: 2789
Ion Ratio Lower Upper
99 100
42 15.0 11.4 17.2
71 38.1 29.3 43.9



#6
bis(2-Chloroethyl)ether
Concen: 0.397 ng
RT: 6.752 min Scan# 536
Delta R.T. -0.007 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion: 93 Resp: 2026
Ion Ratio Lower Upper
93 100
63 62.3 50.4 75.6
95 32.3 25.7 38.5









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.041 min Scan# 915
Delta R.T. -0.011 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:136	Resp:	5848
Ion Ratio	Lower	Upper
136	100	
137	12.5	10.2 15.2
54	6.5	6.1 9.1
68	6.5	6.4 9.6



#8
Nitrobenzene-d5
Concen: 0.482 ng
RT: 8.429 min Scan# 763
Delta R.T. -0.011 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion: 82	Resp:	1720
Ion Ratio	Lower	Upper
82	100	
128	41.9	33.4 50.0
54	44.3	36.7 55.1









#9
Naphthalene
Concen: 0.384 ng
RT: 10.095 min Scan# 919
Delta R.T. -0.011 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:128 Resp: 5925
Ion Ratio Lower Upper
128 100
129 12.0 9.8 14.6
127 14.3 11.4 17.2



#10
Hexachlorobutadiene
Concen: 0.398 ng
RT: 10.394 min Scan# 947
Delta R.T. -0.011 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:225 Resp: 1415
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.5 51.3 76.9









#11
2-Methylnaphthalene-d10
Concen: 0.396 ng
RT: 11.646 min Scan# 1079
Delta R.T. -0.010 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:152 Resp: 3625
Ion Ratio Lower Upper
152 100
151 20.9 16.6 25.0



#12
2-Methylnaphthalene
Concen: 0.385 ng
RT: 11.722 min Scan# 1094
Delta R.T. -0.010 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:142 Resp: 4247
Ion Ratio Lower Upper
142 100
141 89.0 72.2 108.4
115 40.1 31.4 47.0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 13.957 min Scan# 1436

Delta R.T. -0.011 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC





Tgt Ion:164 Resp: 4309

Ion Ratio Lower Upper

164 100

162 100.4 82.2 123.2

160 49.6 40.1 60.1



#14

2,4,6-Tribromophenol

Concen: 0.363 ng

RT: 15.475 min Scan# 1578

Delta R.T. 0.000 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52




Tgt Ion:330 Resp: 1111


Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0

141 33.2 26.6 40.0





#15

2-Fluorobiphenyl

Concen: 0.383 ng

RT: 12.564 min Scan# 1409

Delta R.T. -0.010 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC





Tgt Ion:172 Resp: 6238

Ion Ratio Lower Upper

172 100

171 36.3 29.0 43.4

170 24.5 19.8 29.8



#16

Acenaphthylene

Concen: 0.372 ng

RT: 13.668 min Scan# 1409

Delta R.T. -0.011 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52




Tgt Ion:152 Resp: 6728


Ion Ratio Lower Upper

152 100

151 20.3 16.2 24.2

153 12.8 10.4 15.6









#17
Acenaphthene
Concen: 0.383 ng
RT: 14.021 min Scan# 1442
Delta R.T. -0.011 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:154 Resp: 4597
Ion Ratio Lower Upper
154 100
153 113.7 92.6 139.0
152 59.0 49.0 73.6



#18
Fluorene
Concen: 0.367 ng
RT: 15.026 min Scan# 1536
Delta R.T. 0.000 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:166 Resp: 6318
Ion Ratio Lower Upper
166 100
165 100.0 79.7 119.5
167 13.9 10.8 16.2





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.723 min Scan# 1

Delta R.T. -0.012 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC





Tgt Ion:188 Resp: 9730

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 7.6 4.6 6.8#



#20

4,6-Dinitro-2-methylphenol

Concen: 0.168 ng

RT: 15.133 min Scan# 1546

Delta R.T. -0.000 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52




Tgt Ion:198 Resp: 161


Ion Ratio Lower Upper

198 100

51 104.8 46.5 69.7#

105 85.7 45.3 67.9#









#21
4-Bromophenyl-phenylether
Concen: 0.373 ng
RT: 15.929 min Scan# 1615
Delta R.T. -0.012 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:248 Resp: 2125
Ion Ratio Lower Upper
248 100
250 96.7 80.6 120.8
141 63.1 31.5 47.3#



#22
Hexachlorobenzene
Concen: 0.391 ng
RT: 16.028 min Scan# 1623
Delta R.T. -0.012 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:284 Resp: 2614
Ion Ratio Lower Upper
284 100
142 33.1 26.7 40.1
249 30.1 24.6 36.8









#23
Atrazine
Concen: 0.377 ng
RT: 16.227 min Scan# 1639
Delta R.T. 0.000 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:200 Resp: 1529
Ion Ratio Lower Upper
200 100
173 25.0 24.1 36.1
215 48.5 36.9 55.3



#24
Pentachlorophenol
Concen: 0.313 ng
RT: 16.388 min Scan# 1652
Delta R.T. -0.012 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:266 Resp: 909
Ion Ratio Lower Upper
266 100
264 63.9 42.3 63.5#
268 62.7 43.3 64.9









#25
Phenanthrene
Concen: 0.372 ng
RT: 16.760 min Scan# 1682
Delta R.T. -0.012 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:178 Resp: 9935
Ion Ratio Lower Upper
178 100
176 19.4 15.4 23.2
179 15.4 12.3 18.5



#26
Anthracene
Concen: 0.360 ng
RT: 16.860 min Scan# 1690
Delta R.T. 0.000 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:178 Resp: 8709
Ion Ratio Lower Upper
178 100
176 19.0 15.0 22.6
179 15.0 12.6 18.8









#27
Fluoranthene-d10
Concen: 0.356 ng
RT: 18.775 min Scan# 1880
Delta R.T. -0.009 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:212 Resp: 9807
Ion Ratio Lower Upper
212 100
106 10.2 9.2 13.8
104 6.0 5.3 7.9



#28
Fluoranthene
Concen: 0.348 ng
RT: 18.808 min Scan# 1887
Delta R.T. -0.009 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:202 Resp: 12535
Ion Ratio Lower Upper
202 100
101 8.4 7.4 11.0
203 17.4 13.7 20.5









#29
Chrysene-d12
Concen: 0.400 ng
RT: 20.965 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:240 Resp: 8544
Ion Ratio Lower Upper
240 100
120 10.5 7.9 11.9
236 29.0 22.9 34.3



#30
Pyrene
Concen: 0.406 ng
RT: 19.175 min Scan# 1966
Delta R.T. -0.005 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:202 Resp: 12805
Ion Ratio Lower Upper
202 100
200 21.4 17.0 25.4
203 17.9 14.3 21.5









#31
 Terphenyl-d14
 Concen: 0.413 ng
 RT: 19.407 min Scan# 2016
 Delta R.T. -0.005 min
 Lab File: BN035508.D
 Acq: 09 Dec 2024 15:52




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC


Tgt Ion:244 Resp: 6969
 Ion Ratio Lower Upper
 244 100
 212 10.1 8.1 12.1
 122 11.4 10.3 15.5



#32
 Benzo(a)anthracene
 Concen: 0.362 ng
 RT: 20.947 min Scan# 2250
 Delta R.T. -0.009 min
 Lab File: BN035508.D
 Acq: 09 Dec 2024 15:52

Tgt Ion:228 Resp: 10817
 Ion Ratio Lower Upper
 228 100
 226 28.9 22.5 33.7
 229 19.3 15.8 23.8









#33
Chrysene
Concen: 0.390 ng
RT: 21.001 min Scan# 21001
Delta R.T. -0.009 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:228 Resp: 12009
Ion Ratio Lower Upper
228 100
226 31.0 24.6 37.0
229 19.8 15.9 23.9



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.401 ng
RT: 20.929 min Scan# 2248
Delta R.T. 0.000 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Tgt Ion:149 Resp: 4730
Ion Ratio Lower Upper
149 100
167 28.3 22.2 33.4
279 3.9 2.7 4.1





#35

Perylene-d12

Concen: 0.400 ng

RT: 23.059 min Scan# 2

Delta R.T. -0.009 min

Lab File: BN035508.D


Acq: 09 Dec 2024 15:52

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC






Tgt Ion:264 Resp: 8301

Ion Ratio Lower Upper

264 100

260 27.6 21.4 32.2

265 54.4 40.2 60.4



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.359 ng

RT: 25.096 min Scan# 3333

Delta R.T. -0.012 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52




Tgt Ion:276 Resp: 11662


Ion Ratio Lower Upper

276 100

138 21.6 19.4 29.0

277 24.4 19.8 29.6





#37

Benzo(b)fluoranthene

Concen: 0.584 ng

RT: 22.448 min Scan# 2427

Delta R.T. -0.006 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC





Tgt Ion:252 Resp: 17725

Ion Ratio Lower Upper

252 100

253 25.3 19.6 29.4

125 11.0 9.6 14.4



#38

Benzo(k)fluoranthene

Concen: 0.394 ng

RT: 22.488 min Scan# 2441

Delta R.T. -0.006 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52




Tgt Ion:252 Resp: 11776


Ion Ratio Lower Upper

252 100

253 25.9 19.5 29.3

125 12.1 10.2 15.4





#39

Benzo(a)pyrene

Concen: 0.372 ng

RT: 22.971 min Scan# 2606

Delta R.T. -0.006 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC





Tgt Ion:252 Resp: 9314

Ion Ratio Lower Upper

252 100

253 27.4 20.2 30.4

125 13.7 10.9 16.3



#40

Dibenzo(a,h)anthracene

Concen: 0.355 ng

RT: 25.117 min Scan# 3340

Delta R.T. -0.009 min

Lab File: BN035508.D

Acq: 09 Dec 2024 15:52




Tgt Ion:278 Resp: 9103


Ion Ratio Lower Upper

278 100

139 16.6 14.2 21.4


279 27.2 20.5 30.7





#41
Benzo(g,h,i)perylene
Concen: 0.372 ng
RT: 25.713 min Scan# 3544
Delta R.T. -0.009 min
Lab File: BN035508.D
Acq: 09 Dec 2024 15:52

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC



Tgt Ion:	276	Resp:	9942
Ion	Ratio	Lower	Upper
276	100		
277	25.1	19.9	29.9
138	20.9	17.8	26.8

