

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120924\
 Data File : BN035513.D
 Acq On : 09 Dec 2024 18:55
 Operator : RC/JU
 Sample : P5164-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE108D1-20241206

Quant Time: Dec 10 01:27:08 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112724.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 27 23:03:24 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 12/11/2024
 Supervised By :mohammad ahmed 12/11/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.300	152	1500	0.400	ng	0.00
7) Naphthalene-d8	10.041	136	4288	0.400	ng	-0.01
13) Acenaphthene-d10	13.956	164	3273	0.400	ng	-0.01
19) Phenanthrene-d10	16.723	188	7859	0.400	ng	#-0.01
29) Chrysene-d12	20.965	240	6610	0.400	ng	# 0.00
35) Perylene-d12	23.061	264	6392	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	4.960	112	579	0.154	ng	0.00
5) Phenol-d6	6.506	99	378	0.084	ng	0.00
8) Nitrobenzene-d5	8.440	82	1089m	0.416	ng	0.00
11) 2-Methylnaphthalene-d10	11.651	152	2641	0.394	ng	0.00
14) 2,4,6-Tribromophenol	15.475	330	585	0.252	ng	0.00
15) 2-Fluorobiphenyl	12.569	172	5677	0.459	ng	0.00
27) Fluoranthene-d10	18.775	212	9091	0.408	ng	0.00
31) Terphenyl-d14	19.402	244	8386	0.643	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.989	88	4417	3.080	ng	99
34) Bis(2-ethylhexyl)phtha...	20.920	149	827	0.091	ng	# 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120924\
Data File : BN035513.D
Acq On : 09 Dec 2024 18:55
Operator : RC/JU
Sample : P5164-02
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206

Quant Time: Dec 10 01:27:08 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112724.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 27 23:03:24 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.300 min Scan# 61
Delta R.T. -0.008 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55




Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206



Tgt Ion:152 Resp: 1500
Ion Ratio Lower Upper
152 100
150 149.5 124.0 186.0
115 62.0 49.6 74.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024



#2
1,4-Dioxane
Concen: 3.080 ng
RT: 2.989 min Scan# 15
Delta R.T. -0.015 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55

Tgt Ion: 88 Resp: 4417
Ion Ratio Lower Upper
88 100
43 21.6 17.2 25.8
58 54.2 44.5 66.7









#4
2-Fluorophenol
Concen: 0.154 ng
RT: 4.960 min Scan# 21
Delta R.T. -0.007 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55

Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206

Tgt Ion:112 Resp: 579
Ion Ratio Lower Upper
112 100
64 49.9 39.8 59.8
63 29.2 21.0 31.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024



#5
Phenol-d6
Concen: 0.084 ng
RT: 6.506 min Scan# 502
Delta R.T. -0.007 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55

Tgt Ion: 99 Resp: 378
Ion Ratio Lower Upper
99 100
42 16.4 11.4 17.2
71 48.1 29.3 43.9#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.041 min Scan# 915
Delta R.T. -0.011 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55

Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206

Tgt Ion:	136	Resp:	428
Ion	Ratio	Lower	Upper
136	100		
137	13.4	10.2	15.2
54	8.6	6.1	9.1
68	8.3	6.4	9.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024



#8
Nitrobenzene-d5
Concen: 0.416 ng m
RT: 8.440 min Scan# 764
Delta R.T. -0.000 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55


Tgt Ion:	82	Resp:	1089
Ion	Ratio	Lower	Upper
82	100		
128	50.9	33.4	50.0#
54	44.1	36.7	55.1





#11
2-Methylnaphthalene-d10
Concen: 0.394 ng
RT: 11.651 min Scan# 1080
Delta R.T. -0.005 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55




Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206



Tgt Ion:152 Resp: 264
Ion Ratio Lower Upper
152 100
151 20.7 16.6 25.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 13.956 min Scan# 1436
Delta R.T. -0.011 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55


Tgt Ion:164 Resp: 3273
Ion Ratio Lower Upper
164 100
162 101.5 82.2 123.2
160 52.5 40.1 60.1





#14
2,4,6-Tribromophenol
Concen: 0.252 ng
RT: 15.475 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55



Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206



Tgt Ion:330 Resp: 58
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 34.9 26.6 40.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024



#15
2-Fluorobiphenyl
Concen: 0.459 ng
RT: 12.569 min Scan# 1261
Delta R.T. -0.005 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55


Tgt Ion:172 Resp: 5677
Ion Ratio Lower Upper
172 100
171 36.2 29.0 43.4
170 25.1 19.8 29.8





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.723 min Scan# 1680
Delta R.T. -0.013 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55




Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206



Tgt Ion:188 Resp: 7859
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.3 4.6 6.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024



#27
Fluoranthene-d10
Concen: 0.408 ng
RT: 18.775 min Scan# 1880
Delta R.T. -0.009 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55


Tgt Ion:212 Resp: 9091
Ion Ratio Lower Upper
212 100
106 9.9 9.2 13.8
104 6.0 5.3 7.9





#29
Chrysene-d12
Concen: 0.400 ng
RT: 20.965 min Scan# 2105
Delta R.T. -0.009 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55




Instrument :
BNA_N
ClientSampleId :
RE108D1-20241206



Tgt Ion:240 Resp: 6610
Ion Ratio Lower Upper
240 100
120 12.6 7.9 11.9
236 29.6 22.9 34.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/11/2024
Supervised By :mohammad ahmed 12/11/2024



#31
Terphenyl-d14
Concen: 0.643 ng
RT: 19.402 min Scan# 2015
Delta R.T. -0.009 min
Lab File: BN035513.D
Acq: 09 Dec 2024 18:55


Tgt Ion:244 Resp: 8386
Ion Ratio Lower Upper
244 100
212 10.0 8.1 12.1
122 12.5 10.3 15.5





#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.091 ng
 RT: 20.920 min Scan# 21
 Delta R.T. -0.009 min
 Lab File: BN035513.D
 Acq: 09 Dec 2024 18:55




Instrument :
 BNA_N
 ClientSampleId :
 RE108D1-20241206



Tgt Ion:149 Resp: 82
 Ion Ratio Lower Upper
 149 100
 167 23.3 22.2 33.4
 279 4.8 2.7 4.1

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/11/2024
 Supervised By :mohammad ahmed 12/11/2024



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.061 min Scan# 2637
 Delta R.T. -0.006 min
 Lab File: BN035513.D
 Acq: 09 Dec 2024 18:55

Tgt Ion:264 Resp: 6392
 Ion Ratio Lower Upper
 264 100
 260 27.8 21.4 32.2
 265 67.2 40.2 60.4

