

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121120\
 Data File : BN013081.D
 Acq On : 12 Dec 2020 08:20
 Operator : CG/JU
 Sample : L4996-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE108D1-20201208

Manual Integrations
 APPROVED

mohammad
 12/15/2020 12:20:26 PM

Quant Time: Dec 14 03:05:59 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 11 01:53:51 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.370	152	790	0.40	ng	0.00
7) Naphthalene-d8	10.137	136	2814	0.40	ng	# 0.00
13) Acenaphthene-d10	14.029	164	1731	0.40	ng	0.00
19) Phenanthrene-d10	16.787	188	3945	0.40	ng	#-0.01
29) Chrysene-d12	21.024	240	4563	0.40	ng	# 0.01
36) Perylene-d12	23.117	264	5024	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	4.986	112	377	0.13	ng	0.00
5) Phenol-d6	6.565	99	200	0.06	ng	0.00
8) Nitrobenzene-d5	8.540	82	814	0.27	ng	0.01
11) 2-Methylnaphthalene-d10	11.737	152	1574	0.31	ng	0.00
14) 2,4,6-Tribromophenol	15.552	330	276	0.24	ng	0.00
15) 2-Fluorobiphenyl	12.646	172	2529	0.33	ng	0.00
27) Fluoranthene-d10	18.838	212	5196	0.39	ng	0.00
31) Terphenyl-d14	19.454	244	4766	0.42	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.949	88	4710	3.27	ng	95
9) Naphthalene	10.188	128	756	0.09	ng	# 69
12) 2-Methylnaphthalene	11.813	142	1344	0.23	ng	95
25) Phenanthrene	16.836	178	377	0.03	ng	# 83
34) Bis(2-ethylhexyl)phtha...	20.950	149	1499m	0.15	ng	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121120\
Data File : BN013081.D
Acq On : 12 Dec 2020 08:20
Operator : CG/JU
Sample : L4996-04
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208

Manual Integrations
APPROVED


mohammad
12/15/2020 12:20:26 PM

Quant Time: Dec 14 03:05:59 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 11 01:53:51 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.370 min Scan# 570
Delta R.T. 0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20





Tgt Ion: 152 Resp: 790
Ion Ratio Lower Upper
152 100
150 153.0 116.6 174.8
115 72.9 52.9 79.3



#2
1,4-Dioxane
Concen: 3.27 ng
RT: 2.949 min Scan# 21
Delta R.T. -0.008 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Tgt Ion: 88 Resp: 4710
Ion Ratio Lower Upper
88 100
58 71.1 59.4 89.2
43 36.6 32.3 48.5



Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208

Manual Integrations
APPROVED

mohammad
12/15/2020 12:20:26 PM







#4
2-Fluorophenol
Concen: 0.13 ng
RT: 4.986 min Scan# 274
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20

Tgt Ion:	112	Resp:	377
Ion	Ratio	Lower	Upper
112	100		
64	67.6	49.5	74.3
63	40.1	32.0	48.0

Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208




Manual Integrations
APPROVED


mohammad
12/15/2020 12:20:26 PM



#5
Phenol-d6
Concen: 0.06 ng
RT: 6.565 min Scan# 470
Delta R.T. -0.008 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20


Tgt Ion:	99	Resp:	200
Ion	Ratio	Lower	Upper
99	100		
42	0.0	22.4	33.6#
71	54.5	37.8	56.6





#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.137 min Scan# 831
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20



Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208




Tgt Ion:	136	Resp:	2814
Ion	Ratio	Lower	Upper
136	100		
137	15.5	10.6	15.8
54	12.6	8.6	12.8
68	9.1	5.7	8.5#

Manual Integrations
APPROVED



mohammad
12/15/2020 12:20:26 PM




#8
Nitrobenzene-d5
Concen: 0.27 ng
RT: 8.540 min Scan# 705
Delta R.T. 0.012 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Tgt Ion:	82	Resp:	814
Ion	Ratio	Lower	Upper
82	100		
128	50.2	30.6	46.0#
54	67.2	48.3	72.5





#9
Naphthalene
Concen: 0.09 ng
RT: 10.188 min Scan# 835
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208




Tgt Ion:128 Resp: 756
Ion Ratio Lower Upper
128 100
129 25.8 9.8 14.8#
127 27.4 12.2 18.4#

Manual Integrations
APPROVED



mohammad
12/15/2020 12:20:26 PM




#11
2-Methylnaphthalene-d10
Concen: 0.31 ng
RT: 11.737 min Scan# 991
Delta R.T. -0.005 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Tgt Ion:152 Resp: 1574
Ion Ratio Lower Upper
152 100
151 20.1 16.7 25.1









#12
2-Methylnaphthalene
Concen: 0.23 ng
RT: 11.813 min Scan# 1008
Delta R.T. -0.005 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20





Tgt Ion:142 Resp: 1344
Ion Ratio Lower Upper
142 100
141 89.5 69.4 104.2
115 49.8 35.7 53.5



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.029 min Scan# 1284
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Tgt Ion:164 Resp: 1731
Ion Ratio Lower Upper
164 100
162 102.8 80.6 120.8
160 51.0 39.5 59.3



Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208

Manual Integrations
APPROVED

mohammad
12/15/2020 12:20:26 PM







#14
2,4,6-Tribromophenol
Concen: 0.24 ng
RT: 15.552 min Scan# 1404
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20

Tgt Ion: 330 Resp: 276
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 39.1 34.4 51.6

Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208




Manual Integrations
APPROVED


mohammad
12/15/2020 12:20:26 PM



#15
2-Fluorobiphenyl
Concen: 0.33 ng
RT: 12.646 min Scan# 1175
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20


Tgt Ion: 172 Resp: 2529
Ion Ratio Lower Upper
172 100
171 36.4 28.2 42.4
170 26.1 20.0 30.0





#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.787 min Scan# 1504
Delta R.T. -0.012 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208




Tgt Ion:188 Resp: 3945
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.8 5.0 7.4#

Manual Integrations
APPROVED



mohammad
12/15/2020 12:20:26 PM




#25
Phenanthrene
Concen: 0.03 ng
RT: 16.836 min Scan# 1508
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Tgt Ion:178 Resp: 377
Ion Ratio Lower Upper
178 100
176 18.6 14.8 22.2
179 0.0 12.4 18.6#





#27
Fluoranthene-d10
Concen: 0.39 ng
RT: 18.838 min Scan# 1772
Delta R.T. -0.005 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20



Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208




Tgt Ion:212 Resp: 5196
Ion Ratio Lower Upper
212 100
106 9.6 6.8 10.2
104 5.4 4.1 6.1

Manual Integrations
APPROVED



mohammad
12/15/2020 12:20:26 PM




#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.024 min Scan# 2103
Delta R.T. 0.011 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Tgt Ion:240 Resp: 4563
Ion Ratio Lower Upper
240 100
120 10.4 5.3 7.9#
236 28.1 21.8 32.8





#31
Terphenyl-d14
Concen: 0.42 ng
RT: 19.454 min Scan# 1896
Delta R.T. -0.005 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Instrument :
BNA_N
ClientSampleId :
RE108D1-20201208




Tgt Ion:244 Resp: 4766
Ion Ratio Lower Upper
244 100
212 10.0 7.3 10.9
122 12.1 7.3 10.9#

Manual Integrations
APPROVED



mohammad
12/15/2020 12:20:26 PM




#34
Bis(2-ethylhexyl)phthalate
Concen: 0.15 ng m
RT: 20.950 min Scan# 2096
Delta R.T. -0.000 min
Lab File: BN013081.D
Acq: 12 Dec 2020 08:20




Tgt Ion:149 Resp: 1499
Ion Ratio Lower Upper
149 100
167 26.8 23.2 34.8
279 4.3 3.9 5.9





#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.117 min Scan# 2441
 Delta R.T. -0.000 min
 Lab File: BN013081.D
 Acq: 12 Dec 2020 08:20

Instrument :
 BNA_N
 ClientSampleId :
 RE108D1-20201208



Tgt Ion:	264	Resp:	5024
Ion Ratio	Lower	Upper	
264	100		
260	26.4	19.8	29.6
265	73.6	51.4	77.0

Manual Integrations
 APPROVED

mohammad
 12/15/2020 12:20:26 PM

