

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121121\
 Data File : BN017940.D
 Acq On : 12 Dec 2021 14:53
 Operator : CG/JU
 Sample : M4988-01
 Misc :
 ALS Vial : 65 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20211206

Quant Time: Dec 13 00:40:16 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 11 00:01:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.706	152	31236	0.400	ng	0.00
7) Naphthalene-d8	10.494	136	124740	0.400	ng	0.00
13) Acenaphthene-d10	14.335	164	85839	0.400	ng	0.00
19) Phenanthrene-d10	17.080	188	169218	0.400	ng	#-0.01
29) Chrysene-d12	21.282	240	126099	0.400	ng	#-0.01
35) Perylene-d12	23.586	264	96199	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.336	112	8187	0.127	ng	0.00
5) Phenol-d6	6.903	99	4336	0.068	ng	0.00
8) Nitrobenzene-d5	8.846	82	21690	0.266	ng	-0.01
11) 2-Methylnaphthalene-d10	12.085	152	53540	0.244	ng	0.00
14) 2,4,6-Tribromophenol	15.844	330	5865	0.458	ng	0.00
15) 2-Fluorobiphenyl	12.964	172	86633	0.287	ng	0.00
27) Fluoranthene-d10	19.124	212	164417	0.300	ng	0.00
31) Terphenyl-d14	19.730	244	147979	0.476	ng	0.00
Target Compounds					Qvalue	
2) 1,4-Dioxane	3.270	88	137270	14.481	ng	94
9) Naphthalene	10.545	128	10611	0.034	ng	96
20) 4,6-Dinitro-2-methylph...	15.464	198	23	Below Cal	#	16
23) Atrazine	16.545	200	274	0.095	ng	# 36
24) Pentachlorophenol	16.776	266	74	0.112	ng	# 33
25) Phenanthrene	17.129	178	11002	0.025	ng	# 77
30) Pyrene	19.517	202	11034	0.022	ng	# 93
32) Benzo(a)anthracene	21.272	228	21736	0.104	ng	# 88
33) Chrysene	21.325	228	23702	0.057	ng	# 92
34) Bis(2-ethylhexyl)phtha...	21.208	149	1347285	9.952	ng	98
36) Indeno(1,2,3-cd)pyrene	25.961	276	7462	0.126	ng	# 81
37) Benzo(b)fluoranthene	22.891	252	18203	0.057	ng	# 1
38) Benzo(k)fluoranthene	22.935	252	15892	0.051	ng	# 1
39) Benzo(a)pyrene	23.486	252	15401	0.055	ng	# 1
40) Dibenzo(a,h)anthracene	25.985	278	4693	0.135	ng	# 1
41) Benzo(g,h,i)perylene	26.680	276	8640	0.057	ng	# 66

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121121\
Data File : BN017940.D
Acq On : 12 Dec 2021 14:53
Operator : CG/JU
Sample : M4988-01
Misc :
ALS Vial : 65 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Quant Time: Dec 13 00:40:16 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 11 00:01:30 2021
Response via : Initial Calibration







#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.706 min Scan# 49
 Delta R.T. -0.009 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53

Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20211206







Tgt Ion:152 Resp: 31236
 Ion Ratio Lower Upper
 152 100
 150 156.7 121.9 182.9
 115 57.6 44.1 66.1



#2
 1,4-Dioxane
 Concen: 14.481 ng
 RT: 3.270 min Scan# 10
 Delta R.T. 0.000 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53

Tgt Ion: 88 Resp: 137270
 Ion Ratio Lower Upper
 88 100
 43 30.5 28.0 42.0
 58 76.6 65.4 98.0









#4
2-Fluorophenol
Concen: 0.127 ng
RT: 5.336 min Scan# 21
Delta R.T. 0.009 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Tgt Ion:112 Resp: 8187
Ion Ratio Lower Upper
112 100
64 40.0 49.0 73.4#
63 0.0 26.2 39.2#



#5
Phenol-d6
Concen: 0.068 ng
RT: 6.903 min Scan# 404
Delta R.T. 0.009 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Tgt Ion: 99 Resp: 4336
Ion Ratio Lower Upper
99 100
42 25.7 17.0 25.4#
71 45.3 28.0 42.0#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.494 min Scan# 71
Delta R.T. 0.000 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Tgt Ion:	136	Resp:	124740
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	6.4	5.1	7.7
68	5.5	4.4	6.6



#8
Nitrobenzene-d5
Concen: 0.266 ng
RT: 8.846 min Scan# 599
Delta R.T. -0.013 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Tgt Ion:	82	Resp:	21690
Ion	Ratio	Lower	Upper
82	100		
128	30.3	32.2	48.4#
54	56.4	37.6	56.4#









#9
Naphthalene
Concen: 0.034 ng
RT: 10.545 min Scan# 71
Delta R.T. -0.000 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Tgt Ion:128 Resp: 10611
Ion Ratio Lower Upper
128 100
129 12.9 8.8 13.2
127 14.0 10.5 15.7



#11
2-Methylnaphthalene-d10
Concen: 0.244 ng
RT: 12.085 min Scan# 937
Delta R.T. -0.004 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Tgt Ion:152 Resp: 53540
Ion Ratio Lower Upper
152 100
151 20.4 16.4 24.6









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.335 min Scan# 1176
Delta R.T. 0.000 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Tgt Ion:164 Resp: 85839
Ion Ratio Lower Upper
164 100
162 101.6 82.1 123.1
160 46.5 38.2 57.2



#14
2,4,6-Tribromophenol
Concen: 0.458 ng
RT: 15.844 min Scan# 1295
Delta R.T. 0.000 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Tgt Ion:330 Resp: 5865
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 34.3 19.7 29.5#









#15
2-Fluorobiphenyl
Concen: 0.287 ng
RT: 12.964 min Scan# 1068
Delta R.T. 0.000 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Tgt Ion:172 Resp: 86633
Ion Ratio Lower Upper
172 100
171 34.5 28.3 42.5
170 22.9 19.1 28.7



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.080 min Scan# 1396
Delta R.T. -0.012 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53


Tgt Ion:188 Resp: 169218
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.8 6.2 9.2#








#20
4,6-Dinitro-2-methylphenol
Concen: Below Cal
RT: 15.464 min Scan# 11
Delta R.T. -0.012 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53


Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206





Tgt Ion:198 Resp: 23
Ion Ratio Lower Upper
198 100
182 167.1 70.8 106.2#
77 0.0 0.0 0.0




#23
Atrazine
Concen: 0.095 ng
RT: 16.545 min Scan# 1352
Delta R.T. -0.024 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Tgt Ion:200 Resp: 274
Ion Ratio Lower Upper
200 100
173 98.2 18.2 27.2#
215 68.8 41.8 62.8#








#24
 Pentachlorophenol
 Concen: 0.112 ng
 RT: 16.776 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53


Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20211206





Tgt Ion:266 Resp: 74
 Ion Ratio Lower Upper
 266 100
 264 0.0 50.6 76.0#
 268 24.3 53.7 80.5#




#25
 Phenanthrene
 Concen: 0.025 ng
 RT: 17.129 min Scan# 1400
 Delta R.T. 0.000 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53



Tgt Ion:178 Resp: 11002
 Ion Ratio Lower Upper
 178 100
 176 22.6 15.0 22.6
 179 32.3 12.4 18.6#









#27
Fluoranthene-d10
Concen: 0.300 ng
RT: 19.124 min Scan# 1696
Delta R.T. -0.005 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Tgt Ion:212 Resp: 164417
Ion Ratio Lower Upper
212 100
106 10.6 8.3 12.5
104 5.8 4.6 6.8



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.282 min Scan# 1994
Delta R.T. -0.011 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Tgt Ion:240 Resp: 126099
Ion Ratio Lower Upper
240 100
120 13.2 5.8 8.8#
236 28.0 21.0 31.6









#30
 Pyrene
 Concen: 0.022 ng
 RT: 19.517 min Scan# 11
 Delta R.T. -0.005 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53




Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20211206


Tgt Ion:202 Resp: 11034
 Ion Ratio Lower Upper
 202 100
 200 18.8 16.5 24.7
 203 12.4 14.0 21.0#



#31
 Terphenyl-d14
 Concen: 0.476 ng
 RT: 19.730 min Scan# 1818
 Delta R.T. -0.010 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53

Tgt Ion:244 Resp: 147979
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.2 9.2
 122 10.8 7.5 11.3









#32
Benzo(a)anthracene
Concen: 0.104 ng
RT: 21.272 min Scan# 1993
Delta R.T. -0.010 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53




Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206


Tgt Ion:228 Resp: 21736
Ion Ratio Lower Upper
228 100
226 29.8 21.0 31.4
229 28.2 15.8 23.8#



#33
Chrysene
Concen: 0.057 ng
RT: 21.325 min Scan# 1998
Delta R.T. -0.000 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Tgt Ion:228 Resp: 23702
Ion Ratio Lower Upper
228 100
226 32.0 23.8 35.8
229 25.7 15.6 23.4#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 9.952 ng
 RT: 21.208 min Scan# 1987
 Delta R.T. 0.000 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53




Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20211206


Tgt Ion:149 Resp: 1347285
 Ion Ratio Lower Upper
 149 100
 167 30.4 23.4 35.0
 279 5.1 3.6 5.4



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.586 min Scan# 2444
 Delta R.T. -0.003 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53

Tgt Ion:264 Resp: 96199
 Ion Ratio Lower Upper
 264 100
 260 25.6 20.2 30.4
 265 22.6 18.2 27.4









#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.126 ng
 RT: 25.961 min Scan# 3138
 Delta R.T. 0.000 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53




Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20211206


Tgt Ion:276 Resp: 7462
 Ion Ratio Lower Upper
 276 100
 138 0.0 15.2 22.8#
 277 23.9 19.8 29.6



#37
 Benzo(b)fluoranthene
 Concen: 0.057 ng
 RT: 22.891 min Scan# 2241
 Delta R.T. -0.003 min
 Lab File: BN017940.D
 Acq: 12 Dec 2021 14:53

Tgt Ion:252 Resp: 18203
 Ion Ratio Lower Upper
 252 100
 253 35.3 17.9 26.9#
 125 126.1 6.8 10.2#





#38

Benzo(k)fluoranthene

Concen: 0.051 ng

RT: 22.935 min Scan# 21

Delta R.T. -0.003 min

Lab File: BN017940.D

Acq: 12 Dec 2021 14:53

Instrument :

BNA_N

ClientSampleId :

RE125D2-20211206





Tgt Ion:252 Resp: 15892

Ion Ratio Lower Upper

252 100

253 32.4 17.8 26.6#

125 130.9 6.1 9.1#



#39

Benzo(a)pyrene

Concen: 0.055 ng

RT: 23.486 min Scan# 2415

Delta R.T. -0.007 min

Lab File: BN017940.D

Acq: 12 Dec 2021 14:53




Tgt Ion:252 Resp: 15401


Ion Ratio Lower Upper

252 100

253 38.9 18.8 28.2#

125 188.2 12.2 18.2#









#40
Dibenzo(a,h)anthracene
Concen: 0.135 ng
RT: 25.985 min Scan# 3146
Delta R.T. -0.003 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Instrument :
BNA_N
ClientSampleId :
RE125D2-20211206

Tgt Ion:278 Resp: 4693
Ion Ratio Lower Upper
278 100
139 157.2 12.0 18.0#
279 38.8 20.8 31.2#



#41
Benzo(g,h,i)perylene
Concen: 0.057 ng
RT: 26.680 min Scan# 3348
Delta R.T. 0.010 min
Lab File: BN017940.D
Acq: 12 Dec 2021 14:53

Tgt Ion:276 Resp: 8640
Ion Ratio Lower Upper
276 100
277 31.8 19.6 29.4#
138 43.7 13.8 20.8#

